

REFERENCES

1. Adambukulam, S. P., & Kakkassery, F. K. (2013). Taxonomic studies of the last instar nymph of *Lathrecista asiatica asiatica* (Fabricius 1798)(Family: Libellulidae, Order: Odonata) by using its exuvia. *Journal of Entomology and Zoology Studies*, 1(5), 103-109.
2. Adarsh, C.K., Aneesh, K., & Nameer, P.O. (2014). A preliminary checklist of odonates in Kerala Agricultural University (KAU) campus, Thrissur District, Kerala, southern India. *Journal of Threatened Taxa*, 6(8), 6127-6137.
3. Adarsh, C. K., Arunraj, R., & Nameer, P. O. (2015). Odonata (Insecta) diversity of Chinnar Wildlife Sanctuary, the southern Western Ghats, India. *Journal of Threatened Taxa*, 7(2), 6910-6919.
4. Åke Norberg, R. (1972). The pterostigma of insect wings an inertial regulator of wing pitch. *Journal of comparative physiology*, 81(1), 9-22.
5. Andrew, R. J., Subramanian, K. A., & Tiple, A. D. (2008). *A handbook on common odonates of Central India*. Hislop College, Nagpur, India (Vol. 55).
6. Arif, I. A., & Khan, H. A. (2009). Molecular markers for biodiversity analysis of wildlife animals: a brief review. *Animal biodiversity and conservation*, 32(1), 9-17.
7. Artiss, T., Schultz, T. R., Polhemus, D. A., & Simon, C. (2001). Molecular phylogenetic analysis of the dragonfly genera *Libellula*, *Ladona*, and *Plathemis* (Odonata: Libellulidae) based on mitochondrial cytochrome oxidase I and 16S rRNA sequence data. *Molecular Phylogenetics and Evolution*, 18(3), 348-361.
8. Arulprakash, R., & Gunathilagaraj, K. (2010). Abundance and diversity of Odonata in temporary water bodies of Coimbatore and Salem districts in Tamil Nadu. *Journal of Threatened Taxa*, 1099-1102.
9. Arunima, J. & P.O. Nameer (2021). A preliminary checklist of dragonflies and damselflies (Insecta: Odonata) of Vakkom Grama Panchayath, Thiruvanthapuram District, Kerala, India. *Journal of Threatened Taxa* 13(8): 19125–19136.
10. Askew, R. (2004). *The dragonflies of Europe*. Brill.
11. Babu, R. (2017). Diversity of Odonates (Insecta: Odonata) in Fish Farm, College of Veterinary and Animal Sciences, CSKHPKV, Palampur, Himachal Pradesh, India. *Records of the Zoological Survey of India*, 117(4), 367-375.
12. Baker, R. H., Wilkinson, G. S., & DeSalle, R. (2001). Phylogenetic utility of different types of molecular data used to infer evolutionary relationships among stalk-eyed flies (Diopsidae). *Systematic Biology*, 50(1), 87-105.
13. Ballare, E. F., & Ware, J. L. (2011). Dragons fly, biologists classify: an overview of molecular odonate studies, and our evolutionary understanding of dragonfly and damselfly (Insecta: Odonata) behavior. *International Journal of Odonatology*, 14(2), 137-147.
14. *Bechly, G. (1996) Morphologische Untersuchungen am Flügelgeäder der rezenten Libellen und deren Stammgruppenvertreter (Insecta; Pterygota; Odonata) unter

besonderer Berücksichtigung der phylogentischen Systematik und des Grundplanes der Odonata. *Petalura* (Special Volume), 2, 1–402.

15. Bechly, G., Nel, A., Martinez-Delclos, X., & Fleck, G. (1998). Four new dragonflies from the Upper Jurassic of Germany and the Lower Cretaceous of Mongolia (Anisoptera: Hemeroscopidae, Sonidae, and Proterogomphidae fam. nov.). *Odonatologica*, 27(2), 149-187.
16. *Bedjanic, M., Conniff, K., Dow, R.A., Stokvis, F.R., Verovnik, R. & van Tol, J. (2016) Taxonomy and molecular phylogeny of the Platystictidae of Sri Lanka (Insecta: Odonata). *Zootaxa*, 4182 (1), 1–80.
17. Bell, T. G., & Kramvis, A. (2013). Fragment merger: an online tool to merge overlapping long sequence fragments. *Viruses*, 5(3), 824-833.
18. Bhakare, S. D., Nair, V. P., Pawar, P. A., Bhoite, S. H., & Sadashivan, K. (2021). Two new species of *Euphaea* Selys, 1840 (Odonata: Zygoptera: Euphaeidae) from northern Western Ghats, India. *Journal of Threatened Taxa*, 13(5), 18200-18214.
19. Blow, R., Willink, B., & Svensson, E. I. (2021). A molecular phylogeny of fork-tail damselflies (genus *Ischnura*) reveals a dynamic macroevolutionary history of female colour polymorphisms. *Molecular Phylogenetics and Evolution*, 160, 107134.
20. Bose, C. N. & Kakkassery, F.K. (2019). New additions to the odonate fauna of Thrissur district, Kerala, with their ecological notes. *International Journal of Scientific Research and Reviews*, 8(1), 2373-2381.
21. Bose, C. N., Binoy, C. F., & Kakkassery, F. K. (2021). On the diversity and abundance of riparian odonate fauna (Insecta) of the midstream Chalakkudy River, Kerala, India. *Journal of Threatened Taxa*, 13(8), 19053-19059.
22. Bose, G., & Mitra, T. R. (1975). The odonate fauna of Rajasthan. *Records of the Zoological Survey of India*, 71(1-4), 1-11.
23. *Brady, S. G. (2002). *Phylogenetics of army ants (Hymenoptera: Formicidae) based on morphological and molecular data*. University of California, Davis.
24. Bried, J. T., D'Amico, F., & Samways, M. J. (2012). A critique of the dragonfly delusion hypothesis: why sampling exuviae does not avoid bias. *Insect Conservation and Diversity*, 5(5), 398-402.
25. Brinkman, F. S., & Leipe, D. D. (2001). Phylogenetic analysis. *Bioinformatics: a practical guide to the analysis of genes and proteins*, 2, 349.
26. *Brower, A. V., & Desalle, R. (1994). Practical and theoretical considerations for choice of a DNA sequence region in insect molecular systematics, with a short review of published studies using nuclear gene regions. *Annals of the Entomological Society of America*, 87(6), 702-716.
27. Brown, W. M., George Jr, M., & Wilson, A. C. (1979). Rapid evolution of animal mitochondrial DNA. *Proceedings of the National Academy of Sciences*, 76(4), 1967-1971.

28. Bybee, S. M., Ogden, T. H., Branham, M. A., & Whiting, M. F. (2008). Molecules, morphology and fossils: a comprehensive approach to odonate phylogeny and the evolution of the odonate wing. *Cladistics*, 23, 1–38.
29. Bybee, S., Córdoba-Aguilar, A., Duryea, M. C., Futahashi, R., Hansson, B., Lorenzo-Carballa, M. O., Schilder, R., Stoks, R., Suvorov, A., Svensson, E. I., Swaegers, J., Takahashi, Y., Watts, P.C., & Wellenreuther, M. (2016). Odonata (dragonflies and damselflies) as a bridge between ecology and evolutionary genomics. *Frontiers in zoology*, 13(1), 1-20.
30. Caesar, R. M., & Wenzel, J. W. (2009). A phylogenetic test of classical species groups in *Argia* (Odonata: Coenagrionidae). *Entomologica Americana*, 97-108.
31. Cai, Y. Y., Gao, Y. J., Zhang, L. P., Yu, D. N., Storey, K. B., & Zhang, J. Y. (2018). The mitochondrial genome of *Caenis* sp.(Ephemeroptera: Caenidae) and the phylogeny of Ephemeroptera in Pterygota. *Mitochondrial DNA Part B*, 3(2), 577-579.
32. Cameron, S. (2014). Insect mitochondrial genomics: Implications for evolution and phylogeny. *Annual review of entomology*, 59(1), 95-117.
33. Capinera, J. L. (2008). *Encyclopedia of entomology*. Springer Science & Business Media. Berlin, Germany. ISBN 1402062427.
34. *Carle, F. L. (1982). *The Wing Vein Homologies and Phylogeny of the Odonata: A Continuing Debate*. International Odonatological Society.
35. Carle, F. L. (1995). Evolution, taxonomy, and biogeography of ancient Gondwanian libelluloides, with comments on anisopteroid evolution and phylogenetic systematics (Anisoptera: Libelluloidea). *Odonatologica*, 24(4), 383-424.
36. Carle, F. L., & Kjer, K. M. (2002). Phylogeny of *Libellula* Linnaeus (Odonata: Insecta). *Zootaxa*, 87(1), 1-18.
37. Carle, F. L., Kjer, K. M., & May, M. L. (2008). Evolution of Odonata, with special reference to Coenagrionoidea (Zygoptera). *Arthropod Systematics & Phylogeny*, 66(1), 37-44.
38. Carle, F. L., Kjer, K. M., & May, M. L. (2015). A molecular phylogeny and classification of Anisoptera (Odonata). *Arthropod Systematics & Phylogeny*, 73(2), 281-301.
39. Casas, P. A. S., Sing, K. W., Lee, P. S., Nuñez, O. M., Villanueva, R. J. T., & Wilson, J. J. (2018). DNA barcodes for dragonflies and damselflies (Odonata) of Mindanao, Philippines. *Mitochondrial DNA Part A*, 29(2), 206-211.
40. Caterino, M. S., Cho, S., & Sperling, F. A. (2000). The current state of insect molecular systematics: a thriving Tower of Babel. *Annual review of entomology*, 45(1), 1-54.
41. Chandran, A. V., & Sherif, K. M. (2022). Comments on “The Dragonflies and Damselflies (Odonata) of Kerala—Status and Distribution”. *Journal of Threatened Taxa*, 14(6), 21282-21284.

42. Chandran, A.V., Jose, S.K., & Gopalan, S.V. (2021). Dragonflies and damselflies (Insecta: Odonata) of the Kole Wetlands, central Kerala, India. *Journal of Threatened Taxa*, 13(3), 17963–17971.
43. Chavarria, G., & Carpenter, J. M. (1994). “Total evidence” and the evolution of highly social bees. *Cladistics*, 10(3), 229-258.
44. Chenna, R., Sugawara, H., Koike, T., Lopez, R., Gibson, T. J., Higgins, D. G., & Thompson, J. D. (2003). Multiple sequence alignment with the Clustal series of programs. *Nucleic acids research*, 31(13), 3497-3500.
45. Chippindale, P. T., Dave, V. K., Whitmore, D. H., & Robinson, J. V. (1999). Phylogenetic relationships of North American Damselflies of the Genus *Ischnura* (Odonata: Zygoptera: Coenagrionidae) based on sequences of three mitochondrial genes. *Molecular Phylogenetics and Evolution*, 11(1), 110-121.
46. Christudhas, A., & Mathai, M. T. (2014). Genetic variation of a migratory dragonfly characterized with random DNA markers. *Journal of Entomology and Zoological Studies*, 2, 182-184.
47. Clark, T. E., & Samways, M. J. (1996). Dragonflies (Odonata) as indicators of biotope quality in the Kruger National Park, South Africa. *Journal of applied ecology*, 1001-1012.
48. Clausnitzer, V., Kalkman, V. J., Ram, M., Collen, B., Baillie, J. E., Bedjanič, M., & Wilson, K. (2009). Odonata enter the biodiversity crisis debate: the first global assessment of an insect group. *Biological conservation*, 142(8), 1864-1869.
49. *Conniff, K., Sasamoto, A., Futahashi, R. & Singh Limbu, M. (2019) Revision of the status of *Anaciaeschna donaldi* and *A. martini*, with allied species, and distributional notes (Odonata: Aeshnidae). *Odonatologica*, 48 (3/4), 265–284
50. *Corbet, P.S. (1962) *A Biology of Dragonflies*. Witherby, London
51. *Corbet, P. S. (1980). Biology of odonata. *Annual review of entomology*, 25(1), 189-217.
52. Corbet, P. S. (1991). A brief history of odonatology. *Advances in odonatology*, 5(1), 21-44.
53. *Corbet, P. S. (1999). *Dragonflies: Behavior and Ecology of Odonata*; Comstock Pub. Associates, Cornell University Press.
54. Córdoba-Aguilar, A. (Ed.). (2008). *Dragonflies and damselflies: model organisms for ecological and evolutionary research*. OUP Oxford.
55. Cruickshank, R. H. (2002). Molecular markers for the phylogenetics of mites and ticks. *Systematic and Applied Acarology*, 7(1), 3-14.
56. d'Aguilar, J., Dommange, J. L., & Préchac, R. (1986). *A field guide to the dragonflies of Britain, Europe and North Africa*. Collins

57. *Danforth, B. N., Conway, L., & Ji, S. (2003). Phylogeny of eusocial *Lasioglossum* reveals multiple losses of eusociality within a primitively eusocial clade of bees (Hymenoptera: Halictidae). *Systematic Biology*, 52(1), 23-36.
58. Danforth, B. N., Lin, C. P., & Fang, J. (2005). How do insect nuclear ribosomal genes compare to protein-coding genes in phylogenetic utility and nucleotide substitution patterns?. *Systematic Entomology*, 30(4), 549-562.
59. *Danks, H. V. (1992). Arctic Insects as Indicators of Environmental Change. *Arctic*, 45(2), 159–166.
60. Davies, D.A., Tobin P. (1985). The dragonflies of the world: a systematic list of extant species of Odonata, vol. 2. Anisoptera. *Societas Internationalis Odonatologica Rapid Communications*, Rapid Communication (Suppl.)No. 5., Utrecht,151 pp
61. Davis, R.B., Nicholson, D.B., Saunders, E.L.R. & Mayhew, P.J. (2011) Fossil gaps inferred from phylogenies alter the apparent nature of diversification in dragonflies and their relatives. *BMC Evolutionary Biology*, 11, 252–261.
62. Dawn, P. (2014). Taxonomic study of Odonata [Insecta] in Kolkata and surroundings, West Bengal, India. *Journal of entomology and zoology studies*, 2(3), 147-152.
63. Dawn, P.(2016). Odonata larval studies in India, that remained under water. *INDEX*, 11-18.
64. Dawn, P.(2021). A new species of *Cephalaeschna* Selys, 1883 (Odonata: Anisoptera: Aeshnidae) from Neora Valley National Park, West Bengal, India, with notes on *C. acanthifrons* Joshi & Kunte, 2017 and *C. viridifrons* (Fraser, 1922). *Zootaxa*, 4949(2), 371-380.
65. Dayrat, B. (2005). Towards integrative taxonomy. *Biological journal of the Linnean society*, 85(3), 407-417.
66. De Mandal, S., Chhakchhuak, L., Gurusubramanian, G., & Kumar, N. S. (2014). Mitochondrial markers for identification and phylogenetic studies in insects—A Review. *DNA Barcodes*, 2(1), 1-9.
67. De Mendonça, R. S., Navia, D., Diniz, I. R., Auger, P., & Navajas, M. (2011). A critical review on some closely related species of *Tetranychus* sensu stricto (Acari: Tetranychidae) in the public DNA sequences databases. *Experimental and Applied Acarology*, 55(1), 1-23.
68. DeSalle, R., Egan, M. G., & Siddall, M. (2005). The unholy trinity: taxonomy, species delimitation and DNA barcoding. *Philosophical transactions of the royal society B: Biological sciences*, 360(1462), 1905-1916.
69. *Des Higgins, D. G., & Sharp, P. M. (1988). CLUSTAL: a package for performing multiple sequence alignment on a microcomputer. *Gene*, 73, 237-44.
70. Dijkstra, K. D. B (2006). *Field guide to the dragonflies of Britain and Europe*. Bloomsbury Publishing.

71. Dijkstra, K. D. B. (2013). Three new genera of damselflies (Odonata: Chlorocyphidae, Platycnemididae). *International Journal of Odonatology*, 16(3), 269-274.
72. Dijkstra, K. D. B., & Vick, G. S. (2006). Inflation by venation and the bankruptcy of traditional genera: the case of *Neodythemis* and *Micromacromia*, with keys to the continental African species and the description of two new *Neodythemis* species from the Albertine Rift (Odonata: Libellulidae). *International Journal of Odonatology*, 9(1), 51-70.
73. Dijkstra, K. D.B, & Kalkman, V. J. (2012). Phylogeny, classification and taxonomy of European dragonflies and damselflies (Odonata): a review. *Organisms Diversity & Evolution*, 12(3), 209-227.
74. Dijkstra, K. D. B., & Kalkman, V. J. (2013). The “African” genus *Argiagrion* is a Brazilian *Leptagrion* species and the “Philippine” *Moroagrion* a European *Pyrrhosoma* (Odonata: Coenagrionidae). *International Journal of Odonatology*, 16(2), 189-191.
75. Dijkstra, K. D., & Schröter, A. (2020). *Field guide to the dragonflies of Britain and Europe*. Bloomsbury Publishing.
76. Dijkstra, K. D. B., Groeneveld, L. F., Clausnitzer, V., & Hadrys, H. (2007). The *Pseudagrion* split: molecular phylogeny confirms the morphological and ecological dichotomy of Africa's most diverse genus of Odonata (Coenagrionidae). *International Journal of Odonatology*, 10(1), 31-41.
77. Dijkstra, K. D. B., Bechly, G., Bybee, S. M., Dow, R. A., Dumont, H. J., Fleck, G., Garrison, W.R., Hämäläinen, M., Kalkman, V.J., Karube, H., May, M.L., Orr, A.G., Paulson,D.R., Rehn, A.C., Theischinger, G., Trueman, J.W.H., Tol, J.N. , Ellenrieder, N.V. & Ware, J. (2013). The classification and diversity of dragonflies and damselflies (Odonata). In: Zhang, Z.-Q.(Ed.) Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda 2013). *Zootaxa*, 3703(1), 36-45. ,
78. Dijkstra, K. D. B., Kalkman, V. J., Dow, R. A., Stokvis, F. R., & Van Tol, J. A. N. (2014). Redefining the damselfly families: a comprehensive molecular phylogeny of Zygoptera (Odonata). *Systematic Entomology*, 39(1), 68-96.
79. *Drury, D. (1770). *Illustrations of Natural History- Exotic Insects*, 1: 112-115.
80. *Drury, D. (1773). *Illustrations of Natural History- Exotic Insects*, 2: 84-85.
81. Dumont, H. J., Vierstraete, A., & Vanfleteren, J. R. (2010). A molecular phylogeny of the Odonata (Insecta). *Systematic Entomology*, 35(1), 6-18.
82. Dumont, H.J., Ikemeyer, D. & Scheider, T. (2017) *Lestes concinnus* and *L. pallidus*: two non-metallic species with wide, complementary ranges (Odonata: Lestidae). *Odonatologica*, 46 (1/2), 99–110.
83. Dumont, H. J., Vanfleteren, J. R., De Jonckheere, J. F., & Weekers, P. H. (2005). Phylogenetic relationships, divergence time estimation, and global biogeographic patterns of calopterygoid damselflies (Odonata, Zygoptera) inferred from ribosomal DNA sequences. *Systematic Biology*, 54(3), 347-362.

84. Dunkle, S. W. (2000). *Dragonflies through binoculars: a field guide to dragonflies of North America*. Oxford University Press.
85. *Edgar, R. C. (2004). MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic acids research*, 32(5), 1792-1797.
86. Emiliyamma, K. G. (2005). On the Odonata (Insecta) fauna of Kottayam district, Kerala, India. *Zoos' Print Journal*, 20(12), 2108-2110.
87. Emiliyamma, K. G., & Palot, M. J. (2016). A new species of *Protosticta* Selys, 1885 (Odonata: Zygoptera: Platystictidae) from Western Ghats, Kerala, India. *Journal of Threatened Taxa*, 8(14), 9648-9652.
88. Emiliyamma, K. G., & Radhakrishnan, C. (2000). Odonata (Insecta) of Parambikulam Wildlife Sanctuary, Kerala, India. *Records of the Zoological Survey of India*, 98(1), 157-167.
89. Emiliyamma, K. G., & Radhakrishnan, C. (2002). Additions to the Odonata (Insecta) of Thiruvananthapuram District, Kerala. *Zoos' Print Journal*, 17(10), 914-917.
90. Emiliyamma, K. G., & Radhakrishnan, C. (2014). Additional Records of Odonata (Insecta) from Parambikulam Wildlife Sanctuary, Kerala, India. *Records of the Zoological Survey of India*, 114(3), 365-369.
91. Emiliyamma, K. G., & Subramanian, K. A. (2013). Insecta: Odonata. *Fauna of Karnataka, State Fauna Series*, 21, 81-84.
92. Emiliyamma, K. G., Palot, M. J., & Radhakrishnan, C. (2012). *Microgomphus souteri* Fraser, a new addition to the Odonata (Insecta) fauna of Kerala, southern India. *Journal of Threatened Taxa*, 4(6), 2667-2669.
93. Emiliyamma, K. G., Palot, M., Radhakrishnan, C., & Balakrishnan, V. C. (2013). *Lyriothemis acigastra*: a new addition to the odonata fauna of Peninsular India. *Taprobanica: The Journal of Asian Biodiversity*, 5(1), 73-74.
94. Emiliyamma, K. G., Palot, M. J., & Charesh, C. (2020). A new species of *Platylestes* Selys (Odonata: Zygoptera: Lestidae) from the coastal area of Kannur District, Kerala, India. *Journal of Threatened Taxa*, 12(13), 16854-16860.
95. *Fabricius, J.C. (1775). *Entomologica Systematica*, 420-426.
96. *Fabricius, J.C. (1787). Odonata. *Mantissa Insectorum*, 1787: 336-340.
97. *Fabricius, J.C. (1793). Libellula. *Entomologica Systematica*, 2: 373-383.
98. *Fabricius, J.C. (1798). *Supplementum Entomologiae systematicae* : 1-572.
99. Farris, J.S., Källersjö, M., Kluge, A.G., Bult, C. (1994) Testing significance of incongruence. *Cladistics* 10, 315–319.
100. Felsenstein, J. (1985). Confidence limits on phylogenies: an approach using the bootstrap. *Evolution*, 39(4), 783-791.

101. Felsenstein, J. (2004). *Inferring phylogenies*. Sunderland, MA: Sinauer associates, 2, p. 664.
102. Ferreira, S., Lorenzo-Carballa, M. O., Torres-Cambas, Y., Cordero-Rivera, A., Thompson, D. J., & Watts, P. C. (2014). New EPIC nuclear DNA sequence markers to improve the resolution of phylogeographic studies of coenagrionids and other odonates. *International Journal of Odonatology*, 17(2-3), 135-147.
103. Fleck, G. (2011). Phylogenetic affinities of Petaluridae and basal Anisoptera families (Insecta: Odonata). *Stuttgarter Beiträge zur Naturkunde A, Neue Serie*, 4, 83-104.
104. Fleck, G., Brenk, M., & Misof, B. (2008). Larval and molecular characters help to solve phylogenetic puzzles in the highly diverse dragonfly family Libellulidae (Insecta: Odonata: Anisoptera): The Tetrathemistinae are a polyphyletic group. *Organisms Diversity & Evolution*, 8(1), 1-16.
105. Flook, P. K., Klee, S., & Rowell, C. H. F. (1999). Combined molecular phylogenetic analysis of the Orthoptera (Arthropoda, Insecta) and implications for their higher systematics. *Systematic biology*, 48(2), 233-253.
106. Folmer, O., Black, M., Hoeh, W., Lutz, R., & Vrijenhoek, R. (1994). DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology*, 3(5), 294-299.
107. Foottit, R. G., & Adler, P. H. (Eds.). (2009). *Insect biodiversity: science and society*. John Wiley & Sons.
108. Fraser, F.C. (1918). Two new Indian dragonflies. *Journal of Bombay natural History Society*, 25: 383-385.
109. Fraser, F.C.(1919). Descriptions of four new Indian Odonata. *Records of Indian Museum*, 16(7): 451-455.
110. *Fraser, F.C. (1924). A survey of the Odonata fauna of western India with special remarks on the genera *Macromia* and *Idionyx* and descriptions of thirty new species, with Appendix I and II. *Rec. Indian Mus.*, 26(5): 423-522.
111. *Fraser, F.C. (1926). A revision of the genus *Idionyx* Selys. *Rec. Indian Mus.*, 28(3): 195-207.
112. *Fraser, F.C. (1931). Additions to the survey of the Odonata (Dragonfly) fauna of Western India, with descriptions of nine new species. *Rec. Indian Mus.*, 33: 443-474.
113. Fraser, F.C. (1933). *Fauna of British India, including Ceylon and Burma, Odonata, Vol. I*. Taylor and Francis Ltd. London, 423pp.
114. Fraser, F.C. (1934). *Fauna of British India, including Ceylon and Burma, Odonata, Vol. II*. Taylor and Francis Ltd. London, 398pp.
115. Fraser, F.C. (1936). *Fauna of British India, including Ceylon and Burma. Odonata, Vol. III*. Taylor and Francis Ltd. London, 461pp

116. Fraser, F.C. (1957). *A reclassification of the order Odonata*. Royal Zoological Society of New South Wales, Sydney.
117. Frati, F., Simon, C., Sullivan, J., & Swofford, D. L. (1997). Evolution of the mitochondrial cytochrome oxidase II gene in Collembola. *Journal of Molecular Evolution*, 44(2), 145-158.
118. *Friedlander, T.P. Regier, J.C. & Mitter, C. (1992) Nuclear gene sequences for higher level phylogenetic analysis: 14 promising candidates. *Systematic Biology*, 41, 483–490.
119. *Friedlander, T.P. Regier, J.C. & Mitter, C. (1994) Phylogenetic information content of five nuclear gene sequences in animals: Initial assessment of character sets from concordance and divergence studies. *Systematic Biology*, 43, 511–525.
120. Froufe, E., Ferreira, S., Boudot, J. P., Alves, P. C., & Harris, D. J. (2014). Molecular phylogeny of the Western Palaearctic Cordulegaster taxa (Odonata: Anisoptera: Cordulegastridae). *Biological Journal of the Linnean Society*, 111(1), 49-57.
121. Galimberti, A., Assandri, G., Maggioni, D., Ramazzotti, F., Baroni, D., Bazzi, G., Chiandetti, I., Corso, A., Ferri, V., Galuppi, M., Ilahiane, L., La Porta, G., Laddaga, L., Landi, F., Mastropasqua, F., Ramellini, S., Santinelli, R., Soldato, G., Surdo, S., & Casiraghi, M. (2021). Italian odonates in the Pandora's box: A comprehensive DNA barcoding inventory shows taxonomic warnings at the Holarctic scale. *Molecular Ecology Resources*, 21(1), 183-200.
122. Garrison, R. W., & von Ellenrieder, N. (1991). A synonymic list of the New World Odonata. *Argia*, 3(2), 1-30.
123. Garrison, R. W., & von Ellenrieder, N. (2019). A synonymic list of the New World Odonata. *Argia*, 3(2), 1-30.
124. Giribet, G., Carranza, S., Baguna, J., Riutort, M., & Ribera, C. (1996). First molecular evidence for the existence of a Tardigrada+ Arthropoda clade. *Molecular biology and evolution*, 13(1), 76-84.
125. Gonnet, G. H. (2012). Surprising results on phylogenetic tree building methods based on molecular sequences. *BMC bioinformatics*, 13(1), 1-23.
126. Gopalan, S. V., Sherif, M., & Chandran, A. V. (2022). A checklist of dragonflies & damselflies (Insecta: Odonata) of Kerala, India. *Journal of Threatened Taxa*, 14(2), 20654-20665.
127. Guan, Z., Dumont, H. J., Yu, X., Han, B. P., & Vierstraete, A. (2013). Pyrrhosoma and its relatives: a phylogenetic study (Odonata: Zygoptera). *International Journal of Odonatology*, 16(3), 247-257.
128. Gyulavári, H. A., Felföldi, T., Benken, T., Szabó, L. J., Miskolczi, M., Cserháti, C., Horvai, V., Marialigeti, K. & Dévai, G. (2011). Morphometric and molecular studies on the populations of the damselflies Chalcolestes viridis and C. parvidens (Odonata, Lestidae). *International Journal of Odonatology*, 14(4), 329-339.

129. Hall, B. G. (2013). Building phylogenetic trees from molecular data with MEGA. *Molecular biology and evolution*, 30(5), 1229-1235.
130. *Hamalainen, M. (2011) Notes on the taxonomic status of *Vestalis submontana* Fraser, 1934 from South India (Zygoptera: Calopterygidae). *Notulae Odonatologicae*, 7 (8), 71–73
131. *Hamalainen, M. (2016) *Calopterygoidea of the World: A synonymic list of extant damselfly species of the superfamily Calopterygoidea (sensu lato) (Odonata: Zygoptera)*. Privately published, Espoo, 41 pp.
132. Hämäläinen, M., Dow, R. A., & Stokvis, F. R. (2015). Revision of the Sundaland species of the genus *Dysphaea* Selys, 1853 using molecular and morphological methods, with notes on allied species (Odonata: Euphaeidae). *Zootaxa*, 3949(4), 451-490.
133. Hammond, C. O. (1983). *The dragonflies of Great Britain and Ireland* (No. Edn. 2). Harley Books.
134. Haneef, M., Crasta, B. R. S., & Chandran, A. V. (2021). Report of *Bradinopyga konkanensis* Joshi & Sawant, 2020 (Insecta: Odonata) from Kerala, India. *Journal of Threatened Taxa*, 13(8), 19173-19176.
135. Haring, E., Fischer, I., Sittenthaler, M., Wolf, P., Chovanec, A., Koblmüller, S., & Zangl, L. (2020). Intraspecific genetic diversity in selected widespread dragonfly species (Insect: Odonata). *Acta ZooBot Austria*, 157, 243-260.
136. *Harrison, R. G. (1989). Animal mitochondrial DNA as a genetic marker in population and evolutionary biology. *Trends in Ecology & Evolution*, 4(1), 6-11.
137. Hasegawa, E., & Kasuya, E. (2006). Phylogenetic analysis of the insect order Odonata using 28S and 16S rDNA sequences: a comparison between data sets with different evolutionary rates. *Entomological Science*, 9(1), 55-66.
138. Hasegawa, M., Kishino, H., & Saitou, N. (1991). On the maximum likelihood method in molecular phylogenetics. *Journal of molecular evolution*, 32(5), 443-445.
139. Hebert, P. D. N., Ratnasingham, S., & deWaard, J. (2003). Barcoding animal life: cytochrome c oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society B: Biological Sciences*, 270(1), 96–99.
140. Herrera, M. S., Realpe, E., & Salazar, C. (2010). A neotropical polymorphic damselfly shows poor congruence between genetic and traditional morphological characters in Odonata. *Molecular phylogenetics and evolution*, 57(2), 912-917.
141. *Hennig, W. (1969). *Die Stammesgeschichte der Insekten*. Kramer, Frankfurt, Germany.
142. *Hennig, W. (1981). *Insect phylogeny*. Wiley, New York
143. Heyer, W. R., Donnelly, M. A., McDiarmid, R. W., Hayek, L. A. C., & Foster, M. S. (1994). Essentials of standardization and quantification. *Measuring and*

monitoring biological diversity: standard methods for amphibians. Smithsonian Institution Press, Washington, DC.

144. Hovmöller, R., & Johansson, F. (2004). A phylogenetic perspective on larval spine morphology in Leucorrhinia (Odonata: Libellulidae) based on ITS1, 5.8 S, and ITS2 rDNA sequences. *Molecular Phylogenetics and Evolution*, 30(3), 653-662.
145. Huang, S. T., Wang, H. R., Yang, W. Q., Si, Y. C., Wang, Y. T., Sun, M. L., Qi, X., & Bai, Y. (2020). Phylogeny of Libellulidae (Odonata: Anisoptera): comparison of molecular and morphology-based phylogenies based on wing morphology and migration. *PeerJ*, 8, e8567.
146. Islam, S. U., Qasim, M., Lin, W., Islam, W., Arif, M., Ali, H., Du, Z. & Wu, Z. (2018a). Genetic interaction and diversity of the families Libellulidae and Gomphidae through COI gene from China and Pakistan. *Acta tropica*, 182, 92-99.
147. Islam, S. U., Qasim, M., Ali, H., Islam, W., Arif, M., Dash, C. K., Lin, W., Du, Z. & Wu, Z. (2018b). Genetic diversity of the families Aeshnidae, Gomphidae and Libellulidae through COI gene from South China. *Acta tropica*, 185, 273-279.
148. Iswandaru, D. (2018). *Diversity of dragonflies (Odonata) in swamp ecosystem.* University of Lampung. 105(1-2), 101-109.
149. Ji, Y., & Yu, X. (2019). Molecular test shows the color pattern is not so reliable in diagnostic of genus *Dysphaea* Selys (Odonata: Euphaeidae). *Zoological Systematics*, 44(2), 91-99.
150. Johnson, M., Zaretskaya, I., Raytselis, Y., Merezhuk, Y., McGinnis, S., & Madden, T. L. (2008). NCBI BLAST: a better web interface. *Nucleic acids research*, 36(2), W5-W9.
151. Joshi, S., & Kunte, K. (2014). Dragonflies and damselflies (Insecta: Odonata) of Nagaland, with an addition to the Indian odonate fauna. *Journal of Threatened Taxa*, 6(11), 6458-6472.
152. Joshi, S., & Kunte, K. (2017). Two new dragonfly species (Odonata: Anisoptera: Aeshnidae) from north-eastern India. *Zootaxa*, 4300(2), 259-268.
153. Joshi, S., & Sawant, D. (2019). *Ceriagrion chromothorax* sp. nov.(Odonata: Zygoptera: Coenagrionidae) from Sindhudurg, Maharashtra, India. *Journal of Threatened Taxa*, 11(7), 13875-13885.
154. Joshi, S., & Sawant, D. (2020). Description of *Bradinopyga konkanensis* sp. nov.(Odonata: Anisoptera: Libellulidae) from the coastal region of Maharashtra, India. *Zootaxa*, 4779(1), 65-78.
155. Joshi, S., Kosterin, O. E., & Kunte, K. (2016). New status for Fraser's forgotten *Aciagrion approximans krishna*, stat. nov.(Odonata: Zygoptera: Coenagrionidae) from the Western Ghats of India. *International Journal of Odonatology*, 19(1-2), 41-51.
156. Joshi, S., P. Dawn, P. Roy, and K. Kunte. (2022). *Odonata of India, v. 1.57.* Indian Foundation for Butterflies.

157. Joshi, S., Sawant, D., Ogale, H., & Kunte, K. (2022). *Burmagomphus chaukulensis*, a new species of dragonfly (Odonata: Anisoptera: Gomphidae) from the Western Ghats, Maharashtra, India. *Zootaxa*, 5133(3), 413-430.
158. Joshi, S., Subramanian, K. A., Babu, R., Sawant, D., & Kunte, K. (2020). Three new species of *Protosticta* Selys, 1885 (Odonata: Zygoptera: Platystictidae) from the Western Ghats, India, with taxonomic notes on *P. mortoni* Fraser, 1922 and rediscovery of *P. rufostigma* Kimmings, 1958. *Zootaxa*, 4858(2), 151-185.
159. Joshi, S., Veino, J., Veino, D., Veino, L., Veino, R., & Kunte, K. (2017). Additions to the Indian dragonfly fauna, and new records of two enigmatic damselflies (Insecta: Odonata) from northeastern India. *Journal of Threatened Taxa*, 9(7), 10433-10444.
160. Kalkman, V.J., V. Clausnitzer, K.D.B. Dijkstra, A.G. Orr, D.R.Paulson & J.V.Tol (2008).Global diversity of dragonflies (Odonata) in freshwater. *Hydrobiologia* .595, 351–363.
161. Kalkman, V. J., Babu, R., Bedjanič, M., Conniff, K., Gyeltshen, T., Khan, M. K., Subramanian, K.A., Zia, A., & Orr, A. G. (2020). Checklist of the dragonflies and damselflies (Insecta: Odonata) of Bangladesh, Bhutan, India, Nepal, Pakistan and Sri Lanka. *Zootaxa*, 4849(1), 1-84.
162. Kambhampati, S., & Charlton, R. E. (1999). Phylogenetic relationship among Libellula, Ladona and Plathemis (Odonata: Libellulidae) based on DNA sequence of mitochondrial 16S rRNA gene. *Systematic Entomology*, 24(1), 37-49.
163. Khelifa, R., Theischinger, G., & Endersby, I. (2017). A century on from The Biology of Dragonflies by Tillyard 1917: what have we learned since then?. *Austral Entomology*, 56(2), 138-147.
164. Kim, K. G., Jang, S. K., Park, D. W., Hong, M. Y., Oh, K. H., Kim, K. Y., Huang, J.S., Han, Y.S. & Kim, I. S. (2007). Mitochondrial DNA sequence variation of the tiny dragonfly, *Nannophya pygmaea* (Odonata: Libellulidae). *International Journal of Industrial Entomology*, 15(1), 47-58.
165. Kim, M. J., Jung, K. S., Park, N. S., Wan, X., Kim, K. G., Jun, J., Yoon, T.J., Bae, Y.J., Lee, S.M. & Kim, I. (2014). Molecular phylogeny of the higher taxa of Odonata (Insecta) inferred from COI, 16S r RNA, 28S r RNA, and EF 1- α sequences. *Entomological Research*, 44(2), 65-79.
166. Kiran, C.G. & Raju, D.V. (2013). *Dragonflies and Damselflies of Kerala (Malayalam)*. Tropical Institute of Ecological sciences, Green leaf Publications, Kottayam, Kerala, India, 156pp.
167. Kiran, C. G., Kalesh, S., & Kunte, K. (2015). A new species of damselfly, *Protosticta ponmudiensis* (Odonata: Zygoptera: Platystictidae) from Ponmudi Hills in the Western Ghats of India. *Journal of Threatened Taxa*, 7(5), 7146-7151.
168. Kiyoshi, T., & Sota, T. (2006). Differentiation of the dragonfly genus *Davidius* (Odonata: Gomphidae) in Japan inferred from mitochondrial and nuclear gene genealogies. *Zoological Science*, 23(1), 1-8.

169. Kjer, K. M., Carle, F. L., Litman, J. E. S. S. E., & Ware, J. E. S. S. I. C. A. (2006). A molecular phylogeny of Hexapoda. *Arthropod Systematics and Phylogeny*, 64(1), 35-44.
170. Knight, T. M., McCoy, M. W., Chase, J. M., McCoy, K. A., & Holt, R. D. (2005). Trophic cascades across ecosystems. *Nature*, 437(7060), 880-883.
171. Krishnan, J. (2018). *Molecular phylogenetic assessment of selected families of odonates in north Kerala*. University of Calicut.
172. Kohli, M. K., Sahlén, G., Kuhn, W. R., & Ware, J. L. (2018). Extremely low genetic diversity in a circumpolar dragonfly species, *Somatochlora sahlbergi* (Insecta: Odonata: Anisoptera). *Scientific reports*, 8(1), 1-10.
173. Koli, Y., Dalvi, A., & Sawant, D. (2021). New records of *Agriocnemis keralensis* Peters, 1981 and *Gynacantha khasiaca* MacLachlan, 1896 (Insecta: Odonata) from Maharashtra, India. *Journal of Threatened Taxa*, 13(7), 18908-18919.
174. Komarek, A., & Beutel, R. G. (2006). Problems in taxonomy and suggestions for a standardized description of new insect taxa. *Entomological problems*, 36(2), 55.
175. Koparde, P., Mhaske, P., & Patwardhan, A. (2014). New records of dragonflies and damselflies (Insecta: Odonata) from the Western Ghats of Maharashtra, India. *Journal of Threatened taxa*, 6(5), 5744-5754.
176. Krishnan, J. (2018). *Molecular phylogenetic assessment of selected families of odonates in north Kerala*. University of Calicut.
177. Kulkarni, A. S., & Subramanian, K. A. (2013). Habitat and seasonal distribution of Odonata (Insecta) of Mula and Mutha river basins, Maharashtra, India. *Journal of Threatened Taxa*, 5(7), 4084-4095.
178. Kumar, A. (1971). The larval stages of *Orthetrum brunneum brunneum* (Fonscolombe) with a description of the last instar larva of *Orthetrum taeniolatum* (Schneider)(Odonata: Libellulidae). *Journal of natural History*, 5(2), 121-132.
179. Kumar, A. (1980). Studies on the Life History of Indian Dragonflies, *Ceriagrion coromandelianum* (Fabricius)(Coenagrionidae: Odonata). *Records of the Zoological Survey of India*, 76(1-4), 249-258.
180. Kumar, A. (1984). Studies on the Life History of Indian Dragonflies, *Acisoma panorpoides panorpoides* Rambur, 1842 (Libellulidae: Odonata). *Records of the Zoological Survey of India*, 81(3-4), 203-213.
181. Kumar, A., & Prasad, M. (1977). Reproductive behaviour in *Neurobasis chinensis chinensis* (Linnaeus)(Zygoptera: Calopterygidae). *Odonatologica*, 6(3), 163-171.
182. *Lahiri, A. R. (1977). On a collection of Odonata from Manipur with new records. *Records of the Zoological Survey of India*, 72(1-4), 409-418.
183. *Lahiri, A. R. (1979). Odonata (Insecta) from different states of north Eastern India. *Oriental Insects*, 13(1-2), 119-132.

184. *Lahiri, A.R. (2003). On a new species of the genus *Bayadera* Selys (Odonata: Euphaeidae) from India with notes on its Indian representative. *Rec. zool. Surv. India*, 101(3-4): 39-42.
185. Lahiri, A. R., & Sinha, C. (1991). A review of Indian Chlorocyphidae (Insecta: Odonata) with additional notes on taxonomy and distribution for some species and description of a new subspecies. *Records of the Zoological Survey of India*, 89(1-4), 257-268.
186. *Laidlaw, F.F. (1914). Zoological Results of the Abor Expedition 1911-1912; XXV. Odonata. *Rec. Indian Mus.*, 8: 335-349.
187. *Laidlaw, F.F. (1915). Notes on Oriental dragonflies in the Indian Museum, No. 3. *Rec. Indian Mus.*, 11: 387-391.
188. *Laidlaw, F.F. (1916a). Notes on Oriental dragonflies in the Indian Museum. No. 4. The genus *Pseudagrion*. *Rec. Indian Mus.*, 12: 21-25.
189. *Laidlaw, F.F. (1916b). Notes on Indian Odonata. *Rec. Indian Mus.*, 12: 129-136.
190. *Laidlaw, F.F. (1917a). A list of the dragonflies recorded from the Indian Empire with special reference to the collection of the Indian Museum, Part-I. The Family Calopterygidae. *Rec. Indian Mus.*, 13: 23-40.
191. *Laidlaw, F.F. (1917b). A list of the dragonflies recorded from the Indian Empire with special reference to the collection of the Indian Museum, Part-I. The Family Agrioninae. *Rec. Indian Mus.*, 13: 321-348.
192. *Laidlaw, F.F. (1919). A list of the dragonflies recorded from the Indian Empire with special reference to the collection of the Indian Museum, Part-II. *Rec. Indian Mus.*, 16: 169-195.
193. *Laidlaw, F.F. (1920). Description of a new species of the genus *Pseudophaea* (Euphaea, Selys) from Western India with some remarks on the section Dispar of the genus. *Rec. Indian Mus.*, 19: 23-27.
194. *Laidlaw, F.F. (1922). A list of the dragonflies recorded from the Indian Empire with special reference to the collection of the Indian Museum, Part-V. The subfamily Gomphinae. *Rec. Indian Mus.*, 24: 367-426.
195. *Laidlaw, F.F. (1924). Notes on Oriental dragonflies of the genus *Aciagrion*. *Proc. U.S. nat. Mus.*, 66 Art 10: 1-9.
196. *Laidlaw, F. F. (1930). A synonymic list of dragonflies of the family Gomphidae (Odonata, Anisoptera) found in the Oriental Region. *Transactions of the Royal Entomological Society of London*, 78(2), 171-198.
197. *Laidlaw, F.F. (1932). A Revision of the Genus *Coelliccia* (Order Odonata). *Rec. Indian Mus.*, 34: 7-42.
198. *Land, M. F., & Nilsson, D. E. (2012). *Animal eyes*. Oxford: Oxford University Press.

199. *Lawler, S.P. (2001). Rice fields as temporary wetlands: a review. *Israel Journal of Zoology* 47: 513-528.
200. *Lecointre, G., Deleporte, P., (2005) Total evidence requires exclusion of phylogenetically misleading data. *Zoologica Scripta*, 34, 101–117.
201. Lee, P. L., Clayton, D. H., Griffiths, R., & Page, R. D. (1996). Does behavior reflect phylogeny in swiftlets (Aves: Apodidae)? A test using cytochrome b mitochondrial DNA sequences. *Proceedings of the National Academy of Sciences*, 93(14), 7091-7096.
202. *Leys, R., Cooper, S. J., & Schwarz, M. P. (2000). Molecular phylogeny of the large carpenter bees, genus *Xylocopa* (Hymenoptera: Apidae), based on mitochondrial DNA sequences. *Molecular Phylogenetics and Evolution*, 17(3), 407-418.
203. *Leys, R., Cooper, S. J., & Schwarz, M. P. (2002). Molecular phylogeny and historical biogeography of the large carpenter bees, genus *Xylocopa* (Hymenoptera: Apidae). *Biological Journal of the Linnean Society*, 77(2), 249-266.
204. Lieftinck, M. A. (1960). On the identity of some little known southeast Asiatic Odonata in European Museums described by E. de Selys Longchamps with descriptions of new species. *Memorie della Societa Entomologica Italiana*, 38, 229-256.
205. *Lieftinck, M. A., Lien, J. C., & Maa, T. C. (1984). *Catalogue of Taiwanese Dragonflies:(Insecta: Odonta)*. Asian Ecological Society.
206. Lin, C. P., & Danforth, B. N. (2004). How do insect nuclear and mitochondrial gene substitution patterns differ? Insights from Bayesian analyses of combined datasets. *Molecular phylogenetics and evolution*, 30(3), 686-702.
207. Lin, C. P., Chen, M. Y., & Huang, J. P. (2010). The complete mitochondrial genome and phylogenomics of a damselfly, *Euphaea formosa* support a basal Odonata within the Pterygota. *Gene*, 468(1-2), 20-29.
208. *Linnaeus, C. (1758). Tomus I. *Systema Naturae*, ed. 10. Holmiae, Laurentii Salvii: [1-4], 1-824.
209. *Linnaeus, C. (1763). “Centuria insectorum,” *Amoenitates Academicæ*, 6, 384–415,
210. *Lohmann, H. (1996). Das phylogenetische system der Anisoptera (Odonata). *Entomologische Zeitschrift*, 106(6), 209-266.
211. Lok, A. F. S. L. (2008). The biology and distribution in Singapore of *Prodasineura humeralis* Selys, 1860. *Nature in Singapore*, 4, 95-99.
212. Low, V. L., Norma-Rashid, Y., Yusoff, A., Vinnie-Siow, W. Y., Prakash, B. K., Tan, T. K., Noorhidayah, M., Chen, C. D. & Sofian-Azirun, M. (2017). Pleistocene demographic expansion and high gene flow in the Globe Skimmer dragonfly *Pantala flavescens* Fabricius (Odonata: Libellulidae) in Peninsular Malaysia. *Zoologischer Anzeiger*, 266, 23-27.

213. Lozano, F., del Palacio, A., Ramos, L. S., Granato, L., Drozd, A., & Muzón, J. (2022). Recovery of local dragonfly diversity following restoration of an artificial lake in an urban area near Buenos Aires. *Basic and Applied Ecology*, 58, 88-97.
214. Maggioni, D., Assandri, G., Ramazzotti, F., Magnani, D., Pellegrino, I., Valsecchi, E., & Galimberti, A. (2021). Differential genetic variability at two mtDNA COI regions does not imply mismatches in Odonata molecular identification performances. *The European Zoological Journal*, 88(1), 425-435.
215. Mathavan, S., & Miller, P. L. (1989). A collection of dragonflies (Odonata) made in the Periyar National Park, Kerala, South India, in January, 1988. *Rapid communications*, 10(1), 1–10.
216. May, M.L. (2002) Phylogeny and taxonomy of the damselfly genus *Enallagma* and related taxa (Odonata: Zygoptera: Coenagrionidae). *Systematic Entomology*, 27, 387–408.
217. May, M. L. (2013). A critical overview of progress in studies of migration of dragonflies (Odonata: Anisoptera), with emphasis on North America. *Journal of Insect Conservation*, 17(1), 1-15.
218. May, M. L., & Matthews, J. H. (2008). Migration in Odonata: a case study of *Anax junius*. *Dragonflies and damselflies: model organisms for ecological and evolutionary research*, 1.
219. *Mayr, E. (1981). Biological classification: toward a synthesis of opposing methodologies. *Science*, 214(4520), 510-516.
220. Mikkola, K., & Ståhls, G. (2008). Morphological and molecular taxonomy of *Dendrolimus sibiricus* Chetverikov stat. rev. and allied lappet moths (Lepidoptera: Lasiocampidae), with description of a new species. *Entomologica Fennica*, 19(2), 65-85.
221. Miller, P. L. (1992). Dragonflies of the campus at Madurai Kamaraj University, Tamil Nadu, India. *Notulae odonatologicae*, 3(10), 160-165.
222. Misof, B., and Fleck, G. (2003) Comparative analysis of mt LSU rRNA secondary structures of Odonates: structural variability and phylogenetic signal. *Insect Molecular Biology*, 12, 535–547.
223. Misof, B., Anderson, C. L., & Hadrys, H. (2000). A phylogeny of the damselfly genus *Calopteryx* (Odonata) using mitochondrial 16S rDNA markers. *Molecular Phylogenetics and Evolution*, 15(1), 5-14.
224. Misof, B., Rickert, A. M., Buckley, T. R., Fleck, G., & Sauer, K. P. (2001). Phylogenetic signal and its decay in mitochondrial SSU and LSU rRNA gene fragments of Anisoptera. *Molecular Biology and Evolution*, 18(1), 27-37.
225. Mitra, T. R. (1986). Note on the odonata fauna of Central India. *Records of the Zoological Survey of India*, 83(3-4), 69-81.
226. Mitra, T. R. (1988). Note on the odonata fauna of Central India. *Records of the Zoological Survey of India*, 83, 69-81.

227. *Mitra, T.R. (1994). Observaton on the habits and habitats of adult dragonfies of eastern India with special reference to the fauna of West Bengal. *Records of the Zoological Survey of India*, Occasional Paper 166: 40.
228. *Mitra, T. R. (2000). A note on an Odonata collection from Orissa, India. *Notulae odonatologicae*, 5(5), 60-61.
229. Mitra, T. R. (2002b). Endemic Odonata of India. *Records of the Zoological Survey of India*, 100(3-4), 189-199.
230. Mitra, T. R. (2002a). Note on zoogeography of Odonata (Insecta) of Nicobar Islands, Indian Ocean. *Rec Zool Surv India*, 100(3-4), 183-188.
231. Mitra, T. R. (2006). *Insecta: Odonata. Fauna of Arunachal Pradesh, State Fauna Series*, 13(2), 67-149.
232. Mitra, T. R., & Babu, R. (2010). Revision of Indian Species of the Families Platycnemididae and Coenagrionidae (Insecta: Odonata: Zygoptera): Taxonomy and Zoogeography. *Records of the Zoological Survey of India, Occasional Paper*, 315, 1-104.
233. Mitra, A., Dow, R., Subramanian, K. A., & Sharma, G. (2010). The status and distribution of dragonflies and damselflies (Odonata) of the Eastern Himalaya. *The Status and Distribution of Freshwater Biodiversity in the Eastern Himalaya*. Cambridge, UK and Gland, Switzerland: IUCN, and Coimbatore, India: Zoo Outreach Organisation, 54-66.
234. Mooers, A. O., & Holmes, E. C. (2000). The evolution of base composition and phylogenetic inference. *Trends in Ecology & Evolution*, 15(9), 365-369.
235. Moritz, C., Dowling, T. E., & Brown, W. M. (1987). Evolution of animal mitochondrial DNA: relevance for population biology and systematics. *Annual review of ecology and systematics*, 269-292.
236. *Morris, D. C., Schwarz, M. P., Cooper, S. J., & Mound, L. A. (2002). Phylogenetics of Australian Acacia thrips: the evolution of behaviour and ecology. *Molecular Phylogenetics and Evolution*, 25(2), 278-292.
237. Munz, P. A. (1919). *A Venational Study of the Suborder Zygoptera (Odonata): With Keys for the Identification of Genera* (No. 3). American Entomological Society. 1-78.
238. Nair, V. P.(2014) Odonata (Insecta) fauna of Varadoor, Kannur, Kerala, Southern India, *Bugs are all*, 21, 6-10.
239. Nair, V. P., Samuel, K. A., Palot, M. J., & Sadasivan, K. (2021). The Dragonflies and Damselflies (Odonata) of Kerala—Status and Distribution. *Entomon*, 46(3), 185-238.
240. Needham, J.G. (1903). *A genealogic study of dragon-fly wing venation*. Proceedings of US National Museum, 26, 703–764.
241. *Needham, J. G. (1930). Manual of the Dragonflies of China. A monographic study of the Chinese Odonata. *Zoologia Sinica Series. A*, 11, 1-399.

242. Needham, J. G. (1975). *A manual of the dragonflies of North America*. University of California Press.
243. Needham, J. G., Westfall Jr, M. J., & May, M. L. (2000). *Dragonflies of North America* (No. Rev. Ed). Scientific Publishers, Inc..
244. *Nei, M., & Kumar, S. (2000). *Molecular evolution and phylogenetics*. Oxford University Press, USA.
245. Ning, X., Kompier, T., Yu, X., & Bu, W. (2016). Paracercion ambiguum sp. nov. from lang son, Vietnam (Zygoptera: Coenagrionidae). *Zootaxa*, 4144(2), 263-275.
246. O'Grady, E. W., & May, M. L. (2003). A phylogenetic reassessment of the subfamilies of Coenagrionidae (Odonata: Zygoptera). *Journal of Natural History*, 37(23), 2807-2834.
247. Oppel, S. (2005). Habitat associations of an Odonata community in a lower montane rainforest in Papua New Guinea. *International Journal of Odonatology*, 8(2), 243-257.
248. Orr, A. G. (2006). Odonata in Bornean tropical rain forest formations: diversity, endemism and implications for conservation management. *Forest and Dragonflies*. Pensoft Publishers, Sofia.
249. *Orr, A.G. & Dow, R.A. (2015) Description of the final stadium larvae of *Onychargia atrocyana* Selys, 1865 from Sarawak, identified using DNA barcoding (Odonata: Zygoptera: Platycnemididae), with an overview of larval characters in the Platycnemididae. *Zootaxa*, 4040 (3), 384–392.
250. Papazian, M., Dumont, H.J. & Mary-Sasal, N.J. (2007) The Odonata of the Pacific Ocean islands of Wallis and Futuna, with special reference to speciation in *Ischnura aurora* (Brauer). *Odonatologica*, 36 (1), 53–62.
251. Patwardhan, A., Ray, S., & Roy, A. (2014). Molecular markers in phylogenetic studies-a review. *Journal of Phylogenetics & Evolutionary Biology*, 2014.
252. Paul, S., & Kakkassery, F. K. (2013). Taxonomic and diversity studies on odonate nymphs by using their exuviae. *Journal of Entomology and Zoology Studies*, 1(4), 47-53.
253. Paulson, D., Schorr, M., & Deliry, C. (2022). World Odonata List. OdonataCentral, University of Alabama. <https://www.odonatacentral.org/app/#/wol/>.
254. Pfau, H. K. (1991). Contributions of functional morphology to the phylogenetic systematics of Odonata. *Advances in Odonatology*, 5(1), 109-141.
255. Pfenninger, M., Nowak, C., Kley, C., Steinke, D., & Streit, B. (2007). Utility of DNA taxonomy and barcoding for the inference of larval community structure in morphologically cryptic Chironomus (Diptera) species. *Molecular ecology*, 16(9), 1957-1968.
256. Pilgrim, E. M., & Von Dohlen, C. D. (2008). Phylogeny of the Sympetrinae (Odonata: Libellulidae): further evidence of the homoplasious nature of wing venation. *Systematic Entomology*, 33(1), 159-174.

257. Pimenta, A. L. A., Pinto, Â. P., & Takiya, D. M. (2019). Integrative taxonomy and phylogeny of the damselfly genus *Forcepsioneura* Lencioni, 1999 (Odonata: Coenagrionidae: Protoneurinae) with description of two new species from the Brazilian Atlantic Forest. *Arthropod Systematics & Phylogeny*, 77(3), 397-415.
258. Polaszek, A., Manzari, S., & Quicke, D. L. (2004). Morphological and molecular taxonomic analysis of the *Encarsia meritoria* species-complex (Hymenoptera, Aphelinidae), parasitoids of whiteflies (Hemiptera, Aleyrodidae) of economic importance. *Zoologica Scripta*, 33(5), 403-421.
259. Polhemus, D. A. (1997). Phylogenetic analysis of the Hawaiian Damselfly Genus *Megalagrion* (Odonata: Coenagrionidae): Implications for biogeography, ecology, and conservation biology. *Pacific Science* 51: 395–412.
260. Porter, T. M., Gibson, J. F., Shokralla, S., Baird, D. J., Golding, G. B., & Hajibabaei, M. (2014). Rapid and accurate taxonomic classification of insect (class Insecta) cytochrome c oxidase subunit 1 (COI) DNA barcode sequences using a naïve Bayesian classifier. *Molecular Ecology Resources*, 14(5), 929-942.
261. Prasad, M. (2004). Insecta: Odonata. *Fauna of Desert National Park, Conservation Area Series*, (19), 51-58.
262. Prasad, M., & Ghosh, S. K. (1988). A contribution on the Estuarine Odonata of East India. *Records of the zoological Survey of India*, 85(2), 197-216.
263. Prasad, M., & Kulkarni, P. P. (2002). Insecta: Odonata. *Fauna of Eravikulam national park*, 7-9.
264. Prasad, M., & Varshney, R. K. (1995). A check-list of the Odonata of India including data on larval studies. *Oriental Insects*, 29(1), 385-428.
265. Price, P. W., Denno, R. F., Eubanks, M. D., Finke, D. L., & Kaplan, I. (2011). *Insect ecology: behavior, populations and communities*. Cambridge University Press.
266. *Priyadarshana, T.M.T.S., Wijewardana, G.V.I.H., van der Poorten, N. & Jayasooriya, A.L.A.C. (2015) First record of *Gynacantha millardi* (Odonata: Aeshnidae) from Sri Lanka. *Taprobanica*, 7 (4)
267. Rach, J., DeSalle, R., Sarkar, I. N., Schierwater, B., & Hadrys, H. (2008). Character-based DNA barcoding allows discrimination of genera, species and populations in Odonata. *Proceedings of the Royal Society B: Biological Sciences*, 275(1632), 237-247.
268. Ram, R., & Prasad, M. (1999). On the collection of odonata from Arunachal Pradesh, India. *Records of the zoological Survey of India*, 97(2), 113-132.
269. *Ram, R., Srivastava, V. D., & Prasad, M. (1983). A note on a collection of Odonata from eastern Uttar Pradesh, India. *Notulae odonatologicae*, 2(1), 15-16.
270. Ramasubramanian, T., Ramaraju, K., & Nirmala, R. (2016). COI gene-based species diagnostic kit for sugarcane scale insect, *Melanaspis glomerata* (Green)(Homoptera: Diaspididae). *Sugar Tech*, 18(4), 441-446.

271. *Rambur, M.P. 1842. *Histoire Naturelle des Insects. Nevropteres*, pp. XVIII+534. Librairie Encyclopedique de Roret, Paris.
272. Rangnekar, P., & Naik, R. (2014). Further additions to the Odonata (Insecta) fauna of Goa, India. *Journal of Threatened Taxa*, 6(3), 5585-5589.
273. Rangnekar, P., Borkar, M., & Dharwadkar, O. (2010). Additions to the Odonata (Insecta) of Goa. *Journal of Threatened Taxa*, 805-814.
274. Rangnekar, P., Dharwadkar, O., Sadasivan, K., & Subramanian, K. A. (2019). New species of *Cyclogomphus* Selys, 1854 (Insecta: Odonata: Gomphidae) from the Western Ghats, India with comments on the status of *Cyclogomphus vesiculosus* Selys, 1873. *Zootaxa*, 4656(3), 515-524.
275. Rao, R., & Lahiri, A. R. (1982). First records of odonates (Arthropoda: Insecta) from the Silent Valley and New Amarambalam reserved forests. *Journal of the Bombay Natural History Society*, 79(3), 557-562.
276. Reed, R. D., & Sperling, F. A. (1999). Interaction of process partitions in phylogenetic analysis: an example from the swallowtail butterfly genus *Papilio*. *Molecular Biology and Evolution*, 16(2), 286-297.
277. Rehn, A. C. (2003). Phylogenetic analysis of higher-level relationships of Odonata. *Systematic Entomology*, 28(2), 181-240.
278. *Rehfeldt, G. E. (1995). *Natürliche Feinde, Parasiten und Fortpflanzung von Libellen: Predators, parasites and reproductive behaviour of dragonflies*. Aqua et Terra-Medien für Landschaftsökologie und Naturschutz.
279. Richly, E., & Leister, D. (2004). NUMTs in sequenced eukaryotic genomes. *Molecular biology and evolution*, 21(6), 1081-1084.
280. Rison, K. J., & Chandran, A. V. (2020). Observations of the damselfly *Platylestes* cf. *platystylus* Rambur, 1842 (Insecta: Odonata: Zygoptera: Lestidae) from peninsular India. *Journal of Threatened Taxa*, 12(10), 16392-16395.
281. Rowe, R. J. (1987). The dragonflies of New Zealand. *The dragonflies of New Zealand*. Auckland University Press, Auckland.
282. Rubinoff, D. (2006). Utility of mitochondrial DNA barcodes in species conservation. *Conservation Biology*, 20(4), 1026-1033.
283. Russo, C. A., Takezaki, N., & Nei, M. (1996). Efficiencies of different genes and different tree-building methods in recovering a known vertebrate phylogeny. *Molecular biology and evolution*, 13(3), 525-536.
284. Sadasivan, K., & Palot, M. J. (2021). A note on the current distribution of reedtail damselfly *Protosticta rufostigma* Kimmins, 1958 (Odonata: Zygoptera: Platystictidae) from Western Ghats, and its addition to the odonate checklist of Kerala. *Journal of Threatened Taxa*, 13(1), 17548-17553.
285. Sadasivan, K., Sethumadhavan, M., Jeevith, S., & Kochunarayanan, B. (2021). Rediscovery of Martin's Duskhawker *Anaciaeschna martini* (Selys, 1897)(Odonata: Aeshnidae) from Western Ghats, peninsular India, with notes on its current

- distribution and oviposition behavior. *Journal of Threatened Taxa*, 13(1), 17543-17547.
286. Saha, P.D. (2015). *Diversity of odonates Insecta Odonata from Pune district Maharashtra of Northern Western Ghats with molecular phylogeny of family Libellulidae*. Shivaji University.
 287. Salvi, D., Berrilli, E., D'Alessandro, P., & Biondi, M. (2020). Sharpening the DNA barcoding tool through a posteriori taxonomic validation: The case of Longitarsus flea beetles (Coleoptera: Chrysomelidae). *PLoS one*, 15(5), e0233573.
 288. Samways, M. J. (2008). *Dragonflies and damselflies of South Africa* (No. 70). Pensoft Publishers.
 289. Samways, M. J., & Steytler, N. S. (1996). Dragonfly (Odonata) distribution patterns in urban and forest landscapes, and recommendations for riparian management. *Biological Conservation*, 78(3), 279-288.
 290. Saux, C., Simon, C., & Spicer, G. S. (2003). Phylogeny of the dragonfly and damselfly order Odonata as inferred by mitochondrial 12S ribosomal RNA sequences. *Annals of the Entomological Society of America*, 96(6), 693-699.
 291. Schenk, K., Suhling, F., & Martens, A. (2004). Egg distribution, mate-guarding intensity and offspring characteristics in dragonflies (Odonata). *Animal behaviour*, 68(3), 599-606.
 292. *Selys- Longchamps, E. De. (1840). Monographie des Libellulidees D' Europe, pp. 220. *Librairie Encyclop. De. Roret*, Rue Haute-Feuille, No. 10 bis, Paris.
 293. *Selys- Longchamps, E. De. (1853). Synopsis des Calopterygines. *Bull. Acad. r. Belg. Cl. Sci.*, (2) 1: 20, Annexe pp. 1-73.
 294. *Selys- Longchamps, E. De. (1854a). Monographie des Calopterygines. *Mem. Soc. r. Sci. Liege*, 9: 291 (with Hagen).
 295. *Selys- Longchamps, E. De. (1854b). Synopsis des Gomphines. *Bull. Acad. Roy. Belgique*, (II) 21: 23-113.
 296. *Selys- Longchamps, E. De. (1859). Addition au Synopsis des Calopterygines. *Bull. Acad. Roy. Belgique, Sci.*, (2) 7: 437-451.
 297. *Selys- Longchamps, E. De. (1860). Synopsis des Agrionines. Derniere Legion: *Protoneura*. *Bull. Acad. Belgique, Sci.*, (2) 10: 431-462.
 298. *Selys- Longchamps, E. De. (1862). Synopsis des Agrionines. Seconde Legion: *Lestes*. *Bull. Acad. Belgique, Sci.*, (2) 13: 288-338.
 299. *Selys- Longchamps, E. De. (1863). Synopsis des Agrionines. Quetrieme Legion: *Platycnemis*. *Bull. Acad. Belg. Sci.*, (2) 16: 150-176.
 300. *Selys- Longchamps, E. De. (1865). Synopsis des Agrionines. 5me Legion: *Agrion*. *Bull. Acad. Belgique, Sci.*, (2) 20: 375-417.

301. *Selys- Longchamps, E. De. (1869). Odonates recueillis a Madagascar, et auxiles Mascareignes ec Comoros, Researches sur la Faune de Madagascar et de ses dependences d après les decouvertes de F.P.L. Pollen et D.C. van dam 5me partie, p. 24.
302. *Selys- Longchamps, E. De. (1876). Synopsis des agrionines (suite). Le grand genre *Agrion*. *Bull. Acad. Roy. Belg.*, (II) 41: 247-322., 496-539, 1233-1309; 42: 490-531, 952-989.
303. *Selys- Longchamps, E. De. (1877). *Synopsis des Agrionises. 5me Legion, Agrion (suite et fin) les generes Telebasis, Agriocnemis, et Hemiphlebia*. Bruxelles, pp. 1-65.
304. *Selys- Longchamps, E. De. (1883). Synopsis des Aeschnines. *Bull. Acad. Roy. Belgique, Sci.*, (3)5: 712-748.
305. *Selys- Longchamps, E. De. (1891). Odonates in ‘Viaggio’ Di Leonardo Fea in Birmania e Regional Vicine, *Annali. Mus. civ. Stor. nat. Giacomo Doria Serie 2*, 10: 433-518.
306. Sharma, G., & Joshi, P. (2007). Diversity of Odonata (Insecta) from Dholbaha Dam (Distt. Hoshiarpur) in Punjab Shivalik, India. *Journal of Asia-pacific Entomology*, 10(2), 177-180.
307. Sievers, F., & Higgins, D. G. (2014). Clustal omega. *Current protocols in bioinformatics*, 48(1), 3-13.
308. Singh, S. (1955). Entomological Survey of the Himalayas Part V-on two new species of Odonata. *Agra Univ. J. Res.(Sci.)*, 4, 171-174.
309. Singh, S. (1963). Entomological Survey of the Himalayas. Part. XXIV. Fourth and final annotated check-list of the insects from the North-West (Punjab) Himalayas. *Agra University Journal of Research*, 12(1): 363-393.
310. Singh, S. & Baijal, H.N. (1954). Entomological Survey of the Himalayas II- on a collection of Odonata. *Agra Univ. J. Res. (Sci.)*, 3: 385-400.
311. Smith, A. B., Hawks, D. C., & Heraty, J. M. (2006a). An overview of the classification and evolution of the major scarab beetle clades (Coleoptera: Scarabaeoidea) based on preliminary molecular analyses. *Coleopterists Society Monographs. Patricia Vaurie Series*, 35-46.
312. Smith, M. A., Woodley, N. E., Janzen, D. H., Hallwachs, W., & Hebert, P. D. (2006b). DNA barcodes reveal cryptic host-specificity within the presumed polyphagous members of a genus of parasitoid flies (Diptera: Tachinidae). *Proceedings of the National Academy of Sciences*, 103(10), 3657-3662.
313. Solano, E., Hardersen, S., Audisio, P., Amorosi, V., Senczuk, G., & Antonini, G. (2018). Asymmetric hybridization in Cordulegaster (Odonata: Cordulegastridae): Secondary postglacial contact and the possible role of mechanical constraints. *Ecology and evolution*, 8(19), 9657-9671.

314. *Speight, M. R., Hunter, M. D., & Watt, A. D. (2005). *Ecology of insects: concepts and applications*(2nd Edn). Blackwell Science Ltd.
315. *Srivastava, V.D. & Sinha, C. (1993). Insecta: Odonata fauna of West Bengal. *State Fauna series: West Bengal*. Kolkata: Zoological Survey of India. Part 4, 51–168.
316. Stuart, S. N., Chanson, J. S., Cox, N. A., Young, B. E., Rodrigues, A. S., Fischman, D. L., & Waller, R. W. (2004). Status and trends of amphibian declines and extinctions worldwide. *Science*, 306(5702), 1783-1786.
317. Subramanian, K.A. (2005). *Dragonflies and Damselflies of Peninsular India: A Field Guide*. Project Lifescape, Indian Academy of Science, Bangalore, India, 118pp.
318. Subramanian, K. A. (2007). Endemic odonates of the Western Ghats: habitat distribution and conservation. *Odonata: Biology of Dragonflies*. Scientific Publishers, Jodhpur, India, 257-271.
319. Subramanian. K.A. (2009). *Dragonflies of India-A field guide*. Vigyan Prasar, Department of Science and Technology, Govt. of India, p.1-168. ISBN: 978-81-7480-192-0.
320. Subramanian, K. A., & Babu, R. (2017). Insecta: Odonata (damselflies and dragonflies). *Current Status of Freshwater Faunal Diversity in India*. Zoological Survey of India, Kolkata, 401-418.
321. Subramanian, K. A., & Babu, R. (2018). *Insecta: Odonata. Faunal Diversity of Indian Himalaya*. Zoological Survey of India, Kolkata, 872pp, 227-240.
322. Subramanian, K. A., & Babu, R. (2019). Dragonflies and Damselflies (Insecta: Odonata) of India. In *Indian Insects*. CRC Press. 29-45
323. Subramanian, K. A., Ali, S., & Ramchandra, T. V. (2008). Odonata as indicators of riparian ecosystem health a case study from south western Karnataka, India. *Fraseria (NS)*, 7, 83-95.
324. Subramanian, K.A., Babu, R., Kalkman, V.J. (2020). *Orthetrum erythronigrum* sp. nov. (Odonata: Libellulidae) from the Great Nicobar Island, India. *Zootaxa*. 4869(2).
325. Subramanian, K. A., Kakkassery, F., & Nair, M. V. (2011). The status and distribution of dragonflies and damselflies (Odonata) of the Western Ghats. *The status and distribution of freshwater biodiversity in the Western Ghats, India*. International Union for Conservation Network and Zoo Outreach Organization, Coimbatore, TN, 63-72.
326. Subramanian K.A.,Rangnekar, P., & Naik, R. (2013).*Idionyx* (Odonata: Corduliidae) of the Western Ghats with a description of a new species. *Zootaxa* 3652(2): 277–288.
327. Subramanian, K.A., Talmale, S.S. and Babu, R. (2020). *Insecta : Odonata. In: Faunal Diversity of Biogeographic Zones of India : North-East*. Zoological Survey of India, Kolkata.

328. Subramanian, K. A., Emiliyamma, K. G., Babu, R., Radhakrishnan, C., & Talmale, S. S. (2018). *Atlas of Odonata (Insecta) of the Western Ghats*. Zoological Survey of India, Kolkata, 1-417.
329. Suhling, F., Sahlén, G., Gorb, S., Kalkman, V. J., Dijkstra, K. D. B., & van Tol, J. (2015). Order odonata. In *Thorp and Covich's freshwater invertebrates* (pp. 893-932). Academic Press.
330. Suhonen, J., Rantala, M. J., & Honkavaara, J. (2008). Territoriality in odonates. *Dragonflies and damselflies: model organisms for ecological and evolutionary research*, 203-218.
331. Sureshan, P. M., Subramanian, K. A. & Palot, M. J. (2022). *Threatened animals of Kerala – Report submitted to Kerala Biodiversity Board*. Zoological Survey of India, Western Ghats Regional centre, Kozhikode. Pp 1-339.
332. Sunnucks, P. (2000). Efficient genetic markers for population biology. *Trends in ecology & evolution*, 15(5), 199-203.
333. Susanth, C., & Anooj, S. S. (2020). Checklist of odonata of Wayanad district, Kerala. *Indian Journal of Entomology*, 82(2), 315-323.
334. Tallei, T. E., Koneri, R., & Kolondam, B. J. (2017). Sequence analysis of the cytochrome C oxidase subunit I gene of *Pseudagrion pilidorsum* (Odonata: Coenagrionidae). *Makara Journal of Science*, 21(1), 7.
335. Tamura K., Stecher G., and Kumar S. (2021). MEGA 11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*. <https://doi.org/10.1093/molbev/msab120>.
336. Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M., & Kumar, S. (2011). MEGA5: molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance, and maximum parsimony methods. *Molecular biology and evolution*, 28(10), 2731-2739.
337. Tarrío, R., Rodríguez-Trelles, F., & Ayala, F. J. (2001). Shared nucleotide composition biases among species and their impact on phylogenetic reconstructions of the Drosophilidae. *Molecular Biology and Evolution*, 18(8), 1464-1473.
338. Taylor, P. D. (2006). Movement behaviours of a forest odonate in two heterogeneous landscapes. *Forests and Dragonflies*, 225-238.
339. Theischinger, G., & Hawking, J. (2006). *The complete field guide to dragonflies of Australia*. CSIRO Publishing.
340. Thomassen, H. A., Wiersema, A. T., de Bakker, M. A., de Knijff, P., Hetebrij, E., & Povel, G. D. E. (2003). A new phylogeny of swiftlets (Aves: Apodidae) based on cytochrome-b DNA. *Molecular phylogenetics and evolution*, 29(1), 86-93.
341. *Tillyard, R. J. (1917). *The biology of dragonflies (Odonata or Paraneuroptera)*. Cambridge University press.

342. Tiple, A.D., & Chandra, K. (2013). Dragonflies and damselflies (Insecta, Odonata) of Madhya Pradesh and Chhattisgarh states, central India. *Journal Care4Nature*, 1(1), 3-11.
343. Tiple, A. D., & Koparde, P. (2015). Odonata of Maharashtra, India with notes on species distribution. *Journal of Insect Science*, 15(1).
344. Tiple, A. D., Kulkarni, N., & Joshi, K. C. (2011). Diversity of Odonata in Kanha National Park, Madhya Pradesh, India. *Indian Journal of Forestry*, 34(3), 329-332.
345. Tiple, A. D., Paunikar, S., & Talmale, S. S. (2012). Dragonflies and Damselflies (Odonata: Insecta) of Tropical Forest Research Institute, Jabalpur, Madhya Pradesh, central India. *Journal of Threatened Taxa*, 2529-2533.
346. Tiple, A. D., Andrew, R. J., Subramanian, K. A., & Talmale, S. S. (2013). Odonata of Vidarbha region, Maharashtra state, central India. *Odonatologica*, 42(3), 237-245.
347. Trueman, J. W. H. (1996). A preliminary cladistic analysis of odonate wing venation. *Odonatologica*, 25(1), 59-72.
348. Tyagi, B. K. (1997). Dragonfly wealth of India- extant species. A preliminary systematic list. *Zoos' print*, 12(10), 3-10.
349. Van Tol, J., Reijnen, B.T. & Thomassen, H.A. (2009) Phylogeny and biogeography of the Platystictidae (Odonata). In: van Tol, J. *Phylogeny and biogeography of the Platystictidae (Odonata)*, Leiden University, 3-70.
350. Varghese, A.P., Nikesh, P.R., & Mathew, J. (2014). Odonata (Insecta) diversity of Salim Ali Bird sanctuary and its adjacent areas in Thattekad, Kerala, India. *Journal of Threatened Taxa*, 6(6), 5887-5893.
351. Vick, G. S. (2000). *Mesumbethemis takamandensis* gen. nov., spec. nov., a new genus and species of the Tetrathemistinae from Cameroon, with a key to the African genera of the subfamily (Anisoptera: Libellulidae). *Odonatologica*, 29(3), 225-237.
352. Vilgalys, R. (2003). Taxonomic misidentification in public DNA databases. *New Phytologist*, 160(1), 4-5.
353. Vincy, M. V., Brilliant, R., & Pradeep Kumar, A. P. (2016). Checklist of Odonata species as indicators of riparian ecosystem of a tropical river, the southern Western Ghats, Kerala, S. India. *Journal of Entomology and Zoology Studies*, 4(2), 104-108.
354. Vogler, A.P. & Monaghan, M. T. (2007). Recent advances in DNA taxonomy. *Journal of Zoological Systematics and Evolutionary Research*, 45, 1-10.
355. Wang, Y., Nansen, C., & Zhang, Y. (2016). Integrative insect taxonomy based on morphology, mitochondrial DNA, and hyperspectral reflectance profiling. *Zoological Journal of the Linnean Society*, 177(2), 378-394.
356. Ware, J., May, M., & Kjer, K. (2007). Phylogeny of the higher Libelluloidea (Anisoptera: Odonata): an exploration of the most speciose superfamily of dragonflies. *Molecular phylogenetics and evolution*, 45(1), 289-310.

357. Wasscher, M. T., & Dumont, H. J. (2013). Life and work of Michel Edmond de Selys Longchamps (1813–1900), the founder of odonatology. *Odonatologica*, 42(4), 369-402.
358. Watson, J. A. L., G.Theischinger, H.M. Abbey (1991). *Australian Dragonflies: A Guide to the Identification, Distributions and Habitats of Australian Odonata*. CSIRO publishing.
359. Weekers, P.H. & Dumont, H.J. (2004) A molecular study of the relationship between the Coenagrionid genera *Erythromma* and *Cercion*, with the creation of *Paracercion*, new genus, for the East Asiatic “*Cercion*”. *Odonatologica*, 33 (2), 181–188.
360. Weekers, P. H., De Jonckheere, J. F., & Dumont, H. J. (2001). Phylogenetic relationships inferred from ribosomal ITS sequences and biogeographic patterns in representatives of the genus *Calopteryx* (Insecta: Odonata) of the West Mediterranean and adjacent West European zone. *Molecular Phylogenetics and Evolution*, 20(1), 89-99.
361. Weir, J. S. (1974). Odonata collected in and near seasonal pools in Wankie National Park, Rhodesia, with notes on the physico-chemical environments in which nymphs were found. *Journal of the Entomological society of Southern Africa*, 37(1), 135-145.
362. Weisser, W. W., & Siemann, E. (2008). The various effects of insects on ecosystem functioning. In *Insects and ecosystem function*. Springer, Berlin, Heidelberg. 3-24
363. Whedon, A. D. (1918). The comparative morphology and possible adaptations of the abdomen in the Odonata. *Transactions of the American Entomological Society*, 44(4), 373-437.
364. *Williams,D.D.(1997).Temporary ponds and their invertebrate communities. *Aquatic conservation: marine and freshwater ecosystems*, 7(2), 105-117.
365. Wilson, K. D. P. (2000). *Aciagrion tillyardi* (Odonata: Zygoptera), a damselfly new to Hong Kong. *Porcupine*, 21, 9-10.
366. *Wooton, R. J. (1981). Palaeozoic Insects. *Annual Review of Entomology*. 26:319-344.
367. Yang, Q., Zhao, S., Kučerová, Z., Stejskal, V., Opit, G., Qin, M., Cao, Y., Li, F., & Li, Z. (2013). Validation of the 16S rDNA and COI DNA barcoding technique for rapid molecular identification of stored product psocids (Insecta: Psocodea: Liposcelididae). *Journal of Economic Entomology*, 106(1), 419-425.
368. Yong, H. S., Lim, P. E., Tan, J., Ng, Y. F., Eamsobhana, P., & Suana, I. W. (2014). Molecular phylogeny of *Orthetrum* dragonflies reveals cryptic species of *Orthetrum pruinatum*. *Scientific Reports*, 4(1), 1-9.
369. Yong, H. S., Song, S. L., Suana, I. W., Eamsobhana, P., & Lim, P. E. (2016). Complete mitochondrial genome of *Orthetrum* dragonflies and molecular phylogeny of Odonata. *Biochemical Systematics and Ecology*, 69, 124-131.

370. Zardoya, R., & Meyer, A. (1996). Phylogenetic performance of mitochondrial protein-coding genes in resolving relationships among vertebrates. *Molecular biology and evolution*, 13(7), 933-942.
371. Zhang, D. X., & Hewitt, G. M. (1997). Insect mitochondrial control region: a review of its structure, evolution and usefulness in evolutionary studies. *Biochemical Systematics and Ecology*, 25(2), 99-120.
372. Zhang, L., Wang, X. T., Wen, C. L., Wang, M. Y., Yang, X. Z., & Yuan, M. L. (2017). The complete mitochondrial genome of *Enallagma cyathigerum* (Odonata: Coenagrionidae) and phylogenetic analysis. *Mitochondrial DNA Part B*, 2(2), 640-641.
373. Zhang, H., Ning, X., Yu, X., & Bu, W. J. (2021). Integrative species delimitation based on COI, ITS, and morphological evidence illustrates a unique evolutionary history of the genus *Paracercion* (Odonata: Coenagrionidae). *PeerJ*, 9, e11459.