

REFERENCES

REFERENCES

- Abhijna, U. G., Ratheesh, R., & Kumar, A. B. (2013). Distribution and diversity of aquatic insects of Vellayani Lake in Kerala. *Journal of Environmental Biology*, 34(3), 605-611.
- Aditya, G., & Raut, S. K. (2002a). Destruction of *Indoplanorbis exustus* (Planorbidae) eggs by *Pomacea bridgesi* (Ampullariidae). *Molluscan Research*, 22(1), 87-90.
- Aditya, G., & Raut, S. K. (2002b). Predation potential of the water bugs *Sphaerodema rusticum* on the sewage snails *Physa acuta*. *Memórias do Instituto Oswaldo Cruz*, 97(4), 531-534.
- Aditya, G., Bhattacharyya, S., Kundu, N., Saha, G. K., & Raut, S. K. (2004). Predatory efficiency of the water bug *Sphaerodema annulatum* on mosquito larvae (*Culex quinquefasciatus*) and its effect on the adult emergence. *Bioresource Technology*, 95(2), 169-172.
- Aditya, G., Bhattacharyya, S., Kundu, N., Saha, G. K., & Raut, S. K. (2005). Frequency-dependent prey-selection of predacious water bugs on *Armigeres subalbatus* immatures. *Journal of Vector Borne Diseases*, 42(1), 9-14.
- Aland, S. R., Mamlayya, A. B., Koli, Y. J., Bharmal, D. L., & Bhawane, G. P. (2010). Studies on the Heteropteran (Insecta: Heteroptera) Fauna of Amba Reserved Forest, Western Ghats, Maharashtra. *The Bioscan*, 5(3), 461-463.
- Andersen, N. M. (1982). The semiaquatic bugs (Hemiptera, Gerromorpha): phylogeny, adaptations, biogeography and classification. *Entomonograph*, 3, 1-455.
- Aneha, K., Padmanaban, H., Bora, B., Sivaprakasam, M., Gangmei, K., Lukose, J., Vijayakumar, A., Mandodan, S., Ashokkumar, M., Krishnamoorthy, V., & Subbiah, P. (2022). A review on biological mosquito control measures-past, present, and future. *World Journal of Advanced Research and Reviews*, 16(1), 302-310.
- Angelibert, S., Marty, P., Cereghino, R., & Giani, N. (2004). Seasonal variations in the physical and chemical characteristics of ponds: implications for biodiversity conservation. *Aquatic conservation*, 14(5), 439-456.
- Attawanno, S., & Vitheepradit, A. (2022). Species Composition of Aquatic (Nepomorpha) and Semiaquatic (Gerromorpha) Heteroptera (Insecta: Hemiptera) in Kaeng Krachan National Park, Phetchaburi Province, Thailand. *Diversity*, 14(6), 462.
- Bailey, P. C. E. (1989). The effect of water temperature on the functional response of the water stick insect *Ranatra dispar* (Heteroptera: Nepidae). *Australian journal of ecology*, 14(4), 381-386.
- Bal, A., & Biswas, B. (2013). Handbook on major hemipteran predators of India. *Records of the Zoological Survey of India*, 1-44.

- Bambaradeniya, C. N. B., Edirisinghe, J. P., De Silva, D. N., Gunatilleke, C. V. S., Ranawana, K. B., & Wijekoon, S. (2004). Biodiversity associated with an irrigated rice agro ecosystem in Sri Lanka. *Biodiversity & Conservation*, 13(9), 1715-1753.
- Barman, A., & Baruah, B. K. (2013). Aquatic insects of Kapla Beel, a flood plain wetland of Barpeta District of Assam, India. *Clarion: International Multidisciplinary Journal*, 2(2), 27-31.
- Barman, B., & Gupta, S. (2016). Assemblage of Coleoptera and Hemiptera community in a stream of Chakrashila Wildlife Sanctuary in Assam. *Tropical Ecology*, 57(2), 243-253.
- Barraud, P. J. (1934). The Fauna of British India, including Ceylon and Burma. Diptera. Vol. 5. Family Culicidae. Tribes Megarhinini and Culicini. *Taylor and Francis, London*.
- Basu, S., & Subramanian, K. A. (2014a). Aquatic and Semiaquatic Hemiptera (Insecta) – Fauna of Radhanagari Wildlife Sanctuary. *Conservation Area Series*, 52, 83 – 85.
- Basu, S., & Subramanian, K. A. (2014b). Aquatic and Semiaquatic Hemiptera (Insecta)- Chandoli National Park. *Conservation Area Series*, 51, 117-120.
- Basu, S., & Subramanian, K. A. (2017). Insecta: Hemiptera (Aquatic Bugs) (Chapter 23). Current Status of Freshwater Faunal Diversity in India. *Zoological Survey of India, Kolkata*, 357-378.
- Basu, S., & Subramanian, K. A. (2016). A new record of *Aphelocheirus nepalensis* Zettel, 1998 from North-Eastern Himalayan region of India (Heteroptera: Aphelocheiridae). *Munis Entomology & Zoology*, 11(2), 588-590.
- Basu, S., Chandra, K., & Venkatesan, T. (2017a). *Eotrechus fuscus* sp. nov. from North-eastern India with a key to Indian species (Hemiptera: Heteroptera: Gerridae). *Acta Entomologica Musei Nationalis Pragae*, 57(2), 391-398.
- Basu, S., Chandra, K., & Venkatesan, T. (2018a). *Metrocoris sikkimensis* sp. nov. (Hemiptera: Heteroptera: Gerridae) from North-eastern India, with a key to species of the compare group occurring in India. *Zootaxa*, 4471(2), 369-374.
- Basu, S., Chandra, K., & Venkatesan, T. (2018b). Morphological and molecular characterization of predatory aquatic and semi-aquatic bugs of India. *Journal of Biological Control*, 32(2), 75-80.
- Basu, S., Chandra, K., Subramanian, K. A., & Saha, G. K. (2018c). Water bugs (Insecta: Hemiptera: Heteroptera) of Himalayan and Sub-Himalayan regions of West Bengal, India. *Journal of Threatened Taxa*, 10(12), 12619-12714.
- Basu, S., Polhemus, D. A., Subramanian, K. A., Saha, G. K., & Venkatesan, T. (2016a). *Metrocoris* Mayr (Insecta: Hemiptera: Gerridae) of India with descriptions of five new species. *Zootaxa*, 4178(2), 257-277.

- Basu, S., Subramanian, K. A., & Polhemus, D. A. (2013a). A new species of *Velia* (Hemiptera: Heteroptera: Veliidae) from West Bengal, India. *Zootaxa*, 3693(3), 344-350.
- Basu, S., Subramanian, K. A., & Polhemus, D. A. (2014). Two new species of *Amemboa* Esaki (Heteroptera: Gerridae) from West Bengal, India. *Zootaxa*, 3774(6), 567-577.
- Basu, S., Subramanian, K. A., & Saha, G. K. (2013b). Overview of the species of *Aphelocheirus* (Hemiptera: Heteroptera: Aphelocheiridae) of India, with description of a new species from West Bengal. *Zootaxa*, 3700(2), 293-299.
- Basu, S., Subramanian, K. A., & Saha, G. K. (2016b). Aquatic and Semi-aquatic Heteroptera (Insecta: Hemiptera) of Terai-Dooars Region of West Bengal, India. *Halteres*, 7, 120-135.
- Basu, S., Subramanian, K. A., & Saha, G. K. (2016c). Aquatic Hemiptera as potential bioindicator of wetland ecosystems of Himalaya and Sub-Himalaya regions of West Bengal: A case study. *Wetland: Crisis and Options*, 196-211.
- Basu, S., Subramanian, K. A., & Saha, G. K. (2016d). Biomonitoring Potential of Aquatic Insects in Freshwater Ecosystem: An Overview. *Wetland Crisis and Options*, 189-195.
- Basu, S., Subramanian, K. A., Valarmathi, K., & Saha, G. K. (2015a). First record of *Metrocoris quynhi* Tran and Zettel, 2005 (Insecta: Heteroptera: Gerridae) from India. *Entomon*, 40(2), 97-102.
- Basu, S., Thirumalai, G., Subramanian, K. A., & Saha, G. K. (2015b). New records of aquatic and semi-aquatic Heteroptera (Insecta: Hemiptera) from West Bengal and Odisha. *Records of the Zoological Survey of India*, 115(2), 191-201.
- Basu, S., Venkatesan, T., Lubna, S., Valaramathi, K., & Santosh, P. (2017b). Morphological and molecular characterization of *Limnometra fluviorum* (Fabricius) (Hemiptera: Heteroptera: Gerridae). *Entomon*, 42(2), 153-158.
- Bismi, L. S., & Pillai, P. M. (2017). DNA barcoding and molecular phylogeny of some heteropterans in Shola Forest, Southern Western Ghats, Kerala. *IOSR Journal of Pharmacy and Biological Sciences*, 12, 49-54.
- Bismi, L. S., & Pillai, P. M. (2016). Diversity of aquatic insects in Karamana River, Southern Western Ghats, India. *International Journal of Science and Research*, 5(6), 1983-1987.
- Brahma, S., Sharma, D., Kundu, M., Saha, N., Aditya, G., & Saha, G. K. (2014). Mosquito prey vulnerability in intraguild predation between *Ranatra filiformis* and *Anisops bouvieri*: Implications in biological control. In *Proceedings of the Zoological Society*, 68(1), 36-44.
- Chakraborty, M. (2015). Butterflies-The Natural Treasure of North East India. *International Journal of Research and Scientific Innovation*, 2(10), 159-160.

- Chandra, K., & Jehamalar, E. E. (2011). New records of Gerromorpha, Leptopodomorpha and Nepomorpha (Heteroptera, Insecta) from Madhya Pradesh, India. *Biodiversity Journal*, 2(4), 209-212.
- Chandra, K., & Jehamalar, E. E. (2012a). *Lathriobates manohardasi* sp. nov. (Hemiptera: Gerromorpha: Gerridae) from Tamil Nadu, India, with a key to the species. *Zootaxa*, 3186(1), 64-68.
- Chandra, K., & Jehamalar, E. E. (2012b). Morphological differences in three species of the genus *Diplonychus* (Hemiptera: Belostomatidae) known from India. *Records of the Zoological Survey of India*, 112(2), 91-99.
- Chandra, K., & Jehamalar, E. E. (2012c). *Ochterus nicobarensis* sp. nov. from Great Nicobar Biosphere Reserve, Andaman and Nicobar Islands, India (Hemiptera: Heteroptera: Ochteridae). *Acta Ent. Mus. Nat. Pragae*, 52(1), 23-28.
- Chandra, K., Gopi, K., Rao, D., Valarmathi, K., & Alfred, J. (2017a). Freshwater Faunal Diversity in India, *Records of the Zoological Survey of India*, 1-624.
- Chandra, K., Gopi, K.C., Rao, D.V., Subramanian, K.A., & Valarmathi, K. (2017b). Current status on freshwater faunal diversity of India – An overview. *Records of the Zoological survey of India*, 1-25.
- Chandra, K., Jehamalar, E. E., & Ragunathan, C. (2012a). Aquatic and Semiaquatic Heteroptera (Hemiptera: Insect A) of Great Nicobar Biosphere Reserve, Andaman and Nicobar Islands, India. *Records of the Zoological Survey of India*, 112(2), 79-89.
- Chandra, K., Jehamalar, E. E., & Thirumalai, G. (2012b). Four New Records of Gerroidea (Hemiptera: Heteroptera) from Madhya Pradesh, India. *Records of the Zoological Survey of India*, 112(1), 71-74.
- Chandra, K., Kushwaha, S., & Jehamalar, E. E. (2013). New records of Hemiptera (Insecta) from Great Nicobar Biosphere Reserve, Andaman and Nicobar Islands, India. *Journal of the Andaman Science Association*, 18(2), 160-164.
- Chandramohan, G., Arivoli, S., & Venkatesan, P. (2008). Effect of salinity on the predatory performance of *Diplonychus rusticus* (Fabricius). *Journal of Environmental Biology*, 29(3), 287-290.
- Chen, P. P., Nieser, N., & Zettel, H. (2005). The aquatic and semi-aquatic bugs (Heteroptera: Nepomorpha & Gerromorpha) of Malesia. *E J Brill*, 5, 1-546.
- Choudhary, A., & Ahi, J. (2015). Biodiversity of freshwater insects: a review. *The International Journal of Engineering and Science*, 4(10), 25-31.
- Choudhury, D., & Gupta, S. (2015). Aquatic insect community of Deepor beel (Ramsar site), Assam, India. *Journal of Entomology and Zoology Studies*, 3(1), 182-192.

- Cloarec, A. (1990). Factors influencing the choice of predatory tactics in a water bug, *Diplonychus indicus* Venk. & Rao (Heteroptera: Belostomatidae). *Animal behaviour*, 40(2), 262-271.
- Dalal, A., & Gupta, S. (2016). A comparative study of the aquatic insect diversity of two ponds located in Cachar District, Assam, India. *Turkish Journal of Zoology*, 40(3), 392-401.
- Das, K. & Gupta, S. (2012). Seasonal variation of Hemiptera community of a temple pond of Cachar District, Assam, Northeastern India. *Journal of Threatened Taxa*, 4(11), 3050-3058.
- Das, K., & Gupta, S. (2010). Aquatic Hemiptera community of agricultural fields and rain pools in Cachar District, Assam, Northeast India. *Assam University Journal of Science and Technology*, 5(1), 123-128.
- Das, P. K., Sivagnaname, N., & Amalraj, D. D. (2006). Population interactions between *Culex vishnui* mosquitoes and their natural enemies in Pondicherry, India. *Journal of Vector Ecology*, 31(1), 84-88.
- Dash, S. (2013). Aquatic and Semiaquatic Hemiptera (Class: Insecta) recorded at Northern Odisha Estuaries. *Bugs R All*, 20, 2-7.
- Deepa, J., & Rao, C. A. N. (2007). Aquatic Hemiptera of Pocharam Lake, Andhra Pradesh. *Zoos' Print Journal*, 22(12), 2937-2939.
- Devi, M. B., Devi, O. S., & Singh, S. D. (2013). Water Bugs (Hemiptera: Heteroptera) from the Loktak Lake of Manipur, Northeast India. *Acad. J. Entomol.*, 6(3), 100-109.
- Eversham, B., & Prunier, F. (2003). Identifying water bugs. *The Wildlife Trusts*, 1-6.
- Gaston, K. J., Smith, R. M., Thompson, K., & Warren, P. H. (2005). Urban domestic gardens (II): experimental tests of methods for increasing biodiversity. *Biodiversity & Conservation*, 14(2), 395-413.
- Ghahari, H. (2013). A study on aquatic and semiaquatic bugs (Hemiptera: Heteroptera) from Northern Iran. *Biologiezentrum Linz/Austria*, 45(2), 1991-1996.
- Ghosh, A., & Chandra, G. (2011). Functional responses of *Laccotrephes griseus* (Hemiptera: Nepidae) against *Culex quinquefasciatus* (Diptera: Culicidae) in laboratory bioassay. *Journal of vector borne diseases*, 48(2), 72-77.
- Gilbert, J. J., & Burns, C. W. (1999). Some observations on the diet of the backswimmer, *Anisops wakefieldi* (Hemiptera: Notonectidae). *Hydrobiologia*, 412, 111-118.
- Gupta, S., & Narzary, R. (2013). Aquatic insect community of lake, Phulbari anua in Cachar, Assam. *Journal of Environmental Biology*, 34(3), 591.
- Gupta, Y. C., & Khandelwal, V. K. (2003). A new species of the Genus *Pseudovelia* Hoberlandt, 1950 from Kerala, India (Hemiptera: Veliidae). *Bionotes*, 5(1), 8.

- Gupta, Y. K., & Sharma, H. N. (2017). Description of some Indian Veliidae in different zoogeographical regions with special emphasis on *Rhagovelia* and *Microvelia*. *Journal of Advanced Laboratory Research in Biology*, 8(1), 25-29.
- Gurumoorthy, K., Govindarajan, M., & Amsath, M. A. (2013). Predatory behaviour and efficiency of the water bug *Sphaerodema rusticum* on mosquito larvae *Culex quinquefasciatus*. *International Journal of Pure and Applied Zoology*, 1(1), 24-29.
- Haldhar, S. M., Thangjam, R., Kadam, Jakhar, B. L., Loganathan, R., Singh, K. I., Rolania, K., Singh, S., Dhaka, S. R., & Singh K. M. (2021). A review on entomophagy: natural food insects for ethnic and tribal communities of North-East India. *Journal of Environmental Biology*, 42, 1425-1432.
- Hazarika, R., & Goswami, M. M. (2010). Aquatic Hemiptera of Gauhati University, Guwahati, Assam, India. *Journal of Threatened Taxa*, 2(3), 778-782.
- Hazarika, R., & Goswami, M. M. (2012). Feeding behaviour of *Diplonychus rusticus* Fabricius (Hemiptera, Belostomatidae) on fish and fish food. *Int. Proc. Chem. Biol. Environ.*, 40, 136-140.
- Hershey, A. E., Lamberti, G. A., Chaloner, D. T., & Northington, R. M. (2010). Aquatic insect ecology. *Ecology and classification of North American freshwater invertebrates*, Academic Press, 17, 659-694.
- Jayakumar, E., & Mathavan, S. (1985). Successful colonization of *Laccotrephes griseus* (Hemiptera: Nepidae). *Current Science*, 54(7), 342-344.
- Jehamalar, E. E., & Chandra, K. (2013a). Freshwater Gerridae (Hemiptera: Heteroptera: Gerromorpha) with two new records from South Andaman, India. *Journal of the Andaman Science Association*, 18(1), 118-120.
- Jehamalar, E. E., & Chandra, K. (2013b). On a collection of aquatic and semi-aquatic bugs (Hemiptera: Heteroptera) from Chhattisgarh, India. *Records of the Zoological Survey of India*, 113(1), 183-195.
- Jehamalar, E. E., & Chandra, K. (2013c). On the genus *Anisops* (Heteroptera: Nepomorpha: Notonectidae) from Andaman and Nicobar Islands, with a new record to India. *Records of the Zoological Survey of India*, 113(2), 55-59.
- Jehamalar, E. E., & Chandra, K. (2014). On the genus *Hydrometra* Latreille (Hemiptera: Heteroptera: Hydrometridae) from India with description of two new species. *Zootaxa*, 3779(5), 501-517.
- Jehamalar, E. E., & Chandra, K. (2016). Additional Records of Aquatic and Semiaquatic Heteroptera (Insecta: Hemiptera) from Chhattisgarh, India. *Records of the Zoological Survey of India*, 116(2), 99-109.

- Jehamalar, E. E., & Chandra, K. (2020). New records of aquatic and semi-aquatic Heteroptera (Insecta: Hemiptera) from Mainland India. *Records of the Zoological Survey of India*, 120(2), 167-170.
- Jehamalar, E. E., Chandra, K., & Srinivasan, G. (2018a). Water striders, the genus *Cylindrostethus* Mayr (Insecta: Heteroptera: Gerridae) from India with a new record. *Journal of Threatened Taxa*, 10(5), 11665-11671.
- Jehamalar, E. E., Chandra, K., & Zettel, H. (2018b). New species and first record of *Helotrepes* from India, and a checklist of Indian Helotrophidae (Hemiptera: Heteroptera). *Acta entomologica musei nationalis Pragae*, 58(1), 243-248.
- Jehamalar, E. E., Chandra, K., Basu, S., & Selvakumar, C. (2018c). Review of *Ptilomera* (*Ptilomera*) (Hemiptera: Heteroptera: Gerridae) from India, with description of a new species. *Zootaxa*, 4370(5), 501-518.
- Jehamalar, E. E., Chandra, K., Bhattacharya, D., & Maiti, P. (2014a). First Record of *Anisops tahitiensis* Lundblad (Hemiptera: Nepomorpha: Notonectidae) from Mainland India. *Records of the Zoological Survey of India*, 114(3), 429-431.
- Jehamalar, E. E., Chandra, K., Zettel, H., Basu, S., Barman, B., Gupta, S., & Subramanian, K. A. (2014b). Two new species of *Plecobates* (Hemiptera: Gerromorpha: Gerridae) from India, with a key to the species of *Plecobates*. *Zootaxa*, 3866(3), 435-445.
- Joshi, P. P. (2012). Aquatic hemipteran diversity as indicators of more environmental extremes: relation to tolerant of some physico-chemical characteristics of water. *Biosci. Disc*, 3(1), 120-124.
- Kour, R., Tara, J. S., Sharma, S., & Kotwal, S. (2013). Life cycle and laboratory rearing of *Laccotrephes maculates* (Hemiptera: Nepidae) from Jammu (J&K, India). *Munis Entomology and Zoology*, 8, 790-795.
- Kshirsagar, R. V. (2010). Diversity of Aquatic Bugs from Lentic Water Bodies of Pune District, Maharashtra. *International Journal of Advanced Biotechnology and Research*, 1(1), 1-4.
- Kumar, S., & Gupta, Y. C. (2018). Studies on External Morphology of the Indian Water Boatmen, *Micronecta striata* Fieb. (Corixidae, Hemiptera: Heteroptera). *Journal of Advanced Laboratory Research in Biology*, 9(1), 46-49.
- Kumar, V., & Priyadarsini, A. (2014). Histology and histochemistry of mantle of *Lymnaea luteola* (Lamarck 1799) Mollusca Gastropoda. *IOSR Journal of Pharmacy and Biological Sciences*, 9(6), 28-31.
- Kumari, K. N., & Nair, N. B. (1984). Studies on the life history of *Ranatra filiformis* Fab. (Hemiptera: Nepidae). *Records of the Zoological Survey of India*, 81(3-4), 381-393.

- Kundu, M., Sharma, D., Brahma, S., Pramanik, S., Saha, G. K., & Aditya, G. (2014). Insect predators of mosquitoes of rice fields: portrayal of indirect interactions with alternative prey. *J. Entomol. Zool. Studies*, 2(5), 97-103.
- Leong, C. Y. (1962). The life-history of *Anisops breddini* Kirkaldy (Hemiptera, Notonectidae). *Journal of Natural History*, 5(54), 377-383.
- Lyngdoh, J., Basu, S., Chandra, K., & Kushwaha, S. (2021). On a Collection of Insecta: Hemiptera (Aquatic and Semi-aquatic) Fauna of Rajasthan, India. *Journal of Natural Resource and Development*, 16(1). 9-18.
- Majumder, J., Das, R. K., Majumder, P., Ghosh, D., & Agarwala, B. K. (2013). Aquatic insect fauna and diversity in urban freshwater lakes of Tripura, Northeast India. *Middle East Journal of Scientific Research*, 13(1), 25-32.
- Mitra, B., Roy, S., Biswas, O., Chakraborti, U., & Jehamalar, E. (2016). New records of aquatic bugs (Insecta: Hemiptera) from Sunderban biosphere reserve, West Bengal, India. *Journal of Entomology and Zoology Studies*, 4(4), 8-11.
- Mohanraj, R. S., Soumya, P. V., & Dhanakkodi, B. (2012). Biocontrol efficiency of some aquatic insects against aquatic forms of the dengue vector *Aedes aegypti*. *Int. J. Sci. Innov. Dis.*, 2(6), 539-550.
- Moreira, F. F., P Alecrim, V., Ribeiro, J. R., & Nessimian, J. L. (2011). Identification key to the Gerridae (Insecta: Heteroptera: Gerromorpha) from the Amazon River floodplain, Brazil, with new records for the Brazilian Amazon. *Zoologia (Curitiba)*, 28(2), 269-279.
- Murdoch, W. W., Scott, M. A., & Ebsworth, P. (1984). Effects of the general predator, *Notonecta* (Hemiptera) upon a freshwater community. *The Journal of Animal Ecology*, 53, 791-808.
- Nieser, N. (1996). Two new species of *Ranatra* Fabricius from Southeast Asia (Insecta: Heteroptera: Nepidae). *Annalen des Naturhistorischen Museums in Wien. Serie B für Botanik und Zoologie*, 98, 347-351.
- Nieser, N. (2004). Guide to aquatic Heteroptera of Singapore and Peninsular Malaysia III. Pleidae and Notonectidae. *Raffles Bulletin of Zoology*, 52(1), 79-96.
- Ohba, S. Y., & Nakasaji, F. (2006). Dietary items of predacious aquatic bugs (Nepoidea: Heteroptera) in Japanese wetlands. *Limnology*, 7(1), 41-43.
- Padwal, K. G., Sharma, S. K., & Singh, S. K. (2018). Dissection and slide mounting technique for male and female genitalia of *Leucinodes orbonalis*. *Journal of Entomological Research*, 42(2), 259-262.
- Papacek, M. (2001). Small aquatic and ripicolous bugs (Heteroptera: Nepomorpha) as predators and prey: The question of economic importance. *European Journal of Entomology*, 98(1), 1-12.

- Polhemus, J. T., & Polhemus, D. A. (1995). The Trepobatinae (Heteroptera: Gerridae) of New Guinea and surrounding regions, with a review of the world fauna. Part 2. Tribe Trepobatini. *Insect Systematics & Evolution*, 26(1), 97-118.
- Polhemus, J. T., & Polhemus, D. A. (2007a). Global diversity of true bugs (Heteroptera; Insecta) in freshwater. *Freshwater animal diversity assessment*, 379-391.
- Polhemus, J. T., & Polhemus, D. A. (2007b). Global trends in the description of aquatic and semiaquatic Heteroptera species, 1758-2004. *Tijdschrift voor Entomologie*, 150(2), 271-288.
- Prabha, J., & Jain, A. (2019). Northeast India: A Unique Biodiversity Hotspot. *Northeast India: Untapped Tourism Industry*, 95-100.
- Rajan, A. D. (2016). Prey shift and predatory performance in *Diplonychus rusticus* (Fabricius, 1871) against two different preys. *International Journal of Phytopharmacology*, 71(1), 29-33.
- Rajan, D. A. (2015). Predatory efficiency of *Diplonychus* (Fabricius, 1871) against *Culex* larvae. *Eur. J. Mol. Biol. Biochem*, 2(3), 127-132.
- Ranjini, S., & Kakkassery, F. K. (2019). Predatory potential of water bugs against the filarial vector *Culex quinquefasciatus* Say. *Indian Journal of Entomology*, 81(1), 40-43.
- Raut, S. K., & Nandi, N. C. (1984). Experimental studies on effectiveness of the predatory leech, *Glossiphonia weberi* in the biological control of vector snails *Lymnaea luteola*. *Bull. Zool. Surv. India*, 6(1-3), 5-19.
- Rawal, D. (2019). A review on different strategies used for biological control of mosquitoes. *International Journal of Mosquito Research*, 6(5), 41-43.
- Reuben, R., Tewari, S. C., Hiriyam, J., & Akiyama, J. (1994). Illustrated keys to species of *Culex* (*Culex*) associated with Japanese encephalitis in Southeast Asia (Diptera: Culicidae). *Mosquito systematics*, 26(2), 75-96.
- Saha, A., & Gupta, S. (2015). Aquatic and semi-aquatic Hemiptera of three Oxbow Lakes of Cachar District, Assam, Northeast India, and their role as bioindicator. *Journal of Entomology and Zoology Studies*, 3(3), 111-116.
- Saha, A., & Gupta, S. (2019). Nepomorpha and Gerromorpha (Hemiptera) community in the agricultural fields of Barak Valley, Assam, Northeast India. *Asian Journal of Conservation Biology*, 8(2), 149-158.
- Saha, N., Aditya, G., Bal, A., & Saha, G. K. (2007). A comparative study of predation of three aquatic heteropteran bugs on *Culex quinquefasciatus* larvae. *Limnology*, 8(1), 73-80.
- Saha, N., Aditya, G., Bal, A., & Saha, G. K. (2008). Influence of light and habitat on predation of *Culex quinquefasciatus* (Diptera: Culicidae) larvae by the water bugs (Hemiptera: Heteroptera). *Insect Science*, 15(5), 461-469.

- Saha, N., Aditya, G., Saha, G. K., & Hampton, S. E. (2010). Opportunistic foraging by heteropteran mosquito predators. *Aquatic Ecology*, 44(1), 167-176.
- Saha, S., Akhter, S., & Raychaudhuri, D. (2020). Lentic biodiversity with special reference to insects and spiders of two freshwater ponds of Ramakrishna mission Ashrama, Narendrapur, S-24 Parganas. *Journal of Entomology and Zoology Studies*, 8(1), 1063-1071.
- Saleeza, S. N. R., Norma-Rashid, Y., & Sofian-Azirun, M. (2014). Guppies as predators of common mosquito larvae in Malaysia. *Southeast Asian Journal of Tropical Medicine and Public Health*, 45(2), 299-308.
- Sarkar, M., Chatterjee, A., & Mukherjee, T. K. (2012). Morphology and histology of three digestive glands of *Ranatra elongata* Fabricius (Hemiptera: Nepidae). *European Journal of Biological Sciences (EJBS)*, 5(1), 27-32.
- Saunders, D. L., Meeuwig, J. J., & Vincent, A. C. (2002). Freshwater protected areas: strategies for conservation. *Conservation Biology*, 16(1), 30-41.
- Sharma, R. K., & Agrawal, N. (2012). Faunal diversity of aquatic insects in Surha Tal of District-Ballia (UP), India. *Journal of Applied and Natural Science*, 4(1), 60-64.
- Shoeb, M., Jahan, N., & Chandra, R. (2011). New Record of Naucorids (Hemiptera: Heteroptera) in India. *Recent Research in Science and Technology*, 3(6), 12-15.
- Singh, J., & Shoeb, M. (2020). General Description of Backswimmer (Notonectidae) with Endoskeleton of Head Region. *Asian Journal of Agriculture & Life Sciences*, 5(3), 1-4.
- Singh, K. P. (2014). Biological Control of Water Snails by Dragonfly Nymphs. *Advances in Life Sciences*, 4(3), 101-105.
- Sitre, S. R. (2013). Benthic Macroinvertebrates and Aquatic Insects of a Rural Fresh Water Reservoir of Bhadrawati Tehsil in Chandrapur District. *Online International Interdisciplinary Research Journal*, 3(1), 51-55.
- Sivaramakrishnan, K. G., Hannaford, M. J., & Resh, V. H. (1996). Biological assessment of the Kaveri River catchment, South India, and using benthic macroinvertebrates: Applicability of water quality monitoring approaches developed in other countries. *Int. J. Ecol. Environ. Sci.*, 32, 113-132.
- Stearn, A. M., & Krieger, K. A. (2008). Atlas of the Aquatic and Semiaquatic True Bugs (Class Insecta: Order Hemiptera) Recorded at the Old Woman Creek National Estuarine Research Reserve & State Nature Preserve, Ohio. *Ohio Department of Natural Resources – Division of Wildlife*.
- Subramanian, K. A., & Sivaramakrishnan, K. G. (2007a). Aquatic Insects of India - A Field Guide. *Ashoka Trust for Ecology and Environment (ATREE)*, Bangalore, India, 29-34.

- Subramanian, K. A., & Sivaramakrishnan, K. G. (2007b). Aquatic Insects for Biomonitoring Freshwater Ecosystems-A Methodology Manual. *Ashoka Trust for Ecology and Environment (ATREE), Bangalore, India*, 1-31.
- Subramanian, K. A., Basu, S., & Zettel, H. (2014). A new species of *Onychotrechus* Kirkaldy, 1903 (Hemiptera, Heteroptera, Gerridae) from Dooars, West Bengal, India, and a key to males of all species. *Deutsche Entomologische Zeitschrift*, 61(2), 133-139.
- Sukumaran, D., Parashar, B. D., Gupta, A. K., Jeevaratnam, K., & Prakash, S. (2004). Molluscicidal effect of nicotinanilide and its intermediate compounds against a freshwater snail *Lymnaea luteola*, the vector of animal Schistosomiasis. *Memórias do Instituto Oswaldo Cruz*, 99(2), 205-210.
- Sundar, S., Sites, R. W., & Arunachalam, M. (2014). Descriptions of immature stages of three species of Laccocorinae (Hemiptera: Heteroptera: Naucoridae) from India. *Annals of the Entomological Society of America*, 107(6), 1056-1065.
- Tara, J. S., & Kour, R. (2014). Biology and morphometric studies of aquatic bug, *Sphaerodema molestrum* (Hemiptera: Belostomatidae) from Jammu (J&K, India). *J. Entomol. Zool. Stud.*, 2(3), 82-85.
- Thangjam, R., Kadam, V., Ningthoujam, K., & Sorokhaibam, M. (2020). A review on edible insects and their utilization in North-eastern Himalaya. *Journal of Entomology and Zoology Studies*, 8(3), 1309-1318.
- Thirumalai, G. (1983). New records of two species of the genus *Anisops* Spinolae (Hemiptera: Insecta) from the lower Western ghats, Kerala. *Bulletin of the Zoological Survey of India*, 5(1), 123-124.
- Thirumalai, G. (1986). On Gerridae and Notonectidae (Heteroptera Hemiptera: Insecta) from the Silent Valley, Kerala. *Records of the Zoological Survey of India*, 84(1-4), 8-34.
- Thirumalai, G. (1999a). A Checklist of Aquatic and Semi-aquatic Hemiptera (Insecta) of Tamil Nadu. *Zoos' Print Journal*, 1(10), 132-135.
- Thirumalai, G. (1999b). A new genus of Microveliinae (Hemiptera: Heteroptera: Veliidae) from North-eastern India with a checklist of the Indian species of the subfamily. *Records of the Zoological Survey of India*, 97(3), 205-211.
- Thirumalai, G. (1999c). Aquatic and semi-aquatic Heteroptera of India. *Indian Association of Aquatic Biologists, Hyderabad*, 7, 74.
- Thirumalai, G. (2002a). A check list of Gerromorpha (Hemiptera) from India. *Records of the Zoological Survey of India*, 100(1-2), 55-97.
- Thirumalai, G. (2002b). A checklist of aquatic and semi aquatic Hemiptera (Insecta) of Rajasthan, India. *Records of the Zoological Survey of India*, 100(3-4), 101-100.

- Thirumalai, G. (2004). A checklist of aquatic and semi-aquatic Hemiptera (Insecta) of Karnataka. *Records of the zoological Survey of India*, 102(1-2), 57-72.
- Thirumalai, G. (2006). First Report of *Micronecta decorata* Lundblad, 1933 (Micronectidae: Corixoidea: Hemiptera: Insecta) from Lower Shiwalik Hills, India. *Records of the Zoological Survey of India*, 106(2), 93-95.
- Thirumalai, G. (2007). A synoptic list of Nepomorpha (Hemiptera: Heteroptera) from India. *Records of the Zoological Survey of India Occasional Papers*, 273, 1-84.
- Thirumalai, G., & Krishnan, S. (2000). Diversity of Gerromorpha (Heteroptera: Hemiptera: Insecta) in the Western Ghats States, India. *Records of the Zoological Survey of India*, 98(4), 61-82.
- Thirumalai, G., & Kumar, R. S. (2005). Aquatic and semi-aquatic Hemiptera (Heteroptera: Insecta) of Karaikal and Pondicherry. *Records of the Zoological Survey of India*, 105(1-2), 5-24.
- Thirumalai, G., & Radhakrishnan, C. (1999). Aquatic Hemiptera (Insecta) of Kasaragod District, Kerala State. *Records of the Zoological Survey of India*, 97(3), 123-139.
- Thirumalai, G., & Sharma, R. M. (2008). Further Record of Occurrence of *Ranatra titilaensis* Hafiz & Pradhan (Ranatrinae: Nepidae: Hemiptera). *Records of the Zoological Survey of India*, 108(1), 97-99.
- Thirumalai, G., Sharma, R.M., & Chandra, K. (2007). A checklist of aquatic and semiaquatic Hemiptera (Insecta) of Madhya Pradesh. *Records of Zoological Survey of India*, 107(4), 71-91.
- Vassou, M.C. (2021). Water bug *Diplonychus rusticus* (Hemiptera: Belostomatidae) as a biocontrol agent for *Culex* mosquito. *Uttar Pradesh Journal of Zoology*, 42(21), 39-42.
- Venkatesan, P., & D'sylva, T. (1990). Influence of prey size on choice by the water bug, *Diplonychus indicus* Venk. & Rao (Hemiptera: Belostomatidae). *Journal of Entomological Research*, 14(2), 130-138.
- Venkatesan, P., & Jeyachandra, C. M. (1985). Estimation of mosquito predation by the water bug *Diplonychus indicus* Venkatesan & Rao. *Indian journal of experimental biology*, 23(4), 227-229.
- Vimala, S. D. J. (1990). Prey selection by *Diplonychus indicus* Venk. and Rao (Hemiptera, Belostomatidae). *M.Phil. Thesis, University of Madras*, 1-39.
- Vinson, M. R., & Hawkins, C. P. (1998). Biodiversity of stream insects: variation at local, basin, and regional scales. *Annual Review of Entomology*, 43(1), 271-293.
- Younes, A., El-Sherief, H., Gawish, F., & Mahmoud, M. (2016). Experimental evaluation of Odonata nymph in the biocontrol of Schistosomiasis intermediate hosts. *Asian Pacific Journal of Tropical Biomedicine*, 6(12), 995-1000.

- Younes, A., El-Sherif, H., Gawish, F., & Mahmoud, M. (2015). Potential of *Hemianax ephippiger* (Odonata-Aeshnidae) nymph as predator of *Fasciola* intermediate host, *Lymnaea natalensis*. *Asian Pacific Journal of Tropical Biomedicine*, 5(8), 671-675.
- Zettel, H. (2013). Two new Hebridae (Insecta: Hemiptera: Heteroptera) from Madhya Pradesh, India, with a discussion on *Neotimasius*. *Annalen des Naturhistorischen Museums in Wien. Serie B für Botanik und Zoologie*, 115, 27-36.
- Zettel, H., & Laciny, A. (2021). The taxonomy of some unusual Microveliinae (Hemiptera: Heteroptera: Veliidae) from India. *Acta Entomologica Musei Nationalis Pragae*, 61(2), 517-527.
- Zettel, H., Lane, D. J., Pangantihon, C. V., & Freitag, H. (2012). Notes on Notonectidae (Hemiptera: Heteroptera) from South-eastern Asia, mostly from Brunei and the Philippines. *Acta Entomologica Musei Nationalis Pragae*, 51(1), 29-48.
- Zettel, H., Papacek, M., & Kovac, D. (2011). Guide to the aquatic Heteroptera of Singapore and Peninsular Malaysia: VII. Family Helotephidae. *The Raffles Bulletin of Zoology*, 59(2), 171-179.