

References

- Abbas, T., Hayat, T., Ayub, M., Bhatti, M. M., & Alsaedi, A. (2019). Electromagnetic hydrodynamic nanofluid flow past a porous rigid plate containing gyrotactic microorganism. *Neural Computing and Applications*, 31(6), 1905–1913.
- Abd El-Aziz, M. (2009). Viscous dissipation effect on mixed convection flow of a micropolar fluid over an exponentially stretching sheet. *Canadian Journal of Physics*, 87(4), 359–368.
- Abu-Nada, & Eiyad. (2010). Effects of variable viscosity and thermal conductivity of Cu-water nanofluid on heat transfer enhancement in natural convection: mathematical model and simulation. *J. Heat Transfer*, 132, 052401.
- Acharya, N., Das, K., & Kumar Kundu, P. (2016). Ramification of variable thickness on mhd TiO₂ and Ag nanofluid flow over a slendering stretching sheet using ndm. *The European physical journal plus*, 131(9), 1–16.
- Acharya, N., & Mabood, F. (2021). On the hydrothermal features of radiative Fe₃O₄-graphene hybrid nanofluid flow over a slippery bended surface with heat source/sink. *Journal of Thermal Analysis and Calorimetry*, 143(2), 1273–1289.
- Ahmad, S., Nadeem, S., Muhammad, N., & Issakhov, A. (2020). Radiative SWCNT and MWCNT nanofluid flow of Falkner-Skan problem with double stratification. *Physica A: Statistical Mechanics and its Applications*, 547, 124054.
- Akbarinia, A. (2008). Impacts of nanofluid flow on skin friction factor and Nusselt number in curved tubes with constant mass flow. *International Journal of Heat and Fluid Flow*, 29(1), 229–241.
- Ali, R., Asjad, M. I., & Akgül, A. (2021). An analysis of a mathematical fractional model of hybrid viscous nanofluids and its application in heat and mass transfer. *Journal of Computational and Applied Mathematics*, 383, 113096.
- Alqarni, M., Waqas, H., Alghamdi, M., & Muhammad, T. (2022). Importance of bioconvection in 3D viscoelastic nanofluid flow due to exponentially stretching surface with nonlinear radiative heat transfer and variable thermal conductivity. *J Therm Anal Calorim*, 147, 4805–4819.
- Alsaedi, A., Khan, M. I., Farooq, M., Gull, N., & Hayat, T. (2017). Magnetohydrodynamic (MHD) stratified bioconvective flow of nanofluid due to gyrotactic

- microorganisms. *Advanced Powder Technology*, 28(1), 288-298.
- Alshomrani, A. S., Ullah, M. Z., & Baleanu, D. (2020). Importance of multiple slips on bioconvection flow of cross nanofluid past a wedge with gyrotactic motile microorganisms. *Case Studies in Thermal Engineering*, 22, 100798.
- Anantha Kumar, K., Sugunamma, V., & Sandeep, N. (2019). Physical aspects on unsteady mhd-free convective stagnation point flow of micropolar fluid over a stretching surface. *Heat Transfer—Asian Research*, 48(8), 3968-3985.
- Azhar, E., Iqbal, Z., & Maraj, E. (2019). Viscous dissipation performance on stagnation point flow of jeffrey fluid inspired by internal heat generation and chemical reaction. *Thermal Science and Engineering Progress*, 13, 100377.
- Bejan, A. (2013). *Convection heat transfer*. John wiley & sons.
- Berger, T., Spadaro, J., Chapin, S., & Becker, R. (1976). Electrically generated silver ions: quantitative effects on bacterial and mammalian cells. *Antimicrobial agents and chemotherapy*, 9(2), 357–358.
- Besthapu, P., Haq, R., Bandari, S., & Al-Mdallal, Q. (2019). Thermal radiation and slip effects on mhd stagnation point flow of non-newtonian nanofluid over a convective stretching surface. *Neural Comput Applic*, 31, 207-217.
- Bhatti, M. M., Shahid, A., Abbas, T., Alamri, S. Z., & Ellahi, R. (2020). Study of activation energy on the movement of gyrotactic microorganism in a magnetized nanofluids past a porous plate. *Processes*, 8(3), 328.
- Bhirde, A. A., Patel, V., Gavard, J., Zhang, G., Sousa, A. A., Masedunskas, A., . . . Rusling, J. F. (2009). Targeted killing of cancer cells in vivo and in vitro with egf-directed carbon nanotube-based drug delivery. *ACS Nano*, 3(2), 307-316.
- Bilal, M. (2020). Micropolar flow of emhd nanofluid with nonlinear thermal radiation and slip effects. *Alexandria Engineering Journal*, 59(2), 965-976.
- Biswal, U., Chakraverty, S., Ojha, B. K., & Hussein, A. K. (2021). Numerical simulation of magnetohydrodynamics nanofluid flow in a semi-porous channel with a new approach in the least square method. *International Communications in Heat and Mass Transfer*, 121, 105085.
- Chamkha, A. J. (2000). Thermal radiation and buoyancy effects on hydromagnetic flow over an accelerating permeable surface with heat source or sink. *International Journal of Engineering Science*, 38(15), 1699-1712.
- Chen, H., Witharana, S., Jin, Y., Kim, C., & Ding, Y. (2009). Predicting ther-

- mal conductivity of liquid suspensions of nanoparticles (nanofluids) based on rheology. *Particuology*, 7(2), 151–157.
- Choi, S. U., & Eastman, J. A. (1995). Enhancing thermal conductivity of fluids with nanoparticles (Tech. Rep.). Argonne National Lab.(ANL), Argonne, IL (United States).
- Cohen, I. M., & Kundu, P. K. (2004). *Fluid mechanics*. Elsevier.
- Crane, L. (645–647). Flow past a stretching plate. *Journal of Applied Mathematics and Physics (ZAMP)*, 21, 645–647.
- Dai, J., & Bruening, M. L. (2002). Catalytic nanoparticles formed by reduction of metal ions in multilayered polyelectrolyte films. *Nano Letters*, 2(5), 497–501.
- Daniel, Y. S., Aziz, Z. A., Ismail, Z., & Bahar, A. (2020). Unsteady emhd dual stratified flow of nanofluid with slips impacts. *Alexandria Engineering Journal*, 59(1), 177-189.
- Daniel, Y. S., Aziz, Z. A., Ismail, Z., Bahar, A., & Salah, F. (2019). Stratified electromagnetohydrodynamic flow of nanofluid supporting convective role. *Korean Journal of Chemical Engineering*, 36(7), 1021–1032.
- Das, S., Tarafdar, B., & Jana, R. (2018). Hall effects on unsteady mhd rotating flow past a periodically accelerated porous plate with slippage. *European Journal of Mechanics - B/Fluids*, 72, 135-143.
- Dash, G., & Ojha, K. L. (2018). Viscoelastic hydromagnetic flow between two porous parallel plates in the presence of sinusoidal pressure gradient. *Alexandria Engineering Journal*, 57(4), 3463-3471.
- Devi, S. S. U., & Devi, S. A. (2016). Numerical investigation of three-dimensional hybrid cu-al₂o₃/water nanofluid flow over a stretching sheet with effecting lorentz force subject to newtonian heating. *Canadian Journal of Physics*, 94(5), 490–496.
- Duangthongsuk, W., & Wongwises, S. (2009). Heat transfer enhancement and pressure drop characteristics of tio₂–water nanofluid in a double-tube counter flow heat exchanger. *International Journal of Heat and Mass Transfer*, 52(7-8), 2059–2067.
- Eastman, J. (1999). Novel thermal properties of nanostructured materials. (Tech. Rep.). Argonne National Lab., IL (US).
- Eid, M. R., & Nafe, M. A. (2022). Thermal conductivity variation and heat gener-

- ation effects on magneto-hybrid nanofluid flow in a porous medium with slip condition. *Waves in Random and Complex Media*, 32(3), 1103–1127.
- Fan, X., Jiao, G., Gao, L., Jin, P., & Li, X. (2013). The preparation and drug delivery of a graphene–carbon nanotube– Fe_3O_4 nanoparticle hybrid. *J. Mater. Chem. B*, 1, 2658–2664.
- Fisher, R. (1950). On the 'probable error' of a coefficient of correlation deduced from a small sample, *metron* (1921). reprinted in: *Contributions to mathematical statistics*. 3–32. Wiley, New York.
- Fulks, W., Guenther, R., & Roetman, E. (1971). Equations of motion and continuity for fluid flow in a porous medium. *Acta Mechanica*, 12, 121–129.
- Ganesh, S., & Krishnambal, S. (2006). Magnetohydrodynamic flow of viscous fluid between two parallel porous plates. *Journal of Applied sciences*, 6(11), 2420–2425.
- Gireesha, B., Archana, M., Prasannakumara, B., Gorla, R., & Makinde, O. (2017). Mhd three dimensional double diffusive flow of casson nanofluid with buoyancy forces and nonlinear thermal radiation over a stretching surface. *International Journal of Numerical Methods for Heat Fluid Flow*, 27, 2858–2878.
- Gireesha, B., Umshaiah, M., Prasannakumara, B., Shashikumar, N., & Archana, M. (2020). Impact of nonlinear thermal radiation on magnetohydrodynamic three dimensional boundary layer flow of jeffrey nanofluid over a nonlinearly permeable stretching sheet. *Physica A: Statistical Mechanics and its Applications*, 549, 124051.
- Gosselin, L., & da Silva, A. K. (2004). Combined “heat transfer and power dissipation” optimization of nanofluid flows. *Applied physics letters*, 85(18), 4160–4162.
- Greenspan, H., & Carrier, G. F. (1959). The magnetohydrodynamic flow past a flat plate. *Journal of Fluid Mechanics*, 6(1), 77–96.
- Grubka, L., & Bobba, K. (1985). Heat transfer characteristics of a continuous stretching surface with variable temperature. *Journal of Heat Transfer*, 107(1), 248–250.
- Gupta, U., Jha, A. K., Chaudhary, R. C., et al. (2011). Free convection flow between vertical plates moving in opposite direction and partially filled with porous medium. *Applied Mathematics*, 2(8), 935–941.

- Gupta, V., Jain, A., & Jha, A. K. (2016). Convective effects on mhd flow and heat transfer between vertical plates moving in opposite direction and partially filled with a porous medium. *Journal of Applied Mathematics and Physics*, 4(2), 341–358.
- Hamad, M., & Bashir, M. A. (2009). Boundary-layer flow and heat transfer of a power-law non-newtonian nanofluid over a vertical stretching sheet. *World Applied Sciences J (Special Issue for Applied Mathematics)*, 7, 172–178.
- Hayat, T., Ahmed, N., Sajid, M., & Asghar, S. (2007). On the mhd flow of a second grade fluid in a porous channel. *Computers & Mathematics with Applications*, 54(3), 407–414.
- Hayat, T., Muhammad, T., Shehzad, S. A., & Alsaedi, A. (2017). An analytical solution for magnetohydrodynamic oldroyd-b nanofluid flow induced by a stretching sheet with heat generation/absorption. *International Journal of Thermal Sciences*, 111, 274–288.
- Hazarika, S., Ahmed, S., & Chamkha, A. J. (2021). Investigation of nanoparticles cu, ag and fe₃o₄ on thermophoresis and viscous dissipation of mhd nanofluid over a stretching sheet in a porous regime: A numerical modeling. *Mathematics and Computers in Simulation*, 182, 819-837.
- Hosking, R. J., & Dewar, R. L. (2016). *Fundamental fluid mechanics and magnetohydrodynamics*. Springer.
- Ijaz Khan, M., Waqas, M., Hayat, T., Imran Khan, M., & Alsaedi, A. (2017). Behavior of stratification phenomenon in flow of maxwell nanomaterial with motile gyrotactic microorganisms in the presence of magnetic field. *International Journal of Mechanical Sciences*, 131-132, 426-434.
- Ishak, A., Nazar, R., & Pop, I. (2008). Magnetohydrodynamic (mhd) flow and heat transfer due to a stretching cylinder. *Energy Conversion and Management*, 49(11), 3265–3269.
- Jana, S., Salehi-Khojin, A., & Zhong, W.-H. (2007). Enhancement of fluid thermal conductivity by the addition of single and hybrid nano-additives. *Thermochimica Acta*, 462(1), 45-55.
- Jha, B., & Aina, B. (2016). Role of induced magnetic field on mhd natural convection flow in vertical microchannel formed by two electrically non-conducting infinite vertical parallel plates. *Alexandria Engineering Journal*, 55(3), 2087-

2097.

- Junoh, M., Ali, F., Arifin, N., Bachok, N., & Pop, I. (2020). Mhd stagnation-point flow and heat transfer past a stretching/shrinking sheet in a hybrid nanofluid with induced magnetic field. *International Journal of Numerical Methods for Heat and Fluid Flow*, 30, 1345-1364.
- Kaiser, J., Buerki-Thurnherr, T., & Wick, P. (2013). Influence of single walled carbon nanotubes at subtoxic concentrations on cell adhesion and other cell parameters of human epithelial cells. *Journal of King Saud University - Science*, 25(1), 15-27.
- Khan, M., Salahuddin, T., Malik, M., Alqarni, M., & Alqahtani, A. (2020). Numerical modeling and analysis of bioconvection on mhd flow due to an upper paraboloid surface of revolution. *Physica A: Statistical Mechanics and its Applications*, 553, 124231.
- Khan, S. K., & Sanjayanand, E. (2005). Viscoelastic boundary layer flow and heat transfer over an exponential stretching sheet. *International Journal of Heat and Mass Transfer*, 48(8), 1534–1542.
- Khan, W., & Pop, I. (2010). Boundary-layer flow of a nanofluid past a stretching sheet. *International Journal of Heat and Mass Transfer*, 53(11), 2477-2483.
- Khashi'ie, N. S., Arifin, N. M., Pop, I., & Nazar, R. (2021). Dual solutions of bioconvection hybrid nanofluid flow due to gyrotactic microorganisms towards a vertical plate. *Chinese Journal of Physics*, 72, 461-474.
- Khashi'ie, N., Waini, I., Arifin, N., & Pop, I. (2021). Unsteady squeezing flow of cu-al₂o₃/water hybrid nanofluid in a horizontal channel with magnetic field. *Sci Rep*, 11, 14128.
- Kiyani, M., Hayat, T., Ahmad, I., Waqas, M., & Alsaedi, A. (2021). Bidirectional williamson nanofluid flow towards stretchable surface with modified darcy's law. *Surfaces and Interfaces*, 23, 100872.
- Kotha, G., Kolipaula, V. R., Venkata Subba Rao, M., Penki, S., & Chamkha, A. J. (2020). Internal heat generation on bioconvection of an mhd nanofluid flow due to gyrotactic microorganisms. *The European Physical Journal Plus*, 135(7), 1–19.
- Kulkarni, D., & Das, D. (2012). *Nanofluids properties and their applications: Experimental and theoretical studies*. LAP Lambert Academic Publishing.

- Kumar, R., Bhattacharyya, A., Seth, G., & Chamkha, A. J. (2021). Transportation of magnetite nanofluid flow and heat transfer over a rotating porous disk with arrhenius activation energy: Fourth order noumerov's method. *Chinese Journal of Physics*, 69, 172-185.
- Kuznetsov, A., & Avramenko, A. (2004). Effect of small particles on this stability of bioconvection in a suspension of gyrotactic microorganisms in a layer of finite depth. *International Communications in Heat and Mass Transfer*, 31(1), 1-10.
- Lapwood, E. R. (1948). Convection of a fluid in a porous medium. *Mathematical Proceedings of the Cambridge Philosophical Society*, 44(4), 508–521.
- Lee, S., Choi, S.-S., Li, S., , & Eastman, J. (1999). Measuring thermal conductivity of fluids containing oxide nanoparticles.
- Liu, Y., Jian, Y., & Tan, W. (2018). Entropy generation of electromagnetohydrodynamic (emhd) flow in a curved rectangular microchannel. *International Journal of Heat and Mass Transfer*, 127, 901-913.
- Lund, L., Omar, Z., Raza, J., & Khan, I. (2021). Magnetohydrodynamic flow of cu–fe₃o₄/h₂o hybrid nanofluid with effect of viscous dissipation: dual similarity solutions. *J Therm Anal Calorim*, 143, 915–927.
- Mackolil, J., & Mahanthesh, B. (2019a). Exact and statistical computations of radiated flow of nano and casson fluids under heat and mass flux conditions. *Journal of Computational Design and Engineering*, 6(4), 593–605.
- Mackolil, J., & Mahanthesh, B. (2019b). Sensitivity analysis of radiative heat transfer in casson and nano fluids under diffusion-thermo and heat absorption effects. *The European Physical Journal Plus*, 134(12), 619.
- Magyari, E., & Keller, B. (1999a). Heat and mass transfer in the boundary layers on an exponentially stretching continuous surface. *Journal of Physics D: Applied Physics*, 32(5), 577.
- Magyari, E., & Keller, B. (1999b, jan). Heat and mass transfer in the boundary layers on an exponentially stretching continuous surface. *Journal of Physics D: Applied Physics*, 32(5), 577–585.
- Mahanthesh, B., Shashikumar, N. S., Giresha, B. J., & Animasaun, I. L. (2019). Effectiveness of hall current and exponential heat source on unsteady heat transport of dusty tio₂-eo nanoliquid with nonlinear radiative heat. *Journal of Computational Design and Engineering*, 6(4), 551–561.

- Mandal, I. C., & Mukhopadhyay, S. (2013). Heat transfer analysis for fluid flow over an exponentially stretching porous sheet with surface heat flux in porous medium. *Ain Shams Engineering Journal*, 4(1), 103-110.
- Manjunatha, S., Kuttan, B. A., Jayanthi, S., Chamkha, A., & Gireesha, B. (2019). Heat transfer enhancement in the boundary layer flow of hybrid nanofluids due to variable viscosity and natural convection. *Heliyon*, 5(4), e01469.
- Masotti, A., & Caporali, A. (2013). Preparation of magnetic carbon nanotubes (mag-cnts) for biomedical and biotechnological applications. *International Journal of Molecular Sciences*, 14(12), 24619–24642.
- Mohebbi, R., Izadi, M., Delouei, A. A., & Sajjadi, H. (2019). Effect of mwcnt–fe₃o₄/water hybrid nanofluid on the thermal performance of ribbed channel with apart sections of heating and cooling. *J Therm Anal Calorim*, 135, 3029–3042.
- Mohyud-Din, S. T., Zaidi, Z. A., Khan, U., & Ahmed, N. (2015). On heat and mass transfer analysis for the flow of a nanofluid between rotating parallel plates. *Aerospace Science and Technology*, 46, 514-522.
- Molokov, S. S., Moreau, R., & Moffatt, H. K. (2007). *Magnetohydrodynamics: Historical evolution and trends* (Vol. 80). Springer Science & Business Media.
- Murshed, S. S., & De Castro, C. N. (2014). *Nanofluids: synthesis, properties, and applications*. Nova Science Publishers, Incorporated.
- Muskat, M. (1937). The flow of fluids through porous media. *Journal of Applied Physics*, 8(4), 274-282.
- Naramgari, S., & Sulochana, C. (2016). Dual solutions of radiative mhd nanofluid flow over an exponentially stretching sheet with heat generation/absorption. *Appl Nanosci*, 6, 131-139.
- Nasir, S., Islam, S., Gul, T., Shah, Z., Khan, M., Khan, W., . . . Khan, S. (2018). Three-dimensional rotating flow of mhd single wall carbon nanotubes over a stretching sheet in presence of thermal radiation. *Appl Nanosci*, 8, 1361–1378.
- Nayak, M., Akbar, N., Tripathi, D., & Pandey, V. (2017). Three dimensional mhd flow of nanofluid over an exponential porous stretching sheet with convective boundary conditions. *Thermal Science and Engineering Progress*, 3, 133-140.
- Nayak, M., Mabood, F., Dogonchi, A., & Khan, W. (2021). Electromagnetic flow of swcnt/mwcnt suspensions with optimized entropy generation and cubic auto

- catalysis chemical reaction. *International Communications in Heat and Mass Transfer*, 120, 104996.
- Naz, R., Tariq, S., & Alsulami, H. (2020). Inquiry of entropy generation in stratified walters' b nanofluid with swimming gyrotactic microorganisms. *Alexandria Engineering Journal*, 59(1), 247-261.
- Neethu, T. S., Areekara, S., & Mathew, A. (2021). Statistical approach on 3d hydromagnetic flow of water-based nanofluid between two vertical porous plates moving in opposite directions. *Heat Transfer*, 50(5), 5170–5197.
- Nield, D. A., Bejan, A., et al. (2006). *Convection in porous media* (Vol. 3). Springer.
- Noghrehabadi, A., Saffarian, M. R., Pourrajab, R., & Ghalambaz, M. (2013). Entropy analysis for nanofluid flow over a stretching sheet in the presence of heat generation/absorption and partial slip. *Journal of Mechanical Science and Technology*, 27(3), 927–937.
- Pal, D., & Mondal, S. (2018a). Mhd nanofluid bioconvection over an exponentially stretching sheet in the presence of gyrotactic microorganisms and thermal radiation. *BioNanoSci*, 8, 272–287.
- Pal, D., & Mondal, S. K. ((2018b). Mhd nanofluid bioconvection over an exponentially stretching sheet in the presence of gyrotactic microorganisms and thermal radiation. *BioNanoSci.*, 8, 272–287.
- Patel, H. R., & Singh, R. (2019). Thermophoresis, brownian motion and non-linear thermal radiation effects on mixed convection mhd micropolar fluid flow due to nonlinear stretched sheet in porous medium with viscous dissipation, joule heating and convective boundary condition. *International Communications in Heat and Mass Transfer*, 107, 68-92.
- Patil, P., & Kulkarni, P. (2008). Effects of chemical reaction on free convective flow of a polar fluid through a porous medium in the presence of internal heat generation. *International Journal of Thermal Sciences*, 47(8), 1043-1054.
- Raju, C., Sandeep, N., Sugunamma, V., Babu, M. J., & Reddy, J. R. (2016). Heat and mass transfer in magnetohydrodynamic casson fluid over an exponentially permeable stretching surface. *Engineering Science and Technology, an International Journal*, 19(1), 45-52.
- Ramesh, G., Madhukesh, J., Prasannakumara, B., & Roopa, G. (2022). Significance of aluminium alloys particle flow through a parallel plates with activation

- energy and chemical reaction. *J Therm Anal Calorim*, 147, 6971–6981.
- Ramesh, G., Prasannakumara, B., Gireesha, B., Shehzad, S., & Abbasi, F. (2017). Three dimensional flow of maxwell fluid with suspended nanoparticles past a bidirectional porous stretching surface with thermal radiation. *Thermal Science and Engineering Progress*, 1, 6-14.
- Ramzan, M., Riasat, S., Shah, Z., Kumam, P., & Thounthong, P. (2020). Unsteady mhd carbon nanotubes suspended nanofluid flow with thermal stratification and nonlinear thermal radiation. *Alexandria Engineering Journal*, 59(3), 1557-1566. (A Special Section on: Computational Methods in Engineering and Artificial Intelligence)
- Raza, M., Ellahi, R., Sait, S. M., Sarafraz, M. M., Shadloo, M. S., & Waheed, I. (2020). Enhancement of heat transfer in peristaltic flow in a permeable channel under induced magnetic field using different cnts. *J Therm Anal Calorim*, 140, 1277–1291.
- Reddy, P. S., & Chamkha, A. J. (2016). Soret and dufour effects on mhd convective flow of al₂o₃–water and tio₂–water nanofluids past a stretching sheet in porous media with heat generation/absorption. *Advanced Powder Technology*, 27(4), 1207–1218.
- Roşca, N. C., & Pop, I. (2017). Axisymmetric rotational stagnation point flow impinging radially a permeable stretching/shrinking surface in a nanofluid using tiwari and das model. *Scientific reports*, 7(1), 1–11.
- Saba, F., Ahmed, N., Hussain, S., Khan, U., Mohyud-Din, S. T., & Darus, M. (2018). Thermal analysis of nanofluid flow over a curved stretching surface suspended by carbon nanotubes with internal heat generation. *Applied Sciences*, 8(3), 395.
- Saba, F., Ahmed, N., Khan, U., & Mohyud-Din, S. T. (2019). A novel coupling of (cnt-fe₃o₄/h₂o) hybrid nanofluid for improvements in heat transfer for flow in an asymmetric channel with dilating/squeezing walls. *International Journal of Heat and Mass Transfer*, 136, 186–195.
- Sakiadis, B. C. (1961). Boundary-layer behavior on continuous solid surfaces: I. boundary-layer equations for two-dimensional and axisymmetric flow. *AIChE Journal*, 7(1), 26-28.
- Sandeep, N., & Sulochana, C. (2018). Momentum and heat transfer behaviour

- of jeffrey, maxwell and oldroyd-b nanofluids past a stretching surface with non-uniform heat source/sink. *Ain shams engineering journal*, 9(4), 517–524.
- Schlichting, H., & Kestin, J. (1961). *Boundary layer theory* (Vol. 121). Springer.
- Seth, G. S., Bhattacharyya, A., Kumar, R., & Chamkha, A. J. (2018). Entropy generation in hydromagnetic nanofluid flow over a non-linear stretching sheet with navier's velocity slip and convective heat transfer. *Physics of Fluids*, 30(12), 122003.
- Shafiq, A., Sindhu, T. N., & Khalique, C. M. (2020). Numerical investigation and sensitivity analysis on bioconvective tangent hyperbolic nanofluid flow towards stretching surface by response surface methodology. *Alexandria Engineering Journal*, 59(6), 4533–4548.
- Shah, Z., Bonyah, E., Islam, S., & Gul, T. (2019). Impact of thermal radiation on electrical mhd rotating flow of carbon nanotubes over a stretching sheet. *AIP Advances*, 9(1), 015115.
- Shahsavari, A., Saghafian, M., M.R.Salimpour, & Shafii, M. B. (2016). Effect of temperature and concentration on thermal conductivity and viscosity of ferrofluid loaded with carbon nanotubes. *Heat Mass Transfer*, 52, 2293–2301.
- Sheikholeslami, M., & Ganji, D. (2013). Heat transfer of cu-water nanofluid flow between parallel plates. *Powder Technology*, 235, 873-879.
- Sheikholeslami, M., Hatami, M., & Domairry, G. (2015). Numerical simulation of two phase unsteady nanofluid flow and heat transfer between parallel plates in presence of time dependent magnetic field. *Journal of the Taiwan Institute of Chemical Engineers*, 46, 43-50.
- Sheikholeslami, M., Hatami, M., & Ganji, D. (2013). Analytical investigation of mhd nanofluid flow in a semi-porous channel. *Powder Technology*, 246, 327-336.
- Singh, K. (1999). Three dimensional couette flow with transpiration cooling. *Zeitschrift für angewandte Mathematik und Physik ZAMP*, 50(4), 661–668.
- Singh, K., & Mathew, A. (2009a). Heat transfer in three dimensional mhd flow between two parallel porous plates moving in opposite directions with transpiration cooling. *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES INDIA SECTION A-PHYSICAL SCIENCES*, 79, 291–302.
- Singh, K., & Mathew, A. (2009b). Three dimensional mhd fluctuating free convec-

- tive flow between two vertical porous plates moving in opposite directions. *J Rajasthan Acad Phys Sci*, 8, 457–474.
- Soundalgekar, V., & Murty, T. (1980). Heat transfer in mhd flow with pressure gradient, suction and injection. *Journal of Engineering Mathematics*, 14(2), 155–159.
- Sreedevi, P., & Reddy, P. S. (2019). Effect of swcnts and mwcnts maxwell mhd nanofluid flow between two stretchable rotating disks under convective boundary conditions. *Heat Transfer—Asian Research*, 48(8), 4105–4132.
- Sundar, L. S., Singh, M. K., & Sousa, A. C. (2014). Enhanced heat transfer and friction factor of mwcnt–fe₃o₄/water hybrid nanofluids. *International Communications in Heat and Mass Transfer*, 52, 73–83.
- Suresh, S., Venkitaraj, K., Selvakumar, P., & Chandrasekar, M. (2011). Synthesis of al₂o₃–cu/water hybrid nanofluids using two step method and its thermo physical properties. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 388(1), 41–48.
- Sweet, E., Vajravelu, K., Van Gorder, R. A., & Pop, I. (2011). Analytical solution for the unsteady mhd flow of a viscous fluid between moving parallel plates. *Communications in Nonlinear Science and Numerical Simulation*, 16(1), 266–273.
- Tezer-Sezgin, M., & Köksal, S. (1989). Finite element method for solving mhd flow in a rectangular duct. *International journal for numerical methods in engineering*, 28(2), 445–459.
- Tiwari, R. K., & Das, M. K. (2007). Heat transfer augmentation in a two-sided lid-driven differentially heated square cavity utilizing nanofluids. *International Journal of heat and Mass transfer*, 50(9–10), 2002–2018.
- Tulu, A., & Ibrahim, W. (2020). Mhd slip flow of cnt-ethylene glycol nanofluid due to a stretchable rotating disk with cattaneo–christov heat flux model. *Mathematical Problems in Engineering*, 2020.
- Uddin, M., Khan, W., Qureshi, S., & Anwar Bég, O. (2017). Bioconvection nanofluid slip flow past a wavy surface with applications in nano-biofuel cells. *Chinese Journal of Physics*, 55(5), 2048–2063.
- Vafai, K., & Thiyagaraja, R. (1987). Analysis of flow and heat transfer at the interface region of a porous medium. *International Journal of Heat and Mass*

- Transfer, 30(7), 1391-1405.
- Vajravelu, K., & Hadjinicolaou, A. (1997). Convective heat transfer in an electrically conducting fluid at a stretching surface with uniform free stream. *International Journal of Engineering Science*, 35(12), 1237-1244.
- Van Blerkom, R. (1960). Magnetohydrodynamic flow of a viscous fluid past a sphere. *Journal of Fluid Mechanics*, 8(3), 432-441.
- Viskanta, R., & Grosh, R. (1962). Boundary layer in thermal radiation absorbing and emitting media. *International Journal of Heat and Mass Transfer*, 5(9), 795-806.
- Waini, I., Ishak, A., & Pop, I. (2019a). Hybrid nanofluid flow and heat transfer over a nonlinear permeable stretching/shrinking surface. *International Journal of Numerical Methods for Heat and Fluid Flow*, 29, 3110-3127.
- Waini, I., Ishak, A., & Pop, I. (2019b). Unsteady flow and heat transfer past a stretching/shrinking sheet in a hybrid nanofluid. *International Journal of Heat and Mass Transfer*, 136, 288-297.
- Waini, I., Ishak, A., & Pop, I. (2020). Hybrid nanofluid flow induced by an exponentially shrinking sheet. *Chinese Journal of Physics*, 68, 468-482.
- Williams, E. (1930). The induction of electromotive forces in a moving liquid by a magnetic field, and its application to an investigation of the flow of liquids. *Proceedings of the Physical Society (1926-1948)*, 42(5), 466.
- Xuan, Y., & Li, Q. (2000). Heat transfer enhancement of nanofluids. *International Journal of Heat and Fluid Flow*, 21(1), 58-64.
- Xuan, Y., & Li, Q. (2003). Investigation on convective heat transfer and flow features of nanofluids. *J. Heat transfer*, 125(1), 151-155.
- Yang, K., Novotny, J., & Cheng, Y. (1972). Laminar free convection from a non-isothermal plate immersed in a temperature stratified medium. *International journal of Heat and Mass transfer*, 15(5), 1097-1109.
- Yuranova, T., Rincon, A., Pulgarin, C., Laub, D., Xantopoulos, N., Mathieu, H.-J., & Kiwi, J. (2006). Performance and characterization of ag-cotton and ag/tio2 loaded textiles during the abatement of e. coli. *Journal of Photochemistry and Photobiology A: Chemistry*, 181(2-3), 363-369.
- Zainal, N. A., Nazar, R., Naganthran, K., & Pop, I. (2021). Unsteady emhd stagnation point flow over a stretching/shrinking sheet in a hybrid al2o3-

cu/h₂o nanofluid. *International Communications in Heat and Mass Transfer*, 123, 105205.

Zhang, L., Bhatti, M. M., & Michaelides, E. E. (2020). Electromagnetohydrodynamic flow and heat transfer of a third-grade fluid using a darcy-brinkman-forchheimer model. *International Journal of Numerical Methods for Heat and Fluid Flow*, 31, 2623-2639.

Zhang, L., Yu, J. C., Yip, H. Y., Li, Q., Kwong, K. W., Xu, A.-W., & Wong, P. K. (2003). Ambient light reduction strategy to synthesize silver nanoparticles and silver-coated tio₂ with enhanced photocatalytic and bactericidal activities. *Langmuir*, 19(24), 10372–10380.