

---

## **References**

- Abdollahi, M., & Hosseini, A. (2014). Streptozotocin. In P. Wexler (Ed.), *Encyclopedia of toxicology* (3rd ed) (pp. 402–404).
- Abubakr, M. A. S., Hassan, Z., Imdakim, M. M. A., Sharifah, & A, N. R. S. (2012). Antioxidant activity of lactic acid bacteria (LAB) fermented skim milk as determined by 1,1-diphenyl-2-picrylhydrazyl (DPPH) and ferrous chelating activity (FCA). *African Journal of Microbiology Research*, 6(34), 6358–6364.
- Afify, A. E. M. M., Romeilah, R. M., Sultan, S. I., & Hussein, M. M. (2012). Antioxidant activity and biological evaluations of probiotic bacteria strains. *International Journal of Academic Research*, 4(6).
- Agustien, A., Zam, S. I., Nasir, N., Aldi, Y., & Djamaan, A. (2017). Identification and antifungal activity test of endophytic bacterial isolates from *Morinda citrifolia* L. Leaves against *Fusarium oxysporum*, *Journal of Chemical and Pharmaceutical Research*, 2017, 9(11):73-80
- Ahmed, A. A. (2007). Production of antimicrobial agent by *Streptomyces violachromogenes*. *Saudi Journal of Biological Sciences*, 14, 7–16.
- Ahmed, T., Shahid, M., Noman, M., Niazi, M. B. K., Mahmood, F., Manzoor, I., Chen, J. (2020). Silver nanoparticles synthesized by using *Bacillus cereus* SZT1 ameliorated the damage of bacterial leaf blight pathogen in rice. *Pathogens*, 9(3), 160.
- Akinsanya, M. A., Goh, J. K., Lim, S. P., & Ting, A. S. (2015). Metagenomics study of endophytic bacteria in Aloe vera using next-generation technology. *Genomics Data*, 6, 159–163.
- Alim, I., & Yuto, K. (2009). Anti-methicillin-resistant *Staphylococcus aureus* (MRSA) activity of MC21-B, an antibacterial compound produced by the marine bacterium *Pseudoalteromonas phenolica* O-BC30T. *Int. J. Antimicro Agents*, 34(2), 131–135.
- Amaral, F. P., Bueno, J. C. F., Hermes, V. S., & Arisi, A. C. M. G. (2014). Expression analysis of Maize seedlings (DKB240 variety) inoculated with plant growth promoting bacterium *Herbaspirillum seropedicae*. *Symbiosis*, 62(1), 41–50.
- Amaretti, A., di Nunzio, M., Pompei, A., Raimondi, S., Rossi, M., & Bordoni, A. (2013). Antioxidant properties of potentially probiotic bacteria: In vitro and in vivo activities. *Applied Microbiology and Biotechnology*, 97(2), 809–817.

- Andersson, A. F., Lindberg, M., Jakobsson, H., Backhed, F., Nyren, P., & Engstrand, L. (2008). Comparative analysis of human gut microbiota by barcoded pyrosequencing. *PLOS ONE*, 3.
- Andriani, Y., Marlina, L., Mohamad, H., Amir, H., Radzi, S. A. M., & Saidin, J. (2017). Anti-inflammatory activity of bacteria associated with marine sponge (*Haliclona amboinensis*) via reducting no production and inhibiting cyclooxygenase-1, cyclooxygenase-2, and secretory phospholipase A2 activities. *Asian Journal of Pharmaceutical and Clinical Research*, 10(11) 95–100.
- Anthony, K. J. P., Murugan, M., & Gurunathan, S. (2014). Biosynthesis of silver nanoparticles from the culture supernatant of *Bacillus marisflavi* and their potential antibacterial activity. *Journal of Industrial and Engineering Chemistry*, 20(4), 1505–1510.
- Antoun, H., & Prevost, D. (2006). Ecology of plant growth promoting rhizobacteria. In Z. A. Siddiqui (Ed.), *PGPR: Biocontrol and biofertilization*. Springer, the netherlands (pp. 1–38).
- Anuradha, V., Praveena, A., & Sanjayan, K. P. (2013). Nutritive analysis of fresh and dry fruits of *Morinda tinctoria*. *International Journal of Current Microbiology and Applied Sciences*, 2, 65–74.
- Anwar, M. A., Kralj, S., Piqué, A. V., Leemhuis, H., van der Maarel, M. J. E. C., & Dijkhuizen, L. (2010). Inulin and levan synthesis by probiotic *Lactobacillus gasseri* strains: Characterization of three novel fructansucrase enzymes and their fructan products. *Microbiology*, 156(4), 1264–1274.
- Aquino, R., Morelli, S., Lauro, M. R., Abdo, S., Saija, A., & Tomaino, A. (2001). Phenolic constituents and antioxidant activity of an extract of *Anthurium versicolor* leaves. *Journal of Natural Products*, 64(8), 1019–1023.
- Araujo, W. L., Maccheroni, W., Aguilar-Vildoso, C. I., Barroso, P. A. V., Saridakis, H. O., & Azevedo, J. L. (2001). Variability and interactions between endophytic bacteria and fungi isolated from leaf tissues of citrus root stocks. *Canadian Journal of Microbiology*, 47(3), 229–236.
- Araujo, W. L., Marcon, J., Maccheroni, W., van Elsas, J. D., van Vuurdde, J. W. L., & Azevedo, J. L. (2002). Diversity of Endophytic Bacterial Populations and Their Interaction with *Xylella fastidiosa* in Citrus Plants. *Applied and Environmental Microbiology*, 68(10), 4906–4914.

- Aravind, R., Dinu, A., Eapen Kumar, S. J., & Ramana, K. V. (2009). Isolation and evaluation of endophytic bacteria against plant parasitic nematodes infesting Black Pepper (*Piper nigrum* L.). *Indian Journal of Nematology*, 39, 211–217.
- Ardanov, P., Sessitsch, A., Häggman, H., Kozyrovska, N., & Pirttilä, A. M. (2012). Methylobacterium-induced endophyte community changes correspond with protection of plants against pathogen attack. *PLOS ONE*, 7(10), e46802.
- Aronson, J. K. (Ed.). (2016). Pentostatin. In *Meyler's side effects of drugs* (16<sup>th</sup> ed.) (pp. 624–625). Elsevier.
- Aswathy, A. J., Jasim, B., Jyothis, M., & Radhakrishnan, E. K. (2013). Identification of two strains of *Paenibacillus* sp. as indole 3 acetic acid-producing rhizome-associated endophytic bacteria from *Curcuma longa*. *3 Biotech*, 3(3), 219–224.
- Avendano, C., & Menendez, J. C. (2015). Chapter 7. Other anticancer drugs targeting DNA and DNA-associated enzymes. In C. Avendaño & J. C. Menéndez (Eds.), *Medicinal chemistry of anticancer drugs* (2nd ed) (pp. 273–323). Elsevier.
- Ayuningrum, D., Kristiana, R., Asagabaldan, M. A., Sabdono, A., Radjasa, O. K., Nuryadi, H., & Trianto, A. (2017). Isolation, characterisation and antagonistic activity of bacteria symbionts hardcoral *Pavona* sp. isolated from Panjang Island, Jepara against infectious multi-drug resistant (MDR) bacteria. In *IOP Conference Series. Earth and environmental science*, 55(1), 012029.
- Azumi, M., Ogawa, K., Fujita, T., Takeshita, M., Yoshida, R., Furumai, T., & Igarashi, Y. (2008). Bacilosarcins A and B, novel bioactive isocoumarins with unusual heterocyclic cores from the marine-derived bacterium *Bacillus subtilis*. *Tetrahedron*, 64(27), 6420–6425.
- Bacilio-Jimenez, M., Aguilar-Flores, S., Del Valle, M. V., Perez, A., Zepeda, A., & Zenteno, E. (2001). Endophytic Bacteria in Rice Seeds Inhibit Early Colonization of Roots by *Azospirillum brasilense*. *Soil Biology and Biochemistry*, 33(2), 167–172.
- Bakker, P. A. H. M., Pieterse, C. M. J., & Van Loon, L. C. (2007). Induced systemic resistance by Fluorescent Pseudomonas spp. *Phytopathology*, 97(2), 239–243.
- Balamurugan, M., Kandasamy, N., Saravanan, S., & Ohtani, N. (2014). Synthesis of uniform and high-density silver nanoparticles by using *Peltophorum pterocarpum* plant extract. *Japanese Journal of Applied Physics*, 53(5S1).

- Balraj, J., Pannerselvam, K., & Jayaraman, A. (2014). Isolation of pigmented marine bacteria *Exiguobacterium* sp. from peninsular region of India and a study on biological activity of purified pigment. *International Journal of Scientific and Technology Research*, 3(3), 375–384.
- Balsanelli, E., De Baura, V. A., Pedrosa, Fde O., De Souza, E. M., & Monteiro, R. A. (2014). Exopolysaccharide Biosynthesis Enables Mature biofilm Formation on Abiotic Surfaces by *Herbaspirillum seropedicae*. *PLOS ONE*, 9(10), e110392.
- Balzer, S., Malde, K., Lanzén, A., Sharma, A., & Jonassen, I. (2010). Characteristics of 454 pyrosequencing data--enabling realistic simulation with flowsim. *Bioinformatics*, 26(18), 420–425.
- Bandara, W. M. M., Seneviratne, G., & Kulasekera, S. A. (2006). Interactions among endophytic bacteria and fungi: Effects and potentials. *Journal of Biosciences*, 31(5), 645–650.
- Barsby, T., Kelly, M. T., & Andersen, R. J. (2002). Tupuseleiamides and basiliskamides, new acyldipeptides and antifungal polyketides produced in culture by a *Bacillus laterosporus* isolate obtained from a tropical marine habitat. *Journal of Natural Products*, 65(10), 1447–1451.
- Barsby, T., Kelly, M. T., Gagné, S. M., & Andersen, R. J. (2001). Bogorol A produced in culture by a marine *Bacillus* sp. reveals a novel template for cationic peptide antibiotics. *Organic Letters*, 3(3), 437–440.
- Bastian, F., Cohen, A., Piccoli, P., Luna, V., Bottini, R., Baraldi, R., & Bottini, R. (1998). Production of indole-3-acetic acid and gibberellins A1 and A3 by *Acetobacter diazotrophicus* and *Herbaspirillum seropedicae* in chemically defined culture media. *Plant Growth Regulation*, 24(1), 7–11.
- Batool, Rida, Qurrat-ul-Ain, K., & Naeem, A. (2014). Comparative study of Cr (VI) removal by *Exiguobacterium* sp. in free and immobilized forms. *Bioremediation Journal*, 18(4), 317–327.
- Beck, H. C., Hansen, A. M., & Lauritsen, F. R. (2003). Novel pyrazine metabolites found in polymyxin biosynthesis by *Paenibacillus polymyxa*. *FEMS Microbiology Letters*, 220(1), 67–73.
- Beiranvand, M., Amin, M., Hashemi-Shahraki, A., Romani, B., Yaghoubi, S., & Sadeghi, P. (2017). Antimicrobial activity of endophytic bacterial populations

- isolated from medicinal plants of Iran. *Iranian Journal of Microbiology*, 9(1), 11–18.
- Bekhit, F., Farag, S., & Attia, A. M. (2020). Decolorization and degradation of the Azo dye by bacterial cells coated with magnetic iron oxide nanoparticles. *Environmental Nanotechnology, Monitoring & Management*, 14, 100376.
- Bell, C. R., Dickie, G. A., Harvey, W. L. G., & Chan, J. W. Y. F. (1995). Endophytic bacteria in Grapevine, Can. *Canadian Journal of Microbiology*, 41(1), 46–53.
- Benzie, I. F., & Strain, J. J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power”: The FRAP assay. *Analytical Biochemistry*, 239(1), 70–76.
- Bernardes, N., Seruca, R., Chakrabarty, A. M., & Fialho, A. M. (2010). Microbial-based therapy of cancer: Current progress and future prospects. *Bioengineered Bugs*, 1(3), 178–190.
- Bhattacharjee, R. B., Singh, A., & Mukhopadhyay, S. N. (2008). Use of nitrogen-fixing bacteria as biofertiliser for non-legumes: Prospects and challenges. *Applied Microbiology and Biotechnology*, 80(2), 199–209.
- Bhoonobtong, A., Sawadsitang, S., Sodngam, S., & Mongkolthanaruk, W. (2012). Characterization of endophytic bacteria, *Bacillus amyloliquefaciens* for antimicrobial agents production. 2012 International Conference on Biological and Life Sciences, 40, 6–11.
- Bieber, B., Nuske, J., Ritzau, M., & Grafe, U. (1998). Alnumycin a new naphthoquinone antibiotic produced by an endophytic *Streptomyces* sp. *Journal of Antibiotics*, 51(3), 381–382.
- Bootharaju, M. S., & Pradeep, T. (2012). Understanding the Degradation Pathway of the Pesticide, Chlorpyrifos by Noble Metal Nanoparticles. *Langmuir*, 28(5), 2671–2679.
- Borchert, H., Shevchenko, E. V., Robert, A., Mekis, I., Kornowski, A., Grübel, G., & Weller, H. (2005). Determination of nanocrystal sizes: A comparison of TEM, SAXS, and XRD studies of highly monodisperse CoPt<sub>3</sub> particles. *Langmuir: the ACS Journal of Surfaces and Colloids*, 21(5), 1931–1936.
- Brenner, D. J., Krieg, N. R., Staley, J. T., & Garrity, G. M. (Eds.). (2005). *Bergey's manual® of systematic bacteriology: volume two: The proteobacteria, part A introductory essays*. Springer-Verlag US.

- Brusamarello-Santos, L. C., Gilard, F., Brulé, L., Quilleré, I., Gourion, B., Ratet, P., Maltempi de Souza, E. M., Lea, P. J., & Hirel, B. (2017). Metabolic profiling of two Maize (*Zea mays* L.) inbred lines inoculated with the nitrogen fixing plant-interacting bacteria *Herbaspirillum seropedicae* and *Azospirillum brasilense*. *PLOS ONE*, 12(3), e0174576.
- Buchanan, G. O., Williams, P. G., Feling, R. H., Kauffman, C. A., Jensen, P. R., & Fenical, W. Buchanan, GO: Williams. (2005). Sporolides A and B: Structurally unprecedented halogenated macrolides from the marine actinomycete *Salinispora tropica*. *Organic Letters*, 7(13), 2731–2734.
- Bulgarelli, D., Rott, M., Schlaeppi, K., Ver Loren van Themaat, E., Ahmadinejad, N., Assenza, F., Schulze-Lefert, P. (2012). Revealing structure and assembly cues for *Arabidopsis* root-inhabiting bacterial microbiota. *Nature*, 488(7409), 91–95.
- Cai, X. C., Liu, C. H., Wang, B. T., & Xue, Y. R. (2017). Genomic and metabolic traits endow *Bacillus velezensis* CC09 with a potential biocontrol agent in control of wheat powdery mildew disease. *Microbiology Research*, 196, 89–94.
- Caporaso, J. G., Kuczynski, J., Stombaugh, J., Bittinger, K., Bushman, F. D., Costello, E. K., Fierer, N., Peasa, A. G., Goodrich, J. K., Gordon, J. I., Huttley, G. A., Kelley, S. T., Knights, D., Koenig, J. E., Ley, R. E., Lozupone, C. A., McDonald, D., Muegge, B. D., Pirrung, M., & Knight, R. (2010). QIIME allows analysis of high-throughput community sequencing data. *Nature Methods*, 7(5), 3356.
- Cappuccino, J. G., & Sherman, N. (2002). *Microbiology: A laboratory manual* (6th ed) (pp. 15–224). Pearson Education, Inc.
- Cardenas, N., Laiño, J. E., Delgado, S., Jiménez, E., Juárez del Valle, M., Rodríguez, J. M. (2015). Relationships between the genome and some phenotypical properties of *Lactobacillus fermentum* CECT 5716, a probiotic strain isolated from human milk. *Applied Microbiology and Biotechnology*, 99(10), 4343–4353.
- Carrillo-Lopez, A., & Yahia. (2011). Noni (*Morinda citrifolia* L.). In E. M. Yahia (Ed.), Postharvest biology and technology of tropical and subtropical fruits, Eng. med., 4 (pp. 51–64e). Woodhead Publishing.
- Carroll, G. (1988). Fungal endophytes in stems and leaves: From latent pathogen to mutualistic symbiont. *Ecology*, 69(1), 2–9.

- Castillo, U. F., Strobel, G. A., Ford, E. J., Hess, W. M., Porter, H., Jensen, J. B., Yaver, D. (2002). Munumbicins, wide-spectrum antibiotics produced by *Streptomyces* NRRL30562, endophytic on *Kennedian igriscans*. *Microbiology*, 148(9), 2675–2685.
- Castillo, U., Harper, J. K., Strobel, G. A., Sears, J., Alesi, K., Ford, E., Teplow, D. (2003). Kakadumycins novel antibiotics from *Streptomyces* sp. NRRL 30566, an endophyte of *Grevillea pteridifolia*. *FEMS Microbiology Letters*, 224(2), 183–190.
- Castro, A., Castro, O., Troncoso, J. L., Kohen, P., Simón, C., Vega, M., & Devoto, L. (1998). Luteal leukocytes are modulators of the steroidogenic process of human mid-luteal cells. *Human Reproduction*, 13(6), 1584–1589.
- Cazorla, F. M., Romero, D., Perez-García, A., Lugtenberg, B. J. J., Vicente, A. D., & Bloemberg, G. (2007). Isolation and characterization of antagonistic *Bacillus subtilis* strains from the avocado rhizoplane displaying biocontrol activity. *Journal of Applied Microbiology*, 103, 1950–1959.
- Chakrabarty, A. M. (2003). Microorganisms and cancer: Quest for a therapy. *Journal of Bacteriology*, 185(9), 2683–2686.
- Chan-Blanco, Y., Vaillant, F., Mercedes Perez, A., Reynes, M., Brillouet, J.-M., & Brat, P. (2006). The noni fruit (*Morinda citrifolia* L.): A review of agricultural research, nutritional and therapeutic properties. *Journal of Food Composition and Analysis*, 19(6–7), 645–654.
- Chandrakar, S., & Gupta, A. K. (2019). Actinomycin-producing endophytic *Streptomyces parvulus* associated with root of Aloe vera and optimization of conditions for antibiotic production. *Probiotics and Antimicrobial Proteins*, 11(3), 1055–1069.
- Chandran, M., Yuvaraj, D., & Christudhas, L. (2016). Biosynthesis of iron nanoparticles using the Brown Seaweed, *Dictyota dicotoma*, Biotechnology: An Indain Journal, 12(12), 4–5.
- Chanway, C. P. (1998). Bacterial endophytes: Ecological and practical implications. *Sydowia*, 50, 149–170.
- Chau, T. T. (1989). Analgesic testing in animal models. In *Pharmaco-logical methods in the control of inflammations* (pp. 195–212). Alan R Liss, Incorp.
- Chavakis, T., Preissner, K. T., & Herrmann, M. (2007). The anti-inflammatory activities of *Staphylococcus aureus*. *Trends in Immunology*, 28(9), 408–418.

- Chen, S., Zou, J., Hu, Z., Chen, H., & Lu, Y. (2014). Global annual soil respiration in relation to climate, soil properties and vegetation characteristics: Summary of available data. *Agricultural and Forest Meteorology*, 198–199, 335–346.
- Chen, Y. T., Yuan, Q., Shan, L. T., Lin, M. A., Cheng, D. Q., & Li, C. Y. (2013). Antitumor activity of bacterial exopolysaccharides from the endophyte *Bacillus amyloliquefaciens* sp. isolated from *Ophiopogon japonicus*. *Oncology Letters*, 5(6), 1787–1792.
- Chihara, G., Hamuro, J., Maeda, Y. Y., Arai, Y., & Fukuoka, F. (1970). Fractionation and purification of the polysaccharides with marked antitumor activity, especially lentinan, from *Lentinus edodes* (Berk.) Sing.(an edible mushroom). *Cancer Research*, 30(11), 2776–2781.
- Chomchoey, N., Bhongsuwan, D. T., & Bhongsuwan, D. (2009). Remanent magnetization characteristics of synthetic magnetic nanoparticles. *Khon Kaen University Journal*, 09(1), 48–56.
- Cocconcelli, P. S., Porro, D., Galandini, S., & Senini, L. (1995). Development of RAPD protocol for typing of strains of lactic-acid bacteria and enterococci. *Letters in Applied Microbiology*, 21(6), 376–379.
- Collins, M. D., Lesley, H., Geoffrey, F., & Enevold, F. (2004). *Corynebacterium caspium* sp. nov.,from a Caspian Seal (*Phoca caspica*). *International Journal of Systematic and Evolutionary Microbiology*, 54, 925.e8.
- Compart, S., Duffy, B., Nowak, J., Clément, C., & Barka, E. A. (2005). Use of plant growth promoting bacteria for biocontrol of plant diseases: Principles, mechanisms of action, and future prospects. *Applied and Environmental Microbiology*, 71(9), 4951–4959.
- Compart, S., Nowak, J., Coenye, T., Clément, C., & Ait Barka, E. (2008). Diversity and occurrence of *Burkholderia* spp. in the natural environment. *FEMS Microbiology Reviews*, 32(4), 607–626.
- Cragg, G. M., & Newman, D. J. (2013). Natural products: A continuing source of novel drug leads. *Biochimica et Biophysica Acta*, 1830(6), 3670–3695.
- Das, V. L., Thomas, R., Varghese, R. T., Soniya, E. V., Mathew, J., & Radhakrishnan, E. K. (2014). Extracellular synthesis of silver nanoparticles by the *Bacillus* strain CS 11 isolated from industrialized area. *3 Biotech*, 4(2), 121–126.

- Dave, P. N., & Chopda, L. V. (2014). Application of Iron Oxide Nanomaterials for the Removal of Heavy Metals. *Journal of Nanotechnology*, 2014, e398569.
- De Boer, S. H. D., & Copeman, R. J. (1974). Endophytic bacterial flora in *Solanum tuberosum* and its significance in bacterial ring rot diagnosis. *Canadian Journal of Plant Science*, 54(1), 115–122.
- de Boer, W., Leveau, J. H. J., Kowalchuk, G. A., Gunnewiek, P. J. A. K., Abeln, E. C. A., Figge, M. J., Sjollema, K., Janse, J. D., & van Veen, J. A. (2004). *Collimonas fungivorans* gen. nov., sp nov., a chitinolytic soil bacterium with the ability to grow on living fungal hyphae. *International Journal of Systematic and Evolutionary Microbiology*, 54(3), 857–864.
- Deepti, K., Umadevi, P., Vijayalakshmi, G., & polarao, B. V. (2012). Antimicrobial activity and phytochemical analysis of *Morinda tinctoria* Roxb. Leaf extracts. *Asian Pacific Journal of Tropical Biomedicine*, 2(3), S1440–S1442.
- Deng, Y., Zhu, Y., Wang, P., Zhu, L., Zheng, J., Li, R., & Sun, M. (2011). Complete genome sequence of *Bacillus subtilis* BSn5, an endophytic bacterium of *Amorphophallus konjac* with antimicrobial activity for the plant pathogen *Erwinia carotovora* subsp. *carotovora*. *Journal of Bacteriology*, 193(8), 2070–2071.
- DeSantis, T. Z., Hugenholtz, P., Larsen, N., Rojas, M., Brodie, E. L., Keller, K., Huber, T., Dalevi, D., Hu, P., & Andersen, G. L. (2006). Greengenes, a chimera-checked 16S rRNA gene database and workbench compatible with ARB. *Applied and Environmental Microbiology*, 72(7), 5069–5072.
- Desjardine, K., Pereira, A., Wright, H., Matainaho, T., Kelly, M., & Andersen, R. J. (2007). Tauramamide, a lipopeptide antibiotic produced in culture by *Brevibacillus laterosporus* isolated from a marine habitat: Structure elucidation and synthesis. *Journal of Natural Products*, 70(12), 1850–1853.
- Ding, L., Maier, A., Fiebig, H. H., Lin, W. H., & Hertweck, C. (2011). A family of multicyclic indolosesquiterpenes from a bacterial endophyte. *Organic and Biomolecular Chemistry*, 9(11), 4029–4031.
- Ding, L., Munch, J., Goerls, H., Maier, A., Fiebig, H. H., Lin, W. H. (2010). Xiamycin, a pentacyclic indolosesquiterpene with selective anti-HIV activity from a bacterial mangrove endophyte. *Bioorg. Med. chem. Lett*, 20, 6685–6687.

- Dinsdale, E. A., Edwards, R. A., Hall, D., Angly, F., Breitbart, M., Brulc, J. M., Rohwer, F. (2008). Functional metagenomic profiling of nine biomes. *Nature*, 452(7187), 629–632.
- Dojka, M. A., Hugenholtz, P., Haack, S. K., & Pace, N. R. (1998). Microbial diversity in a hydrocarbon- and chlorinated-solvent-contaminated aquifer undergoing intrinsic bioremediation. *Applied and Environmental Microbiology*, 64(10), 3869–3877.
- Donelli, G., Vuotto, C., & Mastromarino, P. (2013). Phenotyping and genotyping are both essential to identify and classify a probiotic microorganism. *Microbial Ecology in Health and Disease*, 24.
- Dong, Z., Canny, M. J., McCully, M. E., Robredo, M. R., Cabadilla, C. F., Ortega, E., & Rodés, R. (1994). A nitrogen fixing endophyte of sugarcane stems. *Plant Physiology*, 105(4), 1139–1147.
- Elbeltagy, A., Nishioka, K., Suzuki, H., Sato, T., Sato, Y.-I., Morisaki, H., Mitsui, H., & Minamisawa, K. (2000). Isolation and characterisation of endophytic bacteria from wild and traditionally cultivated Rice varieties. *Soil Science and Plant Nutrition*, 46(3), 617–629.
- El-Deeb, B., Fayez, K., & Gherbawy, Y. (2013). Isolation and characterization of endophytic bacteria from Plectranthus tenuiflorus medicinal plant in Saudi Arabia desert and their antimicrobial activities. *Journal of Plant Interactions*, 8(1), 56–64.
- El-Gamal, M. S., Salah, S. S., Salem, S., Abdullah, A., & Biosynthesis. (2018). characterization, and antimicrobial activity of silver nanoparticles synthesized by endophytic *Streptomyces* sp. *Egyptian Journal of Biotechnology*, 56, 69–85.
- El-Gendy, M. M. A., Hawas, U. W., & Jaspars, M. (2008a). Novel bioactive metabolites from a marine derived bacterium Nocardia sp. ALAA 2000. *Journal of Antibiotics*, 61(6), 379–386.
- El-Gendy, M. M. A., Shaaban, M., Shaaban, K. A., El-Bondkly, A. M., & Laatsch, H. (2008b). Essramycin: A first triazolopyrimidine antibiotic isolated from nature. *Journal of Antibiotics*, 61(3), 149–157.
- Elvia, P., Lilia, A., Puente, M. E., Ricardo, V., Eduardo, Q., Tania, Z., & Enrique, M. (2017). Isolation and Characterization of Endophytic Bacteria Associated with Roots of Jojoba *Current Science*, 112(2), 396.

- Emerson, D., Agulto, L., Liu, H., & Liu, L. (2008). Identifying and characterizing bacteria in an era of genomics and proteomics. *BioScience*, 58(10), 925–936.
- Erb, H. N. (1990). A statistical approach for calculating the minimum number of animals needed in research. *ILAR Journal*, 32(1), 11–16.
- Evans, R. J. (1997). In *Natural antioxidants: Chemistry, health effects, and applications*; Shahidi (1st ed) (pp. 224–244). Champaign, IL: AOCS Press.
- Ezra, D., Castillo, U. F., Strobel, G. A., Hess, W. M., Porter, H., Jensen, J. B., & Yaver, D. (2004). Coronamycins, peptide antibiotics produced by a verticillate *Streptomyces* sp. (MSU-2110) endophytic on Monstera sp. *Microbiology*, 150(4), 785–793.
- Fahy, P. C., & Persley, G. J. (1983). *Plant bacterial diseases: A diagnostic guide* (No. 632.3 F3).
- Felisa, P., Nisha, K., Hyacinth, H., & Linz, B. G. (2015). *In vitro* antioxidant and anticancer activity of *Mimosa pudica* Linn extract and L-mimosine on lymphoma Daudi cells. *International Journal of Pharmaceutical Sciences*, 12, 100–104.
- Ferreira, A., Quecine, M. C., Lacava, P. T., Oda, S., Azevedo, J. L., & Araujo, W. L. (2008). Diversity of endophytic bacteria from Eucalyptus species seeds and colonization of seedlings by *Pantoea agglomerans*. *FEMS Microbiology Letters*, 287(1), 8–14.
- Fessard, A., Bourdon, E., Payet, B., & Remize, F. (2016). Identification, stress tolerance, and antioxidant activity of lactic acid bacteria isolated from tropically grown fruits and leaves. *Canadian Journal of Microbiology*, 62(7), 550–561.
- Fisher, P. J., Petrini, O., & Scott, H. M. L. (1992). The distribution of some fungal and bacterial endophytes in Maize (*Zea mays* L.). *New Phytologist*, 122(2), 299–305.
- Fitriani, A., Ihsan, F., & Hamdiyati, M. Y. (2015). Antibacteria activity of *Shewanella* and *Pseudomonas* as endophytic bacteria from the root of *Ageratum conyzoides* L. *Asian Journal of Applied Sciences*, 3(3), 415–420.
- Frankel, D., Mehindate, K., & Schipper, H. M. (2000). Role of heme oxygenase-1 in the regulation of manganese superoxide dismutase gene expression in oxidatively-challenged astroglia. *Journal of Cellular Physiology*, 185(1), 80–86.

- Fukuda, S., Toh, H., Taylor, T. D., Ohno, H., & Hattori, M. (2012). Acetate producing bifidobacteria protect the host from enteropathogenic infection via carbohydrate transporters. *Gut Microbes*, 3(5), 449–454.
- Gagne, S., Richard, C., Rousseau, H., & Antoun, H. (1987). Xylem residing bacteria in alfalfa roots. *Canadian Journal of Microbiology*, 33(11), 996–1000.
- Gaiero, J. R., McCall, C. A., Thompson, K. A., Day, N. J., Best, A. S., & Dunfield, K. E. (2013). Inside the root microbiome: Bacterial root endophytes and plant growth promotion. *American Journal of Botany*, 100(9), 1738–1750.
- Gallego, J., Ortiz, A. R., Pascual-Teresa, Bd, & Gago, F. (1997). F.J. computational methods on intercalators phenomena. *Journal of Computer-Aided Molecular Design*, 11(2), 114–128.
- Gamble, J.S (1956) Flora of the presidency of Madras, Vol 2. Botanical Survey of India, Calcutta, p 942.
- Gao, C. H., Tian, X. P., Qi, S. H., Luo, X. M., Wang, P., & Zhang, S. (2010). Antibacterial and antilarval compounds from marine gorgonian-associated bacterium *Bacillus amyloliquefaciens* SCSIO 00856. *Journal of Antibiotics*, 63(4), 191–193.
- Gao, D. W., & Wen, Z. D. (2016). Phthalate esters in the environment: A critical review of their occurrence, biodegradation, and removal during wastewater treatment processes. *Science of the Total Environment*, 541, 986–1001.
- Garcia-Bernet, D., Buffière, P., Latrille, E., Steyer, J. P., & Escudie, R. (2011). Water distribution in biowastes and digestates of dry anaerobic digestion technology. *Chemical Engineering Journal*, 172(2–3), 924–928.
- Garcia-Vilas, J. A., Quesada, A. R., & Medina, M. A. (2015). Damnacanthal, a noni anthraquinone, inhibits c-Met and is a potent antitumor compound against Hep G2 human hepatocellular carcinoma cells. *Scientific Reports*, 5, 8021.
- Gardner, J. M., Feldman, A. W., & Zablotowicz, R. M. (1982). Identity and behavior of xylem-residing bacteria in rough lemon roots of Florida citrus trees. *Applied and Environmental Microbiology*, 43(6), 1335–1342.
- Geirnaert, A., Calatayud, M., Grootaert, C., Laukens, D., Devriese, S., Smagghe, G., Van de Wiele, T. (2017). Butyrate-producing bacteria supplemented in vitro to Crohn's disease patient microbiota increased butyrate production and enhanced intestinal epithelial barrier integrity. *Scientific Reports*, 7(1), 11450.

- Gerard, J., Haden, P., Kelly, M. T., Andersen, R. J., & Loloatin, B. (1996). Cyclic decapeptide antibiotic, produced in culture by a tropical marine bacterium. *Tetrahedron Letters*, 37, 7201–7204.
- Germida, J. J., Siciliano, S. D., & Seib, A. M. (1998). Phenotypic Plasticity of *Pseudomonas aureofaciens* (*lac ZY*) Introduced into and Recovered from Field and Laboratory Microcosm Soils. *FEMS Microbiology Ecology*, 27(2), 133–139.
- Gilbert, J. A., Field, D., Huang, Y., Edwards, R., Li, W., Gilna, P., & Joint, I. (2008). Detection of large numbers of novel sequences in the metatranscriptomes of complex marine microbial communities. *PLOS ONE*, 3(8), e3042.
- Gill, G. V., & Holden, A. (1996). A malignant pleural effusion infected with *Salmonella enteritidis*. *Thorax*, 51(1), 104–105.
- Gillis, M., Vandamme, P., De Vos, P., Swings, J., & Kersters, K. (2001). Polyphasic taxonomy. In D. R. Boone & R. W. Castenholz (Eds.), *Bergey's manual of systematic bacteriology*, 1 (pp. 43–48). Springer.
- Glick, B. R., Penrose, D. M., & Li, J. (1998). A model for the lowering of plant ethylene concentrations by plant growth-promoting bacteria. *Journal of Theoretical Biology*, 190(1), 63–68.
- Gond, S. K., Bergen, M. S., & Torres, M. S. (2015). Endophytic bacillus spp. Produce antifungal lipopeptides and induce host defence gene expression in maize. *Microbiology Research*, 172, 79–87.
- Goodfellow, M., Kämpfer, P., Busse, H. J., Trujillo, M. E., Suzuki, K. I., Ludwig, W., & Whitman, W. B. (Eds.). (2012). *Bergey's manual® of systematic bacteriology: Volume five the actinobacteria, part a* (pp. 171-206). Springer New York.
- Govindarajan, M., Balandreau, J., Kwon, S. W., Weon, H. Y., & Lakshminarasimhan, C. (2008). Effects of the inoculation of *Burkholderia vietnamensis* and related endophytic diazotrophic bacteria on grain yield of Rice. *Microb. Ecol. Microbial Ecology*. Soon-Wo and Weon, 55(1), 21–37.
- Gowtham, H. G., Murali, M., Singh, S. B., Lakshmeesha, T. R., Murthy, K. N., & Amruthesh, K. N. (2018). Plant growth promoting rhizobacteria *Bacillus amyloliquefaciens* improves plant growth and induces resistance in chilli against anthracnose disease. *Biol. Control* 126, 209–217.

- Goyal, R. K., Garud, A., & Garud, N. (2013). antimicrobial activity and phytochemical screening of leaves extract of *Morinda pubescens* Linn. plant. *Journal of Drug Delivery and Therapeutics*, 3(6), 84–86.
- Greenwald, R. A. (1991). Animal models for evaluation of arthritic drugs. *Method Find. Clin. Pharmacol.*, 13, 75–83.
- Guan, S. H., Sattler, I., Lin, W. H., Guo, D. A., & Grabley, S. (2005). p-Aminoacetophenonic acids produced by a mangrove endophyte: *Streptomyces griseus* subspecies. *Journal of Natural Products*, 68(8), 1198–1200.
- Gulder, T. A. M., & Moore, B. S. (2010). Salinosporamide natural products: Potent 20S proteasome inhibitors as promising cancer chemotherapeutics. *Angewandte Chemie*, 49(49), 9346–9367.
- Guo, L., Qiu, J., Han, Z., Ye, Z., Chen, C., Liu, C., Fan, L. (2015). A host plant genome (*Zizania latifolia*) after a century long endophyte infection. *Plant Journal: For Cell and Molecular Biology*, 83(4), 600–609.
- Halliwell, B., & Gutteridge, J. M. C. (1984). Oxygen toxicity, oxygen radicals, transition metals and disease. *Biochemical Journal*, 219(1):, 1-41–14.
- Hallmann, J., Quadt-Hallmann, A., Mahaffee, W. F., & Kloepfer, J. W. (1997). Bacterial endophytes in agricultural crops. *Canadian Journal of Microbiology*, 43(10), 895–914.
- Hammes, W. P., & Hertel, C. (2003). The genus *Lactobacillus*. In The Prokaryotes an Electronic Resource for the Microbiological Community (Ed.), Edited by M. Dworkin, S. Flakow, E. Rosenberg: K. H. Schleifer, and E. Stackbrandt. New York: Springer-Verlag.
- Handelsman, J. (2004). Metagenomics: Application of genomics to uncultured microorganisms. *Microbiology and Molecular Biology Reviews*, 68(4), 669–685.
- Haroim, P. R., Haroim, C. P., van-Overbeek, L. S., & vanElsas, J. D. (2012). Dynamics of seed-borne rice endophytes on early plant growth stages. *PLOS ONE*, 7(2), 1–13
- Hasegawa, S., Meguro, A., Shimizu, M., Nishimura, T., & Kunoh, H. (2006). Endophytic actinomycetes and their interactions with host plants. *Actinomycetologica*, 20(2), 72–81.

- Hasegawa, T., Takizawa, M., & Tanida, S. (1983). A rapid analysis for chemical grouping of aerobic actinomycetes. *Journal of General and Applied Microbiology*, 29(4), 319–322.
- Hassan, S. E.-D., Fouada, A., Radwan, A. A., Salem, S. S., Barghoth, M. G., Awad, M. A., & El-Gamal, M. S. (2019). Endophytic actinomycetes *Streptomyces* spp. mediated biosynthesis of copper oxide nanoparticles as a promising tool for biotechnological applications. *Journal of Biological Inorganic Chemistry*, 24(3), 377–393.
- He, R. I., Wang, G. P., Liu, X. H., Zhang, C. L., & Lin. (2009). Antagonistic bioactivity of an endophytic bacterium isolated from *Epimedium brevicornum* Maxim African Journal of Biotechnology. F.C., 8(2), 191–195.
- Herrera-Becerra, R., Zorrilla, C., Rius, J. L., & Ascencio, J. A. (2008). Electron microscopy characterization of biosynthesized iron oxide nanoparticles. *Applied Physics A*, 91(2), 241–246.
- Hollis, J. P. (1951). Bacteria in healthy potato tissue. *Phytopathology*, 41, 350–366.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T., & Williams, S. T. (1994). *Bergey's manual of determinative bacteriology* (9th ed) (pp. 965–1599). Williams & Wilkins.
- Hudzicki, J. (2009). *Kirby-Bauer disk diffusion susceptibility test protocol*. American Society for Microbiol.
- Hughes, C. C., Prieto-Davo, A., Jensen, P. R., & Fenical, W. (2008). The marinopyrroles, antibiotics of an unprecedented structure class from a marine *Streptomyces* sp. *Organic Letters*, 10(4), 629–631.
- Hughes, D. T., & Sperandio, V. (2008). Inter-kingdom signalling: Communication between bacteria and their hosts. *Nature Reviews. Microbiology*, 6(2), 111–120.
- Husseiny, M. I., El-Aziz, M. A., Badr, Y., & Mahmoud, M. A. (2007). Biosynthesis of gold nanoparticles using *Pseudomonas aeruginosa*. *Spectrochimica Acta. Part A: Molecular and Biomolecular Spectroscopy*, 67(3–4), 1003–1006.
- Ibrahim, E., Fouad, H., Zhang, M., Zhang, Y., Qiu, W., Yan, C., & Chen, J. (2019). Biosynthesis of silver nanoparticles using endophytic bacteria and their role in inhibition of rice pathogenic bacteria and plant growth promotion. *RSC Advances*, 9(50), 29293–29299.

- Ibrahim, G. S., Mahmoud, M. G., EL Awady, M. E., Ahmed, M. M., & Fathy, S. A. (2019). Characterization and anti-inflammatory activity effect of exopolysaccharide from *Bacillus axarquiensis* on paw rats carrageenan model. *Journal of Bioscience and Applied Research*, 5(4), 501-518.
- Ibrahim, S. A., Al saryi, N., & Hetta, H.F. (2018). Marine *Brevibacterium aureum* extract and its constituent's Saphenic Acid a derivative of 1-phenazinecarboxylic Acid (Tubermycin B), initiate apoptosis via inhibition of NF-κB and MAPK expression. *Toxicol. Environ. Health Sci.* 10, 321–329.
- Igarashi, Y., Miura, S. S., Fujita, T., & Furumai, T. (2006). Pterocidin, a cytotoxic compound from the endophytic *Streptomyces hygroscopicus*. *Journal of Antibiotics*, 59(3), 193–195.
- Igarashi, Y., Trujillo, M. E., Martínez-Molina, E., Yanase, S., Miyanaga, S., Obata, T., & Furumai, T. (2007). Antitumor anthraquinones from an endophytic actinomycete *Micromonospora lupine* sp, nov. *Bioorganic and Medicinal Chemistry Letters*, 17(13), 3702–3705.
- Ikeda, S., Okubo, T., Anda, M., Nakashita, H., Yasuda, M., Sato, S., Minamisawa, K. (2010). Community- and genome-based views of plant-associated bacteria: Plant-bacterial interactions in soybean and rice. *Plant and Cell Physiology*, 51(9), 1398–1410.
- Illumina, 16S Metagenomic Sequencing Library Preparation Guide. [http://support.illumina.com/downloads/16s\\_metagenomic\\_sequencing\\_library\\_preparation.ilmn](http://support.illumina.com/downloads/16s_metagenomic_sequencing_library_preparation.ilmn) 2013.
- Imamura, N., Adachi, K., & Sano, H. (1994). Magnesidin A, a component of marine antibiotic magnesidin, produced by *Vibrio gazogenes* ATCC29988. *Journal of Antibiotics*, 47(2), 257–261.
- Inahashi, Y., Iwatsuki, M., Ishiyama, A., Namatame, M., Nishihara-Tsukashima, A., Matsumoto, A., & Shiomi, K. (2011a). Spoxazomicins A-C, novel antitrypanosomal alkaloids produced by an endophytic actinomycete. *Streptosporangium oxazolinicum* K07-0460T. *Journal of Antibiotics*, 64(4), 303–307.
- Inahashi, Y., Matsumoto, A., Omura, S., & Takahashi, Y. (2011b). *Streptosporangium oxazolinicum* sp. nov., a novel endophytic actinomycete producing new antitrypanosomal antibiotics, spoxazomicins. *Journal of Antibiotics*, 64(4), 297–302.

- Indira, M., Venkateswarulu, T. C., Vidya Prabhakar, K., Abraham Peele, K., & Krupanidhi, S. (2018). Isolation and characterization of bacteriocin producing *Enterococcus casseliflavus* and its antagonistic effect on *Pseudomonas aeruginosa*. *Karbala International Journal of Modern Science*, 4(4), 361–368.
- Iniguez, A. L., Dong, Y. M., & Triplett, E. W. (2004). Nitrogen fixation in Wheat Provided by *Klebsiella pneumoniae* 342. *Mol. Plant Microb. Interac.*, 7, 1078–1085.
- Jacobs, M. J., Bugbee, W. M., & Gabrielson, D. A. (1985). Enumeration, location, and characterization of endophytic bacteria within sugar beet roots. *Canadian Journal of Botany*, 63(7), 1262–1265.
- Jalal, M. A. F., Hossain, M. B., Van der Helm, D., Sanders-Loehr, J., Actis, L. A., & Crosa, J. H. (1989). Structure of anguibactin, a unique plasmid-related bacterial siderophore from the fish pathogen *Vibrio anguillarum*. *Journal of the American Chemical Society*, 111(1), 292–296.
- James, E. K., Gyaneshwar, P., Mathan, N., Barraquio, W. L., Reddy, P. M., Iannetta, P. P., Olivares, F. L., & Ladha, J. K. (2002). Infection and colonization of Rice seedlings by the plant growth promoting bacterium *Herbaspirillum seropedicae* Z67. *Molecular Plant–Microbe Interactions*, 15(9), 894–906.
- Jasim, B., Anisha, C., Rohini, S., Kurian, J. M., Jyothis, M., & Radhakrishnan, E. K. (2014a). Phenazine carboxylic acid production and rhizome protective effect of endophytic *Pseudomonas aeruginosa* isolated from *Zingiber officinale*. *World Journal of Microbiology and Biotechnology*, 30(5), 1649–1654.
- Jasim, B., John Jimtha, C., Jyothis, M., & Radhakrishnan, E. K. (2013). Plant growth promoting potential of endophytic bacteria isolated from *Piper nigrum*. *Plant Growth Regulation*, 71(1), 1–11.
- Jasim, B., Joseph, A. A., John, C. J., Mathew, J., & Radhakrishnan, E. K. (2014b). Isolation and Characterization of Plant Growth Promoting endophytic Bacteria from the Rhizome of *Zingiber officinale*. *3 Biotech*, 4(2), 197–204.
- Jasim, B., Sreelakshmi, S., Mathew, J., & Radhakrishnan, E. K. (2016). Identification of endophytic *Bacillus mojavensis* with highly specialized broad spectrum antibacterial activity. *3 Biotech*, 6(2), 187.
- Jaypal, J., Tangavelou, A. C., & Panneerselvam, A. (2014). Studies on the Plant diversity of Muniandavar Sacred Groves of Thiruvaiyaru, Tamil nadu, India. *Hygeia. J. D. Medico*, 6, 48–62.

- Jeong, S. Y., Ishida, K., Ito, Y., Okada, S., & Murakami, M. (2003). Bacillamide, a novel algicide from the marine bacterium, *Bacillus* sp. SY-1, against the harmful dinoflagellate, *Cochlodinium polykrikoides*. *Tetrahedron Letters*, 44(43), 8005–8007.
- Jeong, S. Y., Park, S. Y., Kim, Y. H., Kim, M., & Lee, S. J. (2008). Cytotoxicity and apoptosis induction of *Bacillus vallismortis* BIT-33 metabolites on colon cancer carcinoma cells. *Journal of Applied Microbiology*, 104(3), 796–807.
- Ji, X., Lu, G., Gai, Y., Zheng, C., & Mu, Z. (2008). Biological control against bacterial wilt and colonization of mulberry by an endophytic *Bacillus subtilis* strain. *FEMS Microbiology Ecology*, 65(3), 565–573.
- Jimtha, J. C., Smitha, P. V., Anisha, C., Deepthi, T., Meekha, G., Radhakrishnan, E. K., Gayatri, G. P., & Remakanthan, A. (2014). Isolation of endophytic bacteria from embryogenic suspension culture of banana and assessment of their plant growth promoting properties. *Plant Cell, Tissue and Organ Culture*, 118(1), 57–66.
- Jinendiran, S., Dahms, H. U., Kumar, B. S. D., Ponnusamy, V. K., & Sivakumar, N. (2020). Diapolycopenedioic-acid-diglucosyl ester and keto-myxoxanthin glucoside ester: Novel carotenoids derived from *Exiguobacterium acetylicum* S01 and evaluation of their anticancer and anti-inflammatory activities. *Bioorganic Chemistry*, 103.
- Johnson, L. J., Johnson, R. D., Schardl, C. L., & Panaccione, D. G. (2004). Identification of differentially expressed genes in the mutualistic association of tall fescue with *Neotyphodium coenophialum*. *Physiological and Molecular Plant Pathology*, 63, 305–317.
- Jose, P. A., Santhi, V. S., & Jebakumar, S. R. D. (2011). Phylogenetic-affiliation, antimicrobial potential and PKS gene sequence analysis of moderately halophilic *Streptomyces* sp. inhabiting an Indian saltpan. *Journal of Basic Microbiology*, 51(4), 348–356.
- Juan, M.Y., & Chou, C.C. (2010). Enhancement of antioxidant activity, total phenolic and flavonoid content of black soybeans by solid state fermentation with *Bacillus subtilis* BCRC 14715. *Food Microbiology*, 27(5), 586–591.
- Jubran, A. S., Al-Zamely, O. M., & Al-Ammar, M. H. (2020). A study of iron oxide nanoparticles synthesis by using bacteria. *International Journal of Pharmaceutical Quality Assurance*, 11(1), 88–92.

- Kang, H. Y., Park, D. J., Lee, J. C., Kwon, M. K., Kim, S. B., & Kim, C. J. (2012). Isolation of *Agrobacterium* sp. BE516 from the root of *Miscanthus sacchariflorus* and its plant growth promoting activity. *Journal of Applied Biological Chemistry*, 55(2), 129–133.
- Kayalvizhi, N., & Gunasekaran, P. (2010). Purification and characterization of a novel broad-spectrum bacteriocin from *Bacillus licheniformis* MKU3. *Biotechnology and Bioprocess Engineering*, 15(2), 365–370.
- Kellenberger, E. (2001). Exploring the unknown. *EMBO Reports*, 2(1), 5–7.
- Khan, A. L., Asaf, S., Al-Rawahi, A., Lee, I. J., & AlHarrasi, A. (2017). Rhizospheric microbial communities associated with wild and cultivated frankincense producing *Boswellia sacra* tree. *PLOS ONE*, 12(10), e0186939.
- Khan, Z., Roman, D., Kintz, T., Delas Alas, M., Yap, R., & Doty, S. (2014). Degradation, phytoprotection and phytoremediation of phenanthrene by endophyte *Pseudomonas putida*, PD1. *Environmental Science and Technology*, 48(20), 12221–12228.
- Khanna, M., Solanki, R., & Lal, R. (2011). Selective isolation of rare Actinomycetes producing novel antimicrobial compounds. *International Journal of Advanced Biotechnology and Research*, 2(3), 357–375.
- Kim, N., Shin, J. C., Kim, W., Hwang, B. Y., Kim, B. S., Hong, Y. S., & Lee, D. (2006). Cytotoxic 6-alkylsalicylic acids from the endophytic *Streptomyces laceyi*. *Journal of Antibiotics*, 59(12), 797–800.
- Kim, S., Lowman, S., Hou, G., Nowak, J., Flinn, B., & Mei, C. (2012). Growth Promotion and Colonization of Switchgrass (*Panicum virgatum*) cv. Alamo by Bacterial Endophyte *Burkholderia phytofirmans* strain PsJN. *Biotechnology for Biofuels*, 5(1), 37.
- Kimura, M. (1980). A simple method for estimating evolutionary rate of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*, 16(2), 111–120.
- Kingston, D. G. (2009). Tubulin-interactive natural products as anticancer agents. *Journal of Natural Products*, 72(3), 507–515.
- Kodali, V. P., Lingala, V. K., Karlapudi, A. P., Indira, M., Venkateswarulu, T. C., & John Babu, D. (2013). Biosynthesis and potential application of bacteriocins. *Journal of Pure and Applied Microbiology*, 7, 2933–2945.

- Kost, T., Stopnisek, N., Agnoli, K., Eberl, L., & Weisskopf, L. (2014). Oxalotrophy, a Widespread Trait of Plant-Associated *Burkholderia* species, Is Involved in Successful Root Colonization of Lupin and Maize by *Burkholderia phytofirmans*. *Frontiers in Microbiology*, 4, 421.
- Krishnan, K., Mani, A., & Jasmine, S. (2014). Cytotoxic activity of bioactive Compound 1, 2- benzene dicarboxylic acid, Mono 2- Ethylhexyl Ester Extracted from a Marine Derived *Streptomyces* sp. VITSJK8. *International Journal of Molecular and Cellular Medicine*, 3(4), 246–254.
- Krishnan, P., Bhat, R., Kush, A., & Ravikumar, P. (2012). Isolation and Functional Character-Ization of Bacterial Endophytes fromCarica Papayafruits. *Journal of Applied Microbiology*, 113(2), 308–317.
- Kumala, S., & Siswanto, E. B.. (2007). Isolation and screening of endophytic microbes from *Morinda citrifolia* and their ability to produce anti-microbial substances. *Microbiology Indonesia*. Microbiol. Indones. 2007, 1(3), 145–148.
- Kumar, A., Singh, V., & Kumar, R. (2006). Characterization of an alkaliophile *Exiguobacterium* sp. and its application in bioremediation. In J. Querellou & C. Lamy (Eds.). *Ifremer-Centre de Brest, France*, September 17–21, 2006 International Conference on Extremophiles, L89.
- Kumar, A., White, J., James Christie, R., Dimasi, N., & Gao, C. (2017). Chapter twelve—Antibody-drug conjugates. In R. A. Goodnow (Ed.), *Annual reports in medicinal chemistry*, 50. Cambridge: Academic Press.
- Kumar, D. J., & Santhi, R. J. (2012). Antioxidant and cytotoxic effects of hexane extract of *Morinda pubescens* leaves in human liver cancer cell line. *Asian Pacific Journal of Tropical Medicine*, 5(5), 362–366.
- Kumar, S. (2016). Isolation and characterization of microbial strains from textile industry effluents of Bhilwara, India: Analysis with bioremediation. *Journal of Chemical and Pharmaceutical Research*, 8, 143–150.
- Kumar, S., Stecher, G., Li, M., Knyaz, C., & Tamura, K. (2018). MEGA X: Molecular Evolutionary Genetics Analysis across computing platforms. *Molecular Biology and Evolution*, 35(6), 1547–1549.
- Kuttan, R., Bhanumathy, P., Nirmala, K., & George, M. C. (1985). Potential anticancer activity of turmeric (*Curcuma longa*). *Cancer Letters*, 29(2), 197–202.

- Lagier, J. C., Hugon, P., Khelaifia, S., Fournier, P. E., La Scola, B., & Raoult, D. (2015). The rebirth of culture in microbiology through the example of culturomics to study human gut microbiota. *Clinical Microbiology Reviews*, 28(1), 237–264.
- Lalande, R., Bissonnette, N., Coutlée, D., & Antoun, H. (1989). Identification of rhizobacteria from Maize and determination of their plant-growth promoting potential. *Plant and Soil*, 115(1), 7–11.
- Lane, D. J. (1991). 16S/23S rRNA sequencing. In E. Stackebrandt & M. Goodfellow (Eds.), *Nucleic acid techniques in bacterial systematics* (pp. 115–147). Chichester, England: John Wiley & Sons.
- Laroute, V., Yasaro, C., Narin, W., Mazzoli, R., Pessione, E., Cocaign-Bousquet, M., & Loubière, P. (2016). GABA production in *Lactococcus lactis* is enhanced by arginine and co-addition of malate. *Frontiers in Microbiology*, 7, 1050.
- Lebeis, S. L. (2014). The potential for give and take in plant-microbiome relationships. *Frontiers in Plant Science*, 5, 287.
- LeBlanc, J. G., Chain, F., Martín, R., Bermudez-Humaran, L. G., Courau, S., & Langella, P. (2017). Beneficial effects on host energy metabolism of short-chain fatty acids and *Pseudomonas* vitamins produced by commensal and probiotic bacteria. *Microbial Cell Factories*, 16(1), 79.
- Lee, D. S., Eom, S. H., Jeong, S. Y., Shin, H. J., Je, J. Y., Lee, E. W., Lee, M. S. (2013). Anti-methicillin-resistant *Staphylococcus aureus* (MRSA) substance from the marine bacterium sp. UJ-6. *Environmental Toxicology and Pharmacology*, 35(2), 171–177.
- Ley, R. E., Harris, J. K., Wilcox, J., Spear, J. R., Miller, S. R., Bebout, B. M., Pace, N. R. (2006). Unexpected diversity and complexity of the Guerrero Negro hypersaline microbial mat. *Applied and Environmental Microbiology*, 72(5), 3685–3695.
- Li, Y., Xu, Y., Liu, L., Han, Z., Lai, P. Y., Guo, X., Qian, P. Y. (2012). Five new amicoumacins isolated from a marine-derived bacterium *Bacillus subtilis*. *Marine Drugs*, 10(2), 319–328.
- Lin, J. J., Kuo, J., & Ma, J. (1996). A PCR-based DNA fingerprinting technique: AFLP for molecular typing of bacteria. *Nucleic Acids Research*, 24(18), 3649–3650.

- Ling, Y., Ren-xiang, T., Qian, W. (2002). Antifungal cyclopeptides from *Halobacillus litoralis* YS3106 of marine origin. *Tetrahedr Lett.*, 43, 6545–6548.
- Lingamdinne, L. P., Koduru, J. R., & Rao Karri, R. (2019). Green synthesis of iron oxide nanoparticles for lead removal from aqueous solutions. *Key Engineering Materials*, 805, 122–127.
- Liu, Y., Bai, F., Li, T., & Yan, H. (2018). An endophytic strain of genus Paenibacillus isolated from the fruits of Noni (*Morinda citrifolia* L.) has antagonistic activity against a Noni's pathogenic strain of genus Aspergillus. *Microbial Pathogenesis*, 125, 158–163.
- Liu, Y., Zuo, S., Xu, L., Zou, Y., & Song, W. (2012). Study on diversity Of endophytic bacterial communities in seeds of hybrid Maize and their Parentallines. *Archives of Microbiology*, 194(12), 1001–1012.
- Liu, Z., Wang, Y., Jia, X., & Lu, W. (2018). Isolation of secondary metabolites with antimicrobial activities from *Bacillus amyloliquefaciens* LWYZ003. *Transactions of Tianjin University*, 25, 38–44.
- Lodewyckx, C., Vangronsveld, J., Porteous, F., Moore, E. R. B., Taghavi, S., Mezgeay, M., & der Lelie, Dv. (2002). Endophytic bacteria and their potential applications. *Critical Reviews in Plant Sciences*, 21(6), 583–606.
- Lombo, F., Blanco, G., Fernandez, E., Mendez, C., & Salas, J. A. (1996). Characterization of *Streptomyces argillaceus* genes encoding a polyketide synthase involved in the biosynthesis of the antitumor mithramycin. *Gene*, 172(1), 87–91.
- Lotfy, W. A., Hassan, S. W. M., Abd El-Aal, A. A., & Ghanem, K. M. (2019). Enhanced production of di-(2-ethylhexyl) phthalate (DEHP) by *Bacillus subtilis* AD35 using response surface methodology (RSM). *Biotechnology and Biotechnological Equipment*, 33(1), 1085–1096.
- Lu, C., & Shen, Y. (2003). A new macrolide antibiotic with antitumor activity produced by *Streptomyces* sp. C S, a commensal microbe of *Maytenus hookeri*. *Journal of Antibiotics*, 56(4), 415–418.
- Lugtenberg, B., & Kamilova, F. (2009). Plant-growth-promoting rhizobacteria. *Annual Review of Microbiology*, 63, 541–556.
- Luna, M. F., Galar, M. L., Aprea, J., Molinari, M. L., & Boiardi, J. L. (2010). Colonization of Sorghum and Wheat by Seed Inoculation

- with *Gluconacetobacter diazotrophicus*. *Biotechnology Letters*, 32(8), 1071–1076.
- Macherla, V. R., Liu, J., Sunga, M., White, D. J., Grodberg, J., Teisan, S., Potts, B. C. (2007). Lipoxazolidinones A, B, and C: Antibacterial 4-oxazolidinones from a marine actinomycete isolated from a Guam marine sediment. *Journal of Natural Products*, 70(9), 1454–1457.
- Mahaffee, W. F., & Kloepper, J. W. (1997). Temporal changes in the bacterial communities of soil, rhizosphere, and endorhiza associated with Field-grown cucumber (*Cucumis sativus* L.). *Microbial Ecology*, 34(3), 210–223.
- Mahajan, G., Thomas, B., Parab, R., Patel, Z. E., Kuldharan, S., Yemparala, V., & Sivaramkrishnan, H. (2013). In vitro and in vivo activities of antibiotic PM181104. *Antimicrobial Agents and Chemotherapy*, 57(11), 5315–5319.
- Majeed, S., Danish, M., Mohamad Ibrahim, M. N. MN, Sekeri, S. H., Ansari, M. T., Nanda, A., & Ahmad, G. (2020). Bacteria mediated synthesis of iron oxide nanoparticles and their antibacterial, antioxidant, cytocompatibility properties. *Journal of Cluster Science*, 32, 1083–1094.
- Mann, J. (2001). Natural products as immunosuppressive agents. *Natural Product Reports*, 18(4), 417–430.
- Mapelli, V., Olsson, L., & Nielsen, J. (2008). Metabolic footprinting in microbiology: Methods and applications in functional genomics and biotechnology. *Trends in Biotechnology*, 26(9), 490–497.
- Mareque, C., Freitas da Silva, T. F., Vollú, R. E., Beracochea, M., Seldin, L., & Battistoni, F. (2018). The endophytic bacterial microbiota associated with sweet sorghum (*Sorghum bicolor*) is modulated by the application of chemical N fertilizer to the field. *International Journal of Genomics*, 2018, 10 pages, 7403670.
- Maria, Maruna, M., Sturdikova, M., Liptaj, T., Godany, A., Muckova, M., & Proksa, B. (2010). Isolation, structure elucidation and biological activity of angucycline antibiotics from an epiphytic yew streptomycete. *Journal of Basic Microbiology*, 50(2), 135–142.
- Mashego, M. R., Van Gulik, W. M., & Heijnen, J. J. (2007). Metabolome dynamic responses of *Saccharomyces cerevisiae* to simultaneous rapid perturbations in external electron acceptor and electron donor. *FEMS Yeast Research*, 7(1), 48–66.

- Mathlouthi, M., Seuvre, A. M., & Koenig, J. L. (1986). F.t.-i.r. and laser-Raman spectra of cytosine and cytidine. *Carbohydrate Research*, 146(1), 1–13.
- Mazzoli, R., Riedel, K., & Pessione, E. (2017) [Editorial]. Editorial: Bioactive compounds from microbes. *Frontiers in Microbiology*, 8, 392.
- McArthur, K. A., Mitchell, S. S., Tsueng, G., Rheingold, A., White, D. J., Grodberg, J., Potts, B. C. (2008). Lynamicins A-E, chlorinated bisindole pyrrole antibiotics from a novel marine actinomycete. *Journal of Natural Products*, 71(10), 1732–1737.
- McCord, J. M., & Fridovich, I. (1969). Superoxide dismutase: An enzymic function for Erythrocuprein (Hemocuprein). *Journal of Biological Chemistry*, 244(22), 6049–6055.
- McInroy, J. A., & Kloepper, J. W. (1995). Survey of indigenous bacterial endophytes from cotton and sweet corn. *Plant and Soil*, 173(2), 337–342.
- McKellar, G., Morrison, E., McEntegart, A., Hampson, R., Tierney, A., Mackle, G., Scouler, J., Scott, J. A., & Capell, H. A. (2007) A pilot study of a Mediterranean-type diet intervention in female patients with rheumatoid arthritis living in areas of social deprivation in Glasgow. *Annals of the Rheumatic Diseases*, 66(9), 1239–1243.
- Medo, J., Ziarovsk, J., Medo, J., Javorekov, S., Kysel, M., & Hricov, A. (2018). Endophytic bacterial diversity decrease in amaranth mutant lines after radiation mutagenesis. *Cereal Chemistry*, 95(1), 1–3.
- Mekala, K.-P. R., Pandit, S. G., & Dhale, M. A. (2020). Bactericidal effects of Exiguobacterium sp GM010 pigment against food-borne pathogens. *Frontiers in Sustainable Food Systems*, 4, 142.
- Meneses, C., Gonçalves, T., Alquéres, S., Rouws, L., Serrato, R., Vidal, M., & Baldani, J. I. (2017). *Gluconacetobacter diazotrophicus* exopolysaccharide protects bacterial cells against oxidative stress in vitro and during Rice plant colonization. *Plant and Soil*, 416(1–2), 133–147.
- Miguel, P. S. B., Julio, C. D., Marcelo, N. V., Larissa, C. P. M., Fernanda, S. F., Maurício, D. C., Marcos, R. T., Celia, A. M., & Arnaldo, C. B. (2013). Diversity of endophytic Bacteria in Thefruits of Coffea Canephora. *African Journal of Microbiology Research*, 7, 586.e94.
- Miremadi, F., & Shah, N. P. (2012). Applications of inulin and probiotics in health and nutrition. *International Food Research Journal*, 19, 1337–1350.

- Misaghi, I. J., & Donndelinger, C. R. (1990). Endophytic bacteria in Sympton free cotton plants. *Phytopathology*, 80(9), 808–811.
- Mohamad, O. A. A., Li, L., Ma, J. B., Hatab, S., Xu, L., & Li, W. J. (2018). Evaluation of the antimicrobial Activity of endophytic Bacterial Populations From Chinese Traditional Medicinal Plant Licorice and Characterization of the Bioactive Secondary Metabolites Produced by *Bacillus atrophaeus* Against *verticillium dahliae*. *Frontiers in Microbiology*, 9, 924.
- Moldeus, P., Hogberg, J., & Orrenius, S. (1978). Isolation and use of liver cells. *Methods in Enzymology*, 52, 60–71.
- Mondol, M. A., Kim, J. H., Lee, H. S., Lee, Y. J., & Shin, H. J. (2011). Macrolactin W, a new antibacterial macrolide from a marine *Bacillus* sp. *Bioorganic and Medicinal Chemistry Letters*, 21(12), 3832–3835.
- Monteiro, R. A., Balsanelli, E., Tuleski, T., Faoro, H., Cruz, L. M., Wassem, R., de Souza, E. M. (2012). Genomic comparison of the endophyte *Herbaspirillum seropedicae* SmR1 and the phytopathogen *Herbaspirillum rubrisubalbicans* M1 by suppressive subtractive hybridization and partial genome sequencing. *FEMS Microbiology Ecology*, 80(2), 441–451.
- Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays. *Journal of Immunological Methods*, 65(1–2), 55–63.
- Moutia, J. Y., Saumtally, S., Spaepen, S., & Vanderleyden, J. (2010). Plant growth promotion by Azospirillum sp. in sugarcane is influenced by genotype and drought stress. *Plant and Soil*, 337(1–2), 233–242.
- Mueller, M., Hobiger, S., & Jungbauer, A. (2010). Anti-inflammatory activity of extracts from fruits, herbs and spices. *Food Chemistry*, 122(4), 987–996.
- Mukherjee, A., Das, R., Pal, A., & Paul, A. K. (2017). Antibacterial activity of endophytic *Bacillus safensis* isolated from *Ophioglossum reticulatum* L. *Microbiology Research Journal International*, 18(5), 1–12.
- Mukherjee, P., Ahmad, A., Mandal, D., Senapati, S., Sainkar, S. R., Khan, M. I., Sastry, M. (2001). Extracellular biosynthesis of bimetallic Au-Ag alloy nanoparticles. *Nano Letters*, 1(10), 515–519.
- Muller, T., & Ruppel, S. (2014). Progress in cultivation-independent phyllosphere microbiology. *FEMS Microbiology Ecology*, 87(1), 2–17.

- Musson, G., McInroy, J. A., & Kloepper, J. W. (1995). Development of delivery systems for introducing endophytic bacteria into cotton. *Biocontrol Science and Technology*, 5(4), 407–416.
- Muyzer, G., & Smalla, K. (1998). Application of denaturing gradient gel electrophoresis (DGGE) and temperature gradient gel electrophoresis (TGGE) in microbial ecology. *Antonie van Leeuwenhoek*, 73(1), 127–141.
- Muyzer, G., de Waal, E. C., & Uitterlinden, A. G. (1993). Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. *Applied and Environmental Microbiology*, 59(3), 695–700.
- Nabavi, S. M., Ebrahimzadeh, M. A., Nabavi, S. F., Hamidinia, A., & Bekhradnia, A.. R. (2008). Determination of antioxidant activity, phenol and flavonoid content of *Parrotia persica* Mey. *Pharmacologyonline*, 2, 560–567.
- Nakamoto, K. (1997). *Infrared and Raman Spectra of Inorganic and Coordination Compounds (Part A: Theory and Applications in Inorganic Chemistry)*(Volume 1A). NY, John Wiley & Sons, Incorporated.
- Navacharoen, A., & Vangnai, A. S. (2011). Biodegradation of diethyl phthalate by an organic-solvent-tolerant *Bacillus subtilis* strain 3C3 and effect of phthalate ester coexistence. *International Biodeterioration and Biodegradation*, 65(6), 818–826.
- Naveed, M., Hussain, M. B., Zahir, Z. A., Mitter, B., & Sessitsch, A. (2014). Drought stress amelioration in wheat through inoculation with *Burkholderia phytofirmans* strain PsJN. *Plant Growth Regulation*, 73(2), 121–131.
- Nike, A. R., Hassan, S. A., Ajijolakewu, M., & Bosede, A. F. (2013). Soil screening for antibiotic-producing microorganisms. *Advances in Environmental Biology*, 7(1), 7–11.
- Nxumalo, C. I., Ngidi, L. S., Shandu, J. S. E., & Maliehe, T. S. (2020). Isolation of endophytic bacteria from the leaves of *Anredera cordifolia* CIX1 for metabolites and their biological activities. *BMC Complementary Medicine and Therapies*, 20(1), 300.
- Nyanzi, R., Shuping, D. S. S., Jooste, P. J., & Eloff, J. N. (2015). Antibacterial and antioxidant activity of extracts from selected probiotic bacteria. *Journal of Food Research*, 4(5), 122.

- O'Sullivan, D. J., & O'Gara, F. (1992). Traits of fluorescent *Pseudomonas* spp. involved in suppression of plant root pathogens. *Microbiological Reviews*, 56(4), 662–676.
- Ohba, M., Mizuki, E., & Uemori, A. (2009). Parasporin, a new anticancer protein group from *Bacillus thuringiensis*. *Anticancer Research*. 427-33, 29(1), 427–433.
- Ohkawa, H., Ohishi, N., & Yagi, K. (1979). Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Analytical Biochemistry*, 95(2), 351–358.
- Okeke, B. C. (2008). Bioremoval of hexavalent chromium from water by a salt tolerant bacterium, *Exiguobacterium* sp. GSI. *Journal of Industrial Microbiology and Biotechnology*, 35(12), 1571–1579.
- Oku, N., Adachi, K., Matsuda, S., Kasai, H., Takatsuki, A., & Shizuri, Y. (2008). Ariakemicins A and B, novel polyketide-peptide antibiotics from a marine gliding bacterium of the Genus *Rapidithrix*. *Organic Letters*, 10(12), 2481–2484.
- Oldfield, C., Wood, N. T., Gilbert, S. C., Murray, F. D., & Faure, F. R. (1998). Desulphurisation of benzothiophene and dibenzothiophene by actinomycete organisms belonging to the genus *Rhodococcus*, and related taxa. *Antonie van Leeuwenhoek*, 74(1–3), 119–132.
- Ortiz, A., & Sansinenea, E. (2018). Di-2-ethylhexylphthalate may be a natural product, Rather than a pollutant. *Journal of Chemistry*, 2018, 1–7.
- Orwa, C. (2009). *Agroforestry Database: A tree reference and selection guide*, version4.0. <http://www.worldagroforestry.org/sites/treedbs/treedatabases.ASp>.
- Oulas, A., Pavloudi, C., Polymenakou, P., Pavlopoulos, G. A., Papanikolaou, N., Kotoulas, G. (2015). Metagenomics: Tools and insights for analyzing next-generation sequencing data derived from biodiversity studies. *Bioinformatics and Biology Insights*, 9, 75–88.
- Padmavathi, T., Bhargavi, R., Priyanka, P. R., Niranjan, N. R., & Pavitra, P. V. (2018). Screening of potential probiotic lactic acid bacteria and production of amylase and its partial purification. *Journal, Genetic Engineering and Biotechnology*, 16(2), 357–362.
- Pankiewicz, V. C. S., Camilios-Neto, D., Bonato, P., Balsanelli, E., Tadra-Sfeir, M. Z., Faoro, H., Chubatsu, L. S., Donatti, L., Wajnberg, G., Passetti, F.,

- Monteiro, R. A., Pedrosa, F. O., & Souza, E. M. (2016). Souza, E.M. RNA-Seq Transcriptional Profiling of *Herbaspirillum seropedicae* Colonizing Wheat (*Triticum aestivum*) Roots. *Plant Molecular Biology*, 90(6), 589–603.
- Patel, A., Shah, N., & Prajapati, J. B. (2013). Biosynthesis of vitamins and enzymes in fermented foods by lactic acid bacteria and related genera: A promising approach. *Croatian Journal of Food Science and Technology*, 5, 85–91.
- Patel, H. A., Khristi, S. M., Perikh, K., & Rajeram, G. (2012). Isolation and Characterization of Bacterial endophytic from *Lycopersicum esculentum* plant and their plant promoting characteristics. *Nepal Journal of Biotechnology*, 2(1), 37–52.
- Patel, J. K., & Archana, G. (2017). Diverse culturable diazotrophic endophytic bacteria from Poaceae Plants Show cross-colonization and plant growth promotion in wheat. *Plant and Soil*, 417(1–2), 99–116.
- Patkar, S., Shinde, Y., Chindarkar, P., & Chakraborty, P. (2021). Evaluation of antioxidant potential of pigments extracted from *Bacillus* spp. and *Halomonas* spp. isolated from mangrove rhizosphere. *Biotechnologia*, 102(2), 157–169.
- Paynich, M. L., Jones-Burrage, S. E., & Knight, K. L. (2017). Exopolysaccharide from *Bacillus subtilis* induces anti-inflammatory M2 macrophages that prevent T cell-mediated disease. *Journal of Immunology*, 198(7), 2689–2698.
- Pena-Yam, L. P., Ruíz-Sánchez, E., Barboza-Corona, J. E., & Reyes-Ramírez, A. (2016). Isolation of Mexican bacillus species and their effects in promoting growthof chilli pepper (*Capsicum annuum* L. cv Jalapeño). *Indian Journal of Microbiology*, 56(3), 375–378.
- Peng, S., Katherine, N., Maloneya, S. N. et al. (2011). Fijimycins A-C, three antibacterial etamycin-class depsipeptides from a marine- derived *Streptomyces* sp. *Bioorganic and Medicinal Chemistry Letters*, 19(22), 6557–6562.
- Pereira, G. V. M., Karina, T. M., Emi, R. L., Thiago, P. S., & Rosane, F. C. (2012). A Multiphasic approach for the identification of endophytic bacterial in strawberry fruit and their potential for plant growth promotion. *Microbial Ecology*, 63, 405.e17..
- Pessione, E., Mazzoli, R., Giuffrida, M. G., Lamberti, C., Garcia-Moruno, E., Barello, C., Conti, A., & Giunta, C. (2005). A proteomic approach to studying biogenic amine producing lactic acid bacteria. *Proteomics*, 5(3), 687–698.

- Pettit, G. R., Knight, J. C., Herald, D. L., Pettit, R. K., Hogan, F., Mukku, V. J. R. V., Chapuis, J. C. (2009). Antineoplastic agents. 570. Isolation and structure elucidation of bacillistatins 1 and 2 from a marine *Bacillus silvestris*. *Journal of Natural Products* 1 and 2. *J. Nat. Prod.*, 72(3), 366–371.
- Prasad, K., Jha, A. K., & Kulkarni, A. R. (2007). Lactobacillus assisted synthesis of titanium nanoparticles. *Nanoscale Research Letters*, 2(5), 248–250.
- Prescott, L.M., Harley, J.P. and Klein, D.A. (2005) Microbiology. Sixth International Edition. McGraw-Hill Publishing Company, UK, 652-668.
- Putra, M., & Karim, F. (2020). Antibacterial and antioxidant activity-guided isolation studies on Fusarium sp. associated with the ascidian Botryllus schlosseri. *AIP Conference Proceedings*, 2243, 020019.
- Puvaneswari, N., Muthukrishnan, J., & Gunasekaran, P. (2006). Toxicity assessment and microbial degradation of azo dyes. *Indian Journal of Experimental Biology*, 44(8), 618–626.
- Quadt-Hallmann, A., Hallmann, J., & Kloepfer, J. W. (1997). Bacterial endophytes in cotton: Localization and interaction with other plant-associated bacteria. *Canadian Journal of Microbiology*, 43(3), 254–259.
- Rabindran, R., & Vidhyasakaran, P. (1996). Development of a formulation of *Pseudomonas fluorescens* PfALR2 for management of rice sheath blight. *Crop Protection*, 15(8), 715–721.
- Rackova, L., Oblozinsky, M., Kostalova, D., Kettmann, V., & Bezakova, L. (2007). Free radical scavenging activity and lipoxygenase inhibition of *Mahonia aquifolium* extract and isoquinoline alkaloids. *Journal of Inflammation*, 4(1), 15.
- Radhakrishnan, M., Gopikrishnan, V., Vijayalakshmi, G., & Kumar, V. (2016). In vitro antioxidant activity and antimicrobial activity against biofilm forming bacteria by the pigment from desert soil *Streptomyces* sp. D25. *Journal of Applied Pharmaceutical Science*, 6, 148–150.
- Rajamanikyam, M., Vadlapudi, V., Parvathaneni, S. P., Koude, D., Sripadi, P., Misra, S., Amanchy, R., & Upadhyayula, S. M. (2017). Isolation and characterization of phthalates from *Brevibacterium mcbrellneri* that cause cytotoxicity and cell cycle arrest. *Excli Journal*, 16, 375–387.

- Raju, R., Piggott, A. M., Khalil, Z., Bernhardt, P. V., & Capon, R. J. (2012). Heronamycin A: A new benzothiazine ansamycin from an Australian marine-derived *Streptomyces* sp. *Tetrahedron Letters*, 53(9), 1063–1065.
- Ramamoorthy, S., Gnanakan, A., Lakshmana, S. S., Meivelu, M., & Jeganathan, A. (2018). Structural characterization and anticancer activity of extracellular polysaccharides from ascidian symbiotic bacterium *Bacillus thuringiensis*. *Carbohydrate Pol.*, 190, 113–120.
- Ravikumar, S., Inbaneson, S. J., & Suganthi, P. (2012). In vitro antiplasmodial activity of ethanolic extracts of South Indian medicinal plants against *Plasmodium falciparum*. *Asian Pacific Journal of Tropical Disease*, 2(3), 180–183.
- Ravin, S., Gourav, C., Anterpret, C., & Reena, V. S. (2017). Antioxidant and anticancer activity of methanolic extract from *Stephania elegans*. *International Journal of Pharmaceutical Sciences*, 9, 245–249.
- Ravuri, J., & Kumari, K. (2013). In vitro anticancer activity of marine bacteria isolated from Andhra Pradesh and Tamil nadu coastal regions. *International Journal of Chemical, Environmental & Biological Sciences (IJCEBS)*, 1(3), 481–483.
- Reddy, P. M., Ladha, J. K., So, R. B., Hernandez, R. J., Ramos, M. C., Angeles, O. R., Dazzo, F. B., & De Bruijn, F. J. (1997). Rhizobial communications with Rice roots: inductions of phenotypic changes, mode of invasion and extent of colonization. *Plant and Soil*, 194(1/2), 81–98.
- Reinhold-Hurek, B., & Hurek, T. (1997). *Azoarcus* spp. And their interactions with grass roots. *Plant and Soil*, 194(1/2), 57–64.
- Reinhold-Hurek, B., & Hurek, T. (1998). Interactions of gramineous plants with *Azoarcus* spp. and other diazotrophs:identification, localization, and perspectives to study their function. *Critical Reviews in Plant Sciences*, 17(1), 29–54.
- Rhee, K.H. (2002). Isolation and characterization of *Streptomyces* sp. KH-614 producing anti-VRE (vancomycin-resistant *Enterococci*) antibiotics. *Journal of General and Applied Microbiology*, 48(6), 321–327.
- Richardson, A. E., Barea, J. M., McNeill, A. M., & Prigent-Combaret, C. (2009). Acquisition of phosphorus and nitrogen in the rhizosphere and plant growth promotion by microorganisms. *Plant and Soil*, 321(1–2), 305–339.

- Riggs, P. J., Chelius, M. K., Iniguez, A. L., Kaepller, S. M., & Triplett, E. W. (2001). Enhanced Maize productivity by inoculation with diazotrophic bacteria. *Functional Plant Biology*, 28(9), 829–836.
- Roncato-Maccari, L. D. B., Ramos, H. J. O., Pedrosa, F. O., Alquini, Y., Chubatsu, L. S., Yates, M. G., Rigo, L. U., Steffens, M. B. R., & Souza, E. M. (2003). Endophytic Herbaspirillum seropedicae expresses nif genes in gramineous plants. *FEMS Microbiology Ecology*, 45(1), 39–47.
- Rosenblueth, M., & Martínez-Romero, E. (2006). Bacterial endophytes and their interactions with hosts. *Molecular Plant–Microbe Interactions*, 19(8), 827–837.
- Roshmi, T., Jishma, P., & Radhakrishnan, E. K. (2016). Photocatalytic and antibacterial effects of silver nanoparticles fabricated by *Bacillus subtilis* SJ 15. *Synthesis and Reactivity in Inorganic, Metal-Organic and Nano-Metal Chemistry*.
- Roshmi, T., Soumya, K. R., Jyothis, M., & Radhakrishnan, E. K. (2015). Effect of biofabricated gold nanoparticle-based antibiotic conjugates on minimum inhibitory concentration of bacterial isolates of clinical origin. *Gold Bulletin*, 48(1–2), 63–71.
- Rostami, H., Hamed, H., & Yolmeh, M. (2016). Some biological activities of pigments extracted from *Micrococcus roseus* (PTCC 1411) and *Rhodotorula glutinis* (PTCC 5257). *International Journal of Immunopathology and Pharmacology*, 29(4), 684–695.
- Rouws, L. F. M., Meneses, C. H. S. G., Guedes, H. V., Vidal, M. S., Baldani, J. I., & Schwab, S. (2010). Monitoring the colonization of sugarcane and Rice plants by the endophytic diazotrophic bacterium *Gluconacetobacter diazotrophicus* Marked with Gfp and gusA reporter genes. *Letters in Applied Microbiology*, 51(3), 325–330.
- Rungprom, W., Siwu, E. R. O., Lambert, L. K., Dechsakulwatana, C., Barden, M. C., Kokpol, U., & Garson, M. J. (2008). Cyclic tetrapeptides from marine bacteria associated with the seaweed Diginea sp. and the sponge Halisarca ectofibrosa. *Tetrahedron*, 64(14), 3147–3152.
- Ryan, R. P., Germaine, K., Franks, A., Ryan, D. J., & Dowling, D. N. (2008). Bacterial endophytes: Recent developments and applications. *FEMS Microbiology Letters*, 278(1), 1–9.

- Sabate, D. C., Brandan, C. P., Petroselli, G., Erra-Balsells, R., & Audisio, M. C. (2018). Biocontrol of *Sclerotinia sclerotiorum* (Lib.) de Bary on common bean by native lipopeptide-producer *Bacillus* strains. *Microbiological Research*, 211, 21–30.
- Sabu, R., & Radhakrishnan, E. K. (2016). Bioprospecting of endophytic bacteria from *Zingiber officinale* with antibacterial activities. *International Journal of Current Microbiology and Applied Sciences*, 5(9), 462–467.
- Saduakhasova, S., Kushugulova, A., Kozhakhmetov, S., Shakhabayeva, G., Tynybayeva, I., Nurgozhin, T., & Zhumadilov, Z. (2013). Antioxidant activity of the probiotic consortium in vitro. *Central Asian Journal of Global Health*, 2(Suppl), 115.
- Saitou, N., & Nei, M. (1987). The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution*, 4(4), 406–425.
- Sankar, N. R., Priyanka, V. D., Reddy, P. S., Rajanikanth, P., Kumar, V. K., & Indira, M. (2012). Purification and characterization of bacteriocin produced by *Lactobacillus plantarum* isolated from cow milk. *International Journal of Microbiology Research*, 3, 133–137.
- Santhosh, N. A., & Anto, P. V. (2020). Metagenomic insights of endophytic bacteria in *Morinda pubescens* using NGS technology. *Indian Journal of Natural Sciences*, 10(60), 19704–19710.
- Sari, W. E., Solihin, S. S., & Lestari, Y. (2014). Identification of endophytic actinomycetes from Indonesia rice plant based on 16S rRNA and nif H genes analyses. *Adv. Environ. Biol*, 8(7), 2357–2365.
- Selim, M. S., Mohamed S. S., Shimaa R. H., El Awady M. E., & El Sayed O. H. (2015). Screening of bacterial antioxidant exopolysaccharides isolated from Egyptian habitats. *Journal of Chemical and Pharmaceutical Research*, 7(4), 980-986.
- Sengupta, S., Ganguli, S., & Singh, P. K. (2017). Metagenome analysis of the root endophytic microbial community of Indian rice (*O. sativa* L.). *Genomics Data*, 12, 41–43.
- Sessitsch, A., Hardoim, P., Döring, J., Weilharter, A., Krause, A., Woyke, T., Reinhold-Hurek, B. (2012). Functional characteristics of an endophyte

- community colonizing rice roots as revealed by metagenomic analysis. *Molecular Plant–Microbe Interactions*, 25(1), 28–36.
- Settanni, L., & Corsetti, A. (2007). The use of multiplex PCR to detect and differentiate food- and beverage-associated microorganisms: A review. *Journal of Microbiological Methods*, 69(1), 1–22.
- Shahzad, R., Waqas, M., Khan, A. L., Asaf, S., Khan, M. A., Kang, S. M., & Lee, I. J. (2016). Seed-borne endophytic *Bacillus amyloliquefaciens* RWL-1 produces gibberellins and regulates endogenous phytohormones of *Oryza sativa*. *Plant Physiology and Biochemistry*, 106, 236–243.
- Sharma, N., Pinnaka, A. K., Raje, M., FNU, A., Bhattacharyya, M. S., & Choudhury, A. R. (2012). Exploitation of marine bacteria for production of gold nanoparticles. *Microbial Cell Factories*, 11, 86.
- Shen, Q., Shang, N., & Li, P. (2011). In vitro and in vivo antioxidant activity of *Bifidobacterium animalis* 01 isolated from centenarians. *Current Microbiology*, 62(4), 1097–1103.
- Shi, Y., Lou, K., & Li, C. (2010). Growth and photosynthetic efficiency promotion of sugar beet (*Beta vulgaris* L.) by endophytic bacteria. *Photosynthesis Research*, 105(1), 5–13.
- Shinta, L., Bintang, M., & Pasaribu, F. H. (2016). Isolation and Identification of endophytic Bacteria from *Ficus variegata* Blume as antibacterial compounds Producer, *Current biochemistry*, 2(3), 116–128.
- Shirling, E. B., & Gottlieb, D. Y. (1966). (n.d.). Methods for characterization of *Streptomyces* species. *International Journal of Systematic and Evolutionary Microbiology*, 16(3), 313–340.
- Shukla, R. (2015). Studies on bioactive compounds from different microorganisms. *International Journal of Scientific and Engineering Research*, 6, 1225–1233.
- Singh, D. R., Srivastava, A. K., Srivastava, A., & Srivastava, R. C. (2011). Genetic diversity among three *Morinda* species using RAPD and ISSR markers. *Indian journal of Biotechnology*, 10, 285–293.
- Singh, J., Dutta, T., Kim, K. H., Rawat, M., Samddar, P., & Kumar, P. (2018). ‘Green’ synthesis of metals and their oxide nanoparticles: Applications for environmental remediation. *Journal of Nanobiotechnology*, 16(1), 84.

- Soliev, A. B., Hosokawa, K., & Enomoto, K. (2011). Bioactive pigments from marine bacteria: Applications and physiological roles. *Evidence-Based Complementary and Alternative Medicine*, 17, 670349.
- Srilekha, V., Krishna, G., Mahender, P., & Singara Charya, M. A. S. (2018). Investigation of in vitro cytotoxic activity of pigment extracted from *Salinococcus* sp. isolated from Nellore sea coast. *Journal of Marine Medical Society*, 20(1), 31–33.
- Srilekha, V., Krishna, G., Seshasrinivas, V., & Charya, M. A. S. (2017). Antibacterial and anti-inflammatory activities of marine *Brevibacterium* sp. *Research in Pharmaceutical Sciences*, 12(4), 283–289.
- Stoltzfus, J. R., So, R., Malarvithi, P. P., Ladha, J. K., & de Bruijn, F. J. (1997). Isolation of endophytic bacteria from Rice and assessment of their potential for supplying Rice with biologically fixed nitrogen. *Plant and Soil*, 194(1/2), 25–36.
- Stone, J., Bacon, C., & White, J. (2000). An overview of endophytic microbes: Endophytism defined. In C. W. Bacon & J. White (Eds.), *Microbial endophytes* (pp. 3–29). Boca Raton, FL: CRC Press Press.
- Strobel, G. A., Hess, W. M., Ford, E., Sidhu, R. S. W., & Yang, X. (1996). Taxol from fungal endophytes and the issue of biodiversity. *Journal of Industrial Microbiology and Biotechnology*, 17(5–6), 417–423.
- Strobel, G., Daisy, B., Castillo, U., & Harper, J. (2004). Natural product from microorganism. *Journal of Natural Products*, 67(2), 257–268.
- Sturme, M. H., Kleerebezem, M., Nakayama, J., Akkermans, A. D., Vaughn, E. E., & De Vos, W. M. (2002). Cell to cell communication by auto-inducing peptides in gram-positive bacteria. *Antonie van Leeuwenhoek*, 81(1–4), 233–243.
- Sturz, A. V., Christie, B. R., & Matheson, B. G. (1998). Associations of bacterial endophyte populations from red clover and potato crops with potential for beneficial allelopathy. *Canadian Journal of Microbiology*, 44(2), 162–167.
- Su, B., Xiang, S. L., Su, J., Tang, H. L., Liao, Q. J., Zhou, Y. J., & Su, Q. (2012). Diallyl disulfide increases histone acetylation and p21WAF1 expression in human gastric cancer cells in vivo and in vitro. *Biochemical Pharmacology*, 81(7), 1–10.
- Suhandono, S., Kusumawardhani, M. K., & Aditiawati, P. (2016). Isolation and molecular identification of endophytic bacteria from rambutan fruits

- (*Nephelium lappaceum* L.) cultivar Binjai. *HAYATI Journal of Biosciences*, 23(1), 39–44.
- Sunitha, V. H., Devi, D. N., & Srinivas, C. (2013). Extracellular enzymatic activity of endophytic fungal strains isolated from medicinal plants. *WJAS*, 9, 1–9.
- Supong, K., Thawai, C., Suwanborirux, K., Choowong, W., Supothina, S., & Pittayakhajonwut, P. (2012). Antimalarial and antitubercular C-glycosylated benz[ $\alpha$ ]anthraquinones from the marine-derived *Streptomyces* sp. BCC45596. *Phytochemistry Letters*, 5(3), 651–656.
- Suzuki, M. T., & Giovannoni, S. J. (1996). Bias caused by template annealing in the amplification of mixtures of 16S rRNA genes by PCR. *Applied and Environmental Microbiology*, 62(2), 625–630.
- Swarnalatha, Y., Saha, B., Y., & L. C. (2015). Bioactive compound analysis and antioxidant activity of endophytic bacterial extract from *Adhathoda beddomei*. *Asian Journal of Pharmaceutical and Clinical Research*, 70–72.
- Sylla, J., Alsanous, B. W., Krüger, E., Reineke, A., Strohmeier, S., & Wohanka, W. (2013). Leaf microbiota of strawberries as affected by biological control agents. *Phytopathology*, 103(10), 1001–1011.
- Tachedjian, G., Aldunate, M., Bradshaw, C. S., & Cone, R. A. (2017). The role of lactic acid production by probiotic *Lactobacillus* species in vaginal health. *Research in Microbiology*, 168(9–10), 782–792.
- Taechowisan, T. C., Lu, C. H., Shen, Y. M., & Lumyong, S. (2007). Antitumor activity of 4-arylcoumarins from endophytic *Streptomyces aureofaciens* CMUAc130. *Journal of Cancer Research and Therapeutics*, 3(2), 86–91.
- Taechowisan, T., Chaisaeng, S., & Phutdhawong, W. S. (2017). Antibacterial, antioxidant and anticancer activities of biphenyls from *Streptomyces* sp. BO-07: An endophyte in *Boesenbergia rotunda* (L.) Mansf. A. Food Agric. Immunol., 28, 1330–1346.
- Taechowisan, T., Chanaphat, S., Ruensamran, W., & Phutdhawong, W. S. (2013). Antibacterialactivityofdecursinfromstreptomycessp.GMT-8; an endophyte in *Zingiber officinale* rosc. *Journal of Applied Pharmaceutical Sciences*, 3, 74–78.
- Taghavi, S., Garafola, C., Monchy, S., Newman, L., Hoffman, A., Weyens, N., VanderLelie D. (2009). Genome survey and characterization of endophytic

- bacteria exhibiting a beneficial effect on growth and development of poplar trees. *Applied and Environment Microbiology*, 75, 748–757.
- Tamang, J. P., Dewan, S., Tamang, B., Rai, A., Schillinger, U., & Holzapfel, W. H. (2007). Lactic acid bacteria in hamei and marcha of North East India. *Indian Journal of Microbiology*, 47(2), 119–125.
- Tan, R. X., & Zou, W. X. (2001). Endophytes: A rich source of functional metabolites. *Natural Product Reports*, 18(4), 448–459.
- Tanjung, Z. A., Aditama, R., Sudania, W. M., Utomo, C., & Liwang, T. (2017). Metagenomics workflow analysis of endophytic bacteria from oil palm fruits. *Journal of Physics: Conference Series*. International Symposium on Bioinformatics, Chemometrics and Metabolomics IOP Publishing IOP conference Series, 835, 012007.
- Tanprasert, P., & Reed, B. M. (1997). Detection and identification of bacterial contaminants from strawberry runner explants. *In Vitro Cellular and Developmental Biology – Plant*, 33(3), 221–226.
- Taylor, M. W., Tsai, P., Anfang, N., Ross, H. A., & Goddard, M. R. (2014). Pyrosequencing reveals regional differences in fruit-associated fungal communities. *Environmental Microbiology*, 16(9), 2848–2858.
- Thomas, R., B, J., Mathew, J., & K, R. E. (2012). Extracellular synthesis of silver nanoparticles by endophytic *Bordetella* sp. isolated from *Piper nigrum* and its antibacterial activity analysis. *Nano Biomedicine and Engineering*, 4(4), 183-187.
- Thomas, R., Janardhanan, A., Varghese, R. T., Soniya, E. V., Mathew, J., & Radhakrishnan, E. K. (2014). Antibacterial properties of silver nanoparticles synthesized by marine *Ochrobactrum* sp. *Brazilian Journal of Microbiology*, 45(4), 1221–1227.
- Thomas, R., Viswan, A., & Ek, R. (2012). Evaluation of antibacterial activity of silver nanoparticles synthesized by a novel strain of marine *Pseudomonas* sp. *Nano Biomedicine and Engineering*, 4(3), 139–143.
- Thomas, Roshmi., Jasim, B., Jyothis, M., & Radhakrishnan, E.K., (2012). Extracellular synthesis of silver nanoparticles by endophytic *Bordetella* sp. isolated from *Piper nigrum* and its antibacterial activity analysis. *Nano Biomedicine and Engineering*, 4(4), 183-187.

- Tian, B. Y., Cao, Y., & Zhang, K. Q. (2015). Metagenomic insights into communities, functions of endophytes and their associates with infection by root-knot nematode, *Meloidogyne incognita*, in tomato roots. *Scientific Reports*, 5, 17087.
- Tian, B., Zhang, C., Ye, Y., Wen, J., Wu, Y., Wang, H., Li, H., Cai, S., Cai, W., Cheng, Z., Lei, S., Ma, R., Lu, C., Cao, Y., Xu, X., & Zhang, K. (2017). Beneficial traits of bacterial endophytes belonging to the core communities of the tomato root microbiome. *Agriculture, Ecosystems and Environment*, 247, 149–156.
- Tiwari, V., Roy, R., & Tiwari, M. (2015). Antimicrobial active herbal compounds against *Acinetobacter baumannii* and other pathogens. *Frontiers in Microbiology*, 6, 618.
- Tominaga, M., Caterina, M. J., Malmberg, A. B., Rosen, T. A., Gilbert, H., Skinner, K., Raumann, B. E., Basbaum, A. I., & Julius, D. (1998). The cloned capsaicin receptor integrates multiple pain-producing stimuli. *Neuron*, 21(3), 531–543.
- Trischman, J. A., Jensen, P. R., & Fenical, W. (1994). Halobacillin: A cytotoxic cyclic acylpeptide of the iturin class produced by a marine *Bacillus*. *Tetrahedron Letters*, 35(31), 5571–5574.
- Turner, T. R., James, E. K., & Poole, P. S. (2013). The plant microbiome. *Genome Biology*, 14(6), 209.
- Umezawa, H., Maeda, K., Takeuchi, T., & Okami, Y. (1966). New antibiotics, bleomycin A and B. *Journal of Antibiotics*, 19(5), 200–209.
- Unterseher, M., Peršoh, D., & Schnittler, M. (2013). Leaf-inhabiting endophytic fungi of European Beech (*Fagus sylvatica* L.) co-occur in leaf litter but are rare on decaying wood of the same host. *Fungal Diversity*, 60(1), 43–54.
- Urich, T., Lanzén, A., Qi, J., Huson, D. H., Schleper, C., & Schuster, S. C. (2008). Simultaneous assessment of soil microbial community structure and function through analysis of the meta-transcriptome. *PLOS ONE*, 3(6), e2527.
- Utturkar, S. M., Cude, W. N., Robeson, M. S., Yang, Z. K., Klingeman, D. M., Land, M. L., Pelletier, D. A. (2016). Enrichment of root endophytic bacteria from *Populus deltoids* and single-cell-genomics analysis. *Applied and Environment Microbiology*, 82, 5698–5708.
- Uzair, B., Ahmed, N., Ahmad, V. U., Mohammad, F. V., & Edwards, D. H. (2008). The isolation, purification and biological activity of a novel antibacterial

- compound produced by *Pseudomonas stutzeri*. *FEMS Microbiology Letters*, 279(2), 243–250.
- Van Duin, D., & Paterson, D. L. (2016). Multidrug-resistant bacteria in the community: Trends and lessons learned. *Infectious Disease Clinics of North America*, 30(2), 377–390.
- Vandamme, P., Pot, B., Gillis, M., de Vos, P., Kersters, K., & Swings, J. (1996). Poly phasic taxonomy, a consensus approach to bacterial systematics. *Microbiological Reviews*, 60(2), 407–438.
- Varsha, K. K., Devendra, L., Shilpa, G., Priya, S., Pandey, A., & Nampoothiri, K. M. (2015). 2,4-Di-tert-butyl phenol as the antifungal, antioxidant bioactive purified from a newly isolated *Lactococcus* sp. *International Journal of Food Microbiology*, 211, 44–50.
- Venil, C. K., Dufossé, L., & Renuka Devi, P. (2020). Bacterial pigments: Sustainable compounds with market potential for pharma and food industry. *Frontiers in Sustainable Food Systems*, 4, 100.
- Versalovic, J., Schneider, M., de Bruijn, F. J., & Lupski, J. R. (1994). Genomic fingerprinting of bacteria using repetitive sequence based PCR (rep-PCR). *Methods cell. Molekulyarnaya Biologiya*, 5, 25–40.
- Villas-Boas, S. G., & Bruheim, P. (2007). The potential of metabolomics tools in bioremediation studies. *Omics*, 11(3), 305–313. doi:10.1089/omi.2007.0005, PubMed: 17883341
- Vorobjeva, L. I., Khodjaev, E. Y., & Vorobjeva, N. V. (2008). Propionic acid bacteria as probiotics. *Microbial Ecology in Health and Disease*, 20(2), 109–112.
- Voronkov, M. G. (1979). Biological activity of silatranes. In Bioactive Organosilicon Compounds. Topics in Current Chemistry. *Topics in Current Chemistry*. Springer, 84, 77–135.
- Vos, P., Garrity, G., Jones, D., Krieg, N. R., Ludwig, W., Rainey, F. A., & Whitman, W. B.(Eds.). (2011). *Bergey's manual of systematic bacteriology: Volume 3: The Firmicutes* (Vol. 3). Springer Science & Business Media.
- Vu, H. T., Nguyen, D. T., Nguyen, H. Q., Chu, H. H., Chu, S. K., VanChau, M. V., & Phi, Q. T. (2018). Antimicrobial and cytotoxic properties of bioactive metabolites produced by *Streptomyces cavourensis* YBQ59 isolated from

- Cinnamomum cassia* prels in yen bai province of vietnam. *Current Microbiology*, 75(10), 1247–1255.
- Waksman, S. A., Reilly, H. C., & Johnstone, D. B. (1946). Isolation of streptomycin-producing strains of *Streptomyces griseus*12. *Journal of Bacteriology*, 52(3), 393–397.
- Wang, C. Y., Ng, C. C., Su, H., Tzeng, W. S., & Shyu, Y. T. (2009). Probiotic potential of noni juice fermented with lactic acid bacteria and bifidobacteria. *International Journal of Food Sciences and Nutrition*, 60(6), 98–106.
- Wang, J. C., Neogi, P., & Forciniti, D. (2006). On one-dimensional self-assembly of surfactant-coated nanoparticles. *Journal of Chemical Physics*, 125(19), 194717.
- Wang, Y., Wu, Y., Wang, Y., Xu, H., Mei, X., Yu, D., & Li, W. (2017). Antioxidant properties of probiotic bacteria. *Nutrients*, 9(5), 521.
- Wang, Y., Zeng, Q., & Zhang, Z. (2010). Antagonistic bioactivity of an endophytic bacterium H6. *African Journal of Biotechnology*, 9(37), 6140–6145.
- Weber, R. W., Stenger, E., Meffert, A., & Hahn, M. (2004). Brefeldin A production by Phoma medicaginis in dead precolonized plant tissue: A strategy for habitat conquest? *Mycological Research*, 108(6), 662–671.
- Webster, G., Gough, C., Vasse, J., Batchelor, C. A., O'Callaghan, K. J., Kothari, S. L., Davey, M. R., Dénarié, J., & Cocking, E. C. (1997). Interactions of rhizobia with Rice and wheat. *Plant and Soil*, 194(1/2), 115–122.
- Wei, H. C., Rollins, J., Fabian, L., Hayes, M., Polevoy, G., Bazinet, C., & Brill, J. A. (2008). Depletion of plasma membrane PtdIns(4,5)P<sub>2</sub> reveals essential roles for phosphoinositides in flagellar biogenesis. *Journal of Cell Science*, 121(7), 1076–1084.
- Wei, W., Zhou, Y., Chen, F., Yan, X., Lai, Y., & Wei, C. (2018). Isolation, diversity, and antimicrobial and immunomodulatory activities of endophytic actinobacteria from tea cultivars Zijuanand Yunkang-10 (*Camellia sinensis* var. assamica). *Frontiers in Microbiology*, 9, 01304, 1304.
- Whipps, J. M. (2001). Microbial interactions and biocontrol in the rhizosphere. *Journal of Experimental Botany*, 52(Spec. Issue), 487–511.
- White, M. (1999). Mediators of inflammation and inflammatory process. *Journal of Allergy and Clinical Immunology*, 103, 5378–5381.

- Williams, T. J., & Morley, J. (1973). Prostaglandins as potentiators of increased vascular permeability in inflammation. *Nature*, 246(5430), 215–217.
- Wilson, D. (1995). Endophyte: The evolution of a term, and clarification of its use and definition. *Oikos*, 73(2), 274–276.
- Winter, C., Risley, E., & Nuss, O. (1962). Carrageenin-induced inflammation in the hind limb of the rat. *Federation Proceedings*, 46, 118–126.
- Xia, A. N., Liu, J., Kang, D. C., Zhang, H. G., Zhang, R. H., & Liu, Y. G. (2020). Assessment of endophytic bacterial diversity in rose by high-throughput sequencing analysis. *PLOS ONE*, 15(4), e0230924.
- Xin, G., Zhang, G., Kang, J. W., Staley, J. T., & Doty, S. L. (2009). A diazotrophic, indole-3-acetic acid-producing endophyte from wild cottonwood. *Biology and Fertility of Soils*, 45(6), 669–674.
- Xu, B., Ding, J., Chen, K.-X., Miao, Z.-H., Huang, H., Liu, H., & Luo, X.-M. (2012). Advances in cancer chemotherapeutic drug research in China. In X.Y. Liu, S. Pestka & Y.F. Shi (Eds.), *Recent advances in cancer research and therapy*, 12 (pp. 287–350). Elsevier.
- Xu, Y., Liu, Y., Yao, S., Li, J., & Cheng, C. (2014). Genome sequence of Paenibacillus polymyxa Strain CICC 10580, isolated from the fruit of Noni (*Morinda citrifolia* L.) grown in the Paracel Islands. *Genome Announcements*, 2(4), e00854-14.
- Yamanaka, S., Hashimoto, M., Tobe, M., Kobayashi, K., Sekizawa, J., & Nishimura, M. (1990). A simple method for screening assessment of acute toxicity of chemicals. *Archives of Toxicology*, 64(4), 262–268.
- Yang, L., Yinhu, L., Su, Y., Hui, W., Yanhua, C., Jie, L., Chi, C. (2015). Diversity and distribution of endophytic bacterial community in the Noni (*Morinda citrifolia* L.) plant. *African Journal of Microbiology Research*, 9(25), 1649–1657.
- Yang, R., Liu, P., & Ye, W. (2017). Illumina-based analysis of endophytic bacterial diversity of tree peony (*Paeonia* sect. *Moutan*) roots and leaves. *Brazilian Journal of Microbiology*, 48(4), 695–705.
- Yu, Y., Lee, C., Kim, J., & Hwang, S. (2005). Group-specific primer and probe sets to detect methanogenic communities using quantitative real-time polymerase chain reaction. *Biotechnology and Bioengineering*, 89(6), 670–679.

- Zgadzaj, R., James, E. K., Kelly, S., Kawaharada, Y., deJonge, N., Jensen, D. B., Radutoiu, S. (2015). A legume genetic framework controls infection of nodules by symbiotic and endophytic bacteria. *PLOS Genetics*, 11(6), e1005280.
- Zhang, H. L., Hua, H. M., Pei, Y. H., & Yao, X. S. (2004). Three new cytotoxic cyclic acylpeptides from marine *Bacillus* sp. *Chemical and Pharmaceutical Bulletin*, 52(8), 1029–1030.
- Zhang, H. W., Song, Y. C., & Tan, R. X. (2006). Biology and chemistry of endophytes. *Natural Product Reports*, 23(5), 753–771.
- Zhao, P. J., Fan, L. M., Li, G. H., Zhu, N., & Shen, Y. M. (2005). Antibacterial and antitumor macrolides from *Streptomyces* sp. Is9131. *Archives of Pharmacal Research*, 28(11), 1228–1232.
- Zheng, Z., Zeng, W., Huang, Y., Yang, Z., Li, J., Cai, H., & Su, W. (2000). Detection of antitumor and antimicrobial activities in marine organism associated actinomycetes isolated from the Taiwan Strait, China. *FEMS Microbiology Letters*, 188(1), 87–91.
- Zhong-Ji, Q., Kang, K.H., & Kim, S.K. (2012). Isolation and antioxidant activity evaluation of two new phthalate derivatives from sea horse, *Hippocampus kuda Bleeler*. *Biotechnology and Bioprocess Engineering*, 17.
- Zuniga, A., Poupin, M. J., Donoso, R., Ledger, T., Giuliani, N., Gutierrez, R. A., & Gonzalez, B. (2013). Quorum sensing and indole-3-acetic acid degradation play a role in colonization and plant growth promotion of *Arabidopsis thaliana* by *Burkholderia phytofirmans*. *Molecular Plant-Microbe Interactions*, 26(5), 546–553.