
References

- Abbasi, T., & Abbasi, S. A. (2011). Water quality indices based on bioassessment: The biotic indices. *Journal of Water and Health*, 9(2), 330–348.
- Abdul-Majeed, M. (1935). The freshwater algae of the Punjab. Part I. Bacillariophyta (Diatomeae). *Punjab University Publications*, Lahore. 44pp.
- Abhijna, U. G. & Bijukumar, A. (2015). Biomonitoring for pollution assessment: A case study in Veli-Akkulam and Vellayani lakes, Southwest Coast of Kerala. *Journal of Aquatic Biology & Fisheries*, 3, 80–89.
- Abhisheka, V. R., & Binoj Kumar, R. B. (2018). Groundwater quality assessment for domestic and irrigational suitability in Kallada River Basin, south Kerala. *Nature Environment and Pollution Technology*, 17(1), 153–159.
- Adhikary, S. P., Jena, M., & Rath, J. (2009). Soil and freshwater algae from coastal region of Orissa state, India. *Bibliotheca Phycologica*, 115, 1–166.
- Agarkar, D. S. (1969). Contribution to the desmids of Gwalior, Madhya Pradesh, India. *Phykos*, 8(1 and 2), 1–10.
- Agarkar, D. S. (1971). Contribution to the desmids of Gwalior, Madhya Pradesh, (India) – II. *Phykos*, 10(1 and 2), 54–69.
- Agarkar, D. S., Agarker, M. S., & Dikshit, R. (1979). Desmids from Bandhavgarh, Madhya Pradesh, India. *Hydrobiologia*, 65(3), 213–223.
- Alfred, J. R. B. (1978). Algal flora of Shillong. I- Chlorophyceae. *Phykos*, 17(1–2), 33–34.
- Allan, J. D., & Flecker, A. S. (1993). Biodiversity conservation in Running waters. *BioScience*, 43(1), 32–43.
- American Public Health Association (APHA). (1998). Standard methods for the examination of water and wastewater (20th ed). American Public Health Association.
- Anand, N. (1989). A handbook of blue green algae. *Bishen Singh Mahendrapal Singh publishers*, Dehradun. 79 pp.
- Anand, N. (1998). Indian freshwater microalgae. *Bishen Singh Mahendrapal Singh publishers*, Dehradun. 94 pp.
- Anand, N., & Hopper, R. S. S. (1987). Blue green algae from rice fields in Kerala state, India. *Hydrobiologia*, 144, 226–240.
- Anand, N., & Revathi, G. (1987). Blue green algae from rice fields of Tamil Nadu. *Phykos*, 26, 17–21.
- Anand, N., & Subramanian, T. D. (1994). Distribution of natural populations of blue green algae in a rice field. *Phykos*, 33(1 and 2), 163–169.
- Anand, V. K. (1975). A check list of planktonic algae from Mansar Lake Jammu. *Phykos*, 14(1 & 2), 77–79.
- Anand V. K., & Jitendra, P. (2006). Occurrence of genus *Oedogonium* link in aquatics of Shivalik Himalayas, India. *Journal of Aquatic Biology*, 21(2), 1–4.
- Anila, P. A., & Ajit Kumar, A. G. (2015). The Influence on Environmental Parameters on Chlorophycean Abundance: A Study from the Museum Lake in Thiruvananthapuram Kerala, India. *Phykos*, 47(2), 117-128.
- Anitha, A. B., Shahul Hammed, A., & Prasad, N. B. (2014). Integrated river basin master plan for Chaliyar Proc. In: *International symposium on integrated water resources management*, 167–117pp.
- Arulmurugan, P., Nagaraj, S., & Anand, N. (2010). Biodiversity of freshwater algae from Temple tanks of Kerala. *Recent Research in Science and Technology*, 2(6), 58–71.
- Ashtekar, P. V. (1982). Euglenophyceae of Aurangabad, Maharashtra. *Phykos*, 21, 153–159.
- Ashtekar, P. V., & Kamat, N. D. (1980a). Nostocales of Marathawada, Maharashtra. *Phykos*, 19(1), 89–93.
- Balachandran C., Dinakaran S., Alkananda B., Boominathan M., & Ramchandra T.V. (2012). Monitoring aquatic macroinvertebrates as indicators for assessing the health of lakes in Bangalore Karnataka. *International Journal of Advanced Life Sciences*, 5, 19-33.
- Banakar, V., Alam, Q., Rajendra, S., Pandit, A., Cladius, A., & Gnanaprakash, K. (2020). Spirulina, The Boon of Nature. *International Journal of Research in Pharmaceutical Sciences*, 11, 57–62.

- Barhate, V. P., & Tarar, J. L. (1981). The algal flora of Tapti River, Bhusawal, Maharashtra. *Phykos*, 20(1 and 2), 75–78.
- Barhate, V. P., & Tarar, J. L. (1983a). Additions to algal flora of Maharashtra: Diatoms from Khandesh – I. *Phykos*, 22, 13–17.
- Barhate, V. P., & Tarar, J. L. (1983b). Algae of Maharashtra: I—Additions to Cyanophyceae of Khandesh. *Phykos*, 22, 67–72.
- Barhate, V. P., & Tarar, J. L. (1985a). Additions to algal flora of Maharashtra: Chlorophyceae from Khandesh – I. *Phykos*, 24, 180–183.
- Barhate, V. P., & Tarar, J. L. (1985b). Additions to the algal flora of Maharashtra: Euglenophyceae from Khandesh – I. *Phykos*, 24, 184–185.
- Barhate, V. P., & Tarar, J. L. (1985c). Additions to the algal flora of Maharashtra: Diatoms from Khandesh – II. *Journal of the Indian Botanical Society*, 64, 381–384.
- Barinova, S. S., Bragina, T. M., & Nevo, E. (2009). Algal species diversity of arid region lakes in Kazakhstan and Israel. *Community Ecology*, 10(1), 7–16.
- Basavarajappa, S. H., Raju, N. S., Hosmani, S. P., & Niranjana, S. R. (2010). Algal diversity and physico-chemical parameters in Hadhinaru Lake, Mysore, Karnataka State, India. *BioScan*, 5(3), 377–382pp.
- Begum, Z. N. T., Mandal, R., & Paul, A. R. (1988). Succession of algal flora in deep water rice field of Sonargaon, Bangladesh. *Phykos*, 27, 15–24.
- Behura, B. K. (1989). Pollution of the wetlands. In: Agrawal, V.P., Desai, B.N. and Abidi, S.A.H. (eds.). *Management of Aquatic ecosystems*, Narendra Publishing House, Delhi, 135–139pp.
- Belal, A. A. M., El-Sawy, M. A., & Dar, M. A. (2016). The effect of water quality on the distribution of macro-benthic fauna in Western Lagoon and Timsah Lake, Egypt. *Egyptian Journal of Aquatic Research*, 42(4), 437–448.
- Bendre, A. M., & Kumar, S. (1975). Cyanophyceae of Meerut. *Phykos*, 14(1 and 2), 1–7.
- Bergman, B. G., & Bump, J. K. (2015). Experimental evidence that the ecosystem effects of aquatic herbivory by moose and beaver may be contingent on water body type. *Freshwater Biology*, 60(8), 1635–1646.
- Bhakta, S., Das, S. K., & Adhikary, S. P. (2010). Freshwater algae of Sikkim. *Journal of Indian botanical Society*, 89(1 & 2), 169–184.
- Bharati, S. G. (1965). On some interesting algae from Kumta, N, Kanara. *Phykos*, 4, 71–73.
- Bharati, S. G., & Hegde, G. R. (1982a). Desmids of Karnataka State and Goa – Part I. *Phykos*, 21, 143–149.
- Bharati, S. G., & Hegde, G. R. (1982b). The genus *Staurastrum* Meyen and *Stauroidesmus* Teil. (Desmidiaceae) in Karnataka and Goa states (India). *Hydrobiologia*, 96(1), 31–51.
- Bharati, S. G., & Hegde, G. R. (1983). Desmids of Karnataka state and Goa: Genus *Euastrum* Ehr. and *Micrasterias* Agardh. *Journal of the Indian Botanical Society*, 62, 170–175.
- Bhattacharya, P., Choudhury, A. Kr., & Pal, R. (2011). Freshwater diatoms from Kolkata with special references to their taxonomy. *Indian Hydrobiology*, 13(2): 98–112.
- Bhoge, O. N., & Ragothaman, G. (1986a). Studies on the Cyanophyceae from Jalgaon region, Maharashtra. *Phykos*, 25, 129–131.
- Bhoge, O. N., & Ragothaman, G. (1986b). Studies on the Euglenophyceae from Jalgaon region, Maharashtra. *Phykos*, 25, 132–135.
- Bhosale, L. J., Dhumal, S. N., & Sabale, A. B. (2010a). Phytoplankton diversity of four lakes of Satara District, Maharashtra State, *BioScan*, 5(3), (pp. 449–454).
- Bhosale, L. J., Dhumal, S. N., & Sabale, A. B. (2010b). Seasonal variations in occurrence of phytoplankton and primary productivity of some selected lakes in Maharashtra. *BioScan* [Special Issue], 2, 569–578.
- Bhosale, L. J., Patil, S. M., Dhumal, S. N., & Sabale, A. B. (2010c). Occurrence of phytoplankton in the lakes in and around Kolhapur City (Maharashtra). *Indian Hydrobiology*, 12(2), 133–142.
- Bhosale, L. J., Patil, S. M., Dhumal, S. N., & Sathe, S. S. (2010d). Phytoplankton biodiversity in water bodies of Tahasil Kavathe Mahankal (Sangli District), during post summer period. *Indian Hydrobiology*, 12(2), 190–194.

- Bijukumar, A., & Sushama, S. (2001). The fish fauna of Bharathapuzha river, Kerala. *Journal of Natural History of India*, 98(3), 464-468.
- Bijukumar, A., Philip, S., Ali, A., Sushma, S., & Raghavan, R. (2013). Fishes of river Bhatathapuzha, Kerala, India: diversity, distribution, threats and conservation. *Journal of Threatened Taxa*, 5(15), 4979-4993.
- Binoj Kumar, R. B., & Divya, M. P. (2012). Spatial evaluation of groundwater quality in Kazhakuttam block, Thiruvananthapuram District, Kerala. *Journal of the Geological Society of India*, 80(1), 48-56.
- Biswas, B. K., & Konar, S. K. (2000). Impact of waste disposal on plankton abundance and diversity in the river Ganga at Hatdidah (Bihar). *Pollution Research*, 19(4), 633-640.
- Biswas, B. K., & Konar, S. K. (2001). Influence of Hazardous Industrial Wastes on Plankton in the river Damodor at Durgapur in West Bengal. *Pollution Research*, 20(4), 583-588.
- Biswas, K. (1936). Common diatoms of the Loktak lake, Manipur, Assam. *Journal of Royal Asiatic Society of Bengal*, 2(2), 171-175.
- Biswas, K. (1949). Common fresh and brackish water algal flora of India and Burma. *Records of the Botanical Survey of India*, XV(II), 169 pp.
- Bongale, U. D. (1981). On soil algae from paddy fields of Panjim (Goa) and Chikkamanchali (Raichur dist., Karnataka), India. *Journal of the Indian Botanical Society*, 60, 326-329.
- Bongale, U. D. (1985). Systematic account of diatoms from the cultivated soils of Karnataka State, India. *Phykos*, 24, 18-26.
- Bongale, U. D. (1987). Records of certain interesting desmid taxa from Karnataka State. *Phykos*, 26, 53-56.
- Bongale, U. D., & Bharati, S. G. (1980a). On the algal flora of cultivated soils of Karnataka State, India. *Phykos*, 19(1), 95-109.
- Bongale, U. D., & Bharati, S. G. (1980b). Freshwater algae of Davanagere and Raichur of Karnataka State, India. *Journal of the Bombay Natural History Society*, 77(1), 6-11.
- Brijesh, V. K. (2006). Hydrogeological studies and Groundwater modelling in Bharathapuzha Basin, Kerala, India. [PhD Thesis], University of Mysore.
- Boyd, C. E. (1981). Water Quality in warm water fishponds. *Anburn University and Printers*, C. Alabama. 359 pp.
- Chacko, P. I., & Ganapati, S. V. (1949). Some observations on the Adyar River, with special reference to its hydrobiological conditions. *Indian Geographical Journal*, 24(3), 35-49.
- Chadha, A., & Pandey, D. C. (1977). Additions to the algal flora of Allahabad, I-Genus *Scenedesmus*. *Phykos*, 16(1 and 2), 69-75.
- Chadha, A., & Pandey, D. C. (1978). Additions to the algal flora of Allahabad, II (Chlorophyta, Chlorococcales). *Phykos*, 17(1 and 2), 73-80.
- Chakraborty, T., Mukhopadhyay, A., & Pal, R. (2010). Micro-algal diversity of Kolkata, West Bengal, India. *Indian Hydrobiology*, 12(2), 204-224.
- Chandler, J. R. (1970). A biological approach to water quality management. *Water pollution control*, 69, 415-421.
- Chandra, S., Singh, A., Tomar, P. K., & Kumar, A. (2011). Evaluation of physicochemical characteristics of various river water in India. *E-Journal of Chemistry*, 8(4), 1546-1555.
- Chaporkar, C. B., & Gangawane, L. V. (1984). Blue green algae of some cultivated soils of Marathwada, Maharashtra - I. *Phykos*, 23(1 and 2), 55-58.
- Chatterjee, M., & Chatterjee, S. P. (1983). Nitrogen fixing Cyanobacteria from the paddy field soils of Burdwan district. *Phykos*, 22, 64-66.
- Chattopadhyay, S., Asa Rani, L., & Sangeetha, P. V. (2005). Water quality variations as linked to land use pattern: A case study in Chalakudy river basin, Kerala. *Current Science*, 89(12), 2163-2169.
- Chaturvedi, U. K. (1985). Additions to algal flora of Rohilkhand division, U.P., India: IX Diatoms from Bareilly district. *Phykos*, 24, 163-169.
- Chaturvedi, U. K., Pandey, U. C., Habib, I., & Shukla, H. M. (1987). Desmids of Bareilly - II. *Phykos*, 26, 95-102.

- Chaudhary, B. L., & Meena, L. (2007). Notes on the freshwater euglenoides and Dinophyceae of Udaipur district, Rajasthan (India). *Journal of the Indian Botanical Society*, 86(3 and 4), 64–67.
- Choudhary, K. K. (2009). Occurrence of Chroococcaceae during rice cultivation in north Bihar, India. *Bangladesh Journal of Plant Taxonomy*, 16(1), 57–63.
- Chaudhary, R., & Pillai, R. S. (2010). Diversity of phytoplankton at Sasthamcotta Lake, Kollam, Kerala. In: Dwivedi, S.N., Tamot, P. and Yasin, A.M. (eds.). Proceedings of national seminar on “Integrated management of water resources to biodiversity and livelihood”, *Academy of science, engineering and technology*, Bhopal, 163–170pp.
- Das, C. R. (1961). A new report on *Spirogyra rugulosa* Iwan off from Senchal lake, Darjeeling, India. *Bulletin of the Botanical Survey of India*, 3(3/4), 389.
- Das, P. R., & Santra, S. C. (1982). Diatoms of Senchal Lake, Darjeeling, West Bengal. *Phykos*, 21, 99.
- Das, R. N., & Purty, N. (1990). Desmids from dhunti, Ranchi. *Phykos*, 29(1 and 2), 127–128.
- Das, S. K., & Adhikary, S. P. (2012). Fresh water algae of Nagaland. *Journal of the Indian Botanical Society*, 91(1–3), 99–123.
- Deshmukh, B. S., & Pingle, S. D. (2006). Chlorophycean algae of Ahmednagar district (MS). *Indian Hydrobiology*, 9(2), 301–305.
- Desikachary, T. V. (1959). Cyanophyta-ICAR Monograph on algae. *Indian Council of Agricultural Research*, New Delhi, 686 pp.
- Desikachary, T. V. (1989). Atlas of Diatoms (Marine diatoms of the Indian Ocean region), Madras Science Foundation, Madras. *Fascicle VI*, 1–27.
- Dey, H. S., Bhuyan, S., Pradhan, B., & Bastia, A. K. (2008). Freshwater algal diversity of Similipal Biosphere Reserve, Orissa. *Indian Hydrobiology*, 11(1), 167–172.
- Dhande, J. S., & Jawale, A. K. (2008). On genus *Fragillaria*, *Lyngbye* and *Synedra* Ehr. from Hartala lake, Maharashtra. *Indian Hydrobiology*, 11(2), 217–222.
- Dhande, J. S., & Jawale, A. K. (2009). Genus *Cosmarium* Corda from Hartala Lake district Jalgaon Maharashtra. *Shodh Samiksha aur Mulyankan*, 2 (7), 196–198.
- Dhanya, V., & Ray, J. G. (2015). Green Algae of Unique Tropical Wetland, Kuttanadu, Kerala, India, in Relation to Soil Regions, Seasons and Paddy Growth Stages. *International Journal of Science, Environment and Technology*, 4, 770-803.
- Dhingra, R., & Ahluwalia, A. S. (2007). Genus *Phormidium* Kutzing ex Gomont (Cyanoprokaryote) from diverse habitats of Punjab. *Journal of Indian botanical Society*, 86(3 & 4), 86–94.
- Dinesan, V. P., Anitha, A. B., & Gopakumar, R. (2004). Water resources scenario of Bharathapuzha River Basin. In *Proceedings of the Industrial Environmental Conference*, 36–48pp.
- Divya, D. K. R., & Manomani, K. (2013). Assessment of water quality of river Kalpathypuzha, Palakkad, District Kerala. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 4(4), 59–62.
- Divya, M., Sethuraman, S., Devabharathi, N., Mondal, S. K., & Dasgupta, S. (2019). Low-temperature processing of printed field-effect transistors from sublimating-stabilizer derived oxide nanodispersions. *Advanced Electronic Materials*, 5(7), 42-49.
- Drissia, T. K. (2019). Spatial and temporal variation of water stress in Bharathapuzha River Basin, Kerala, India. *Journal of the Institution of Engineers (India): Series A*, 100(1), 167–175.
- Dudgeon, D. (2000). Riverine biodiversity in Asia: A challenge for conservation biology. *Hydrobiologia*, 418(1), 1–13.
- Dudgeon, D. (2003). The contribution of scientific information to the conservation and management of freshwater biodiversity in tropical Asia. *Hydrobiologia*, 500(1–3), 295–314.
- Dwivedi, R. K., Shukla, S. K., Shukla, C. P., Misra, P. K., & Seth, M. K. (2008). Cyanophycean flora of southern Himanchal Pradesh, India. *Ecoprint*, 15, 29–36.
- Easa, P. S. (2004). Biodiversity documentation for Kerala, Part 1. Algae, *Kerala Forest Research Institute*, Peechi, 106 pp.

- Eshwarlal, S., & Angadi, S. B. (2003). Physico-chemical parameters of two fresh water bodies of Gulbarga, India, with special reference to Phytoplankton. *Pollution Research*, 22 (3), 411-42.
- Fritsch, F. E. (1945a). The structure and reproduction of the algae, I. *Cambridge University Press*, Cambridge. 791 pp.
- Fritsch, F. E. (1945b). The structure and reproduction of the algae, II. *Cambridge University Press*, Cambridge. 939 pp.
- Fritsch, F. E. (1907a). A general consideration of the sub-aerial and freshwater algal flora of Ceylon: A contribution to the tropical algal ecology. Part I: Sub-aerial algae and algae of the inland freshwaters. *Proceedings of the Royal Society of London, Series B*, 79(531), 197-254.
- Fritsch, F. E. (1907b). The sub-aerial and freshwater algal flora of the tropics: A phytogeographical and ecological study. *Annals of Botany (London)*, 21(2), 235-275.
- Freitas, J. F., & Kamat, N. D. (1979). Desmidiaceae of Nagpur. *Phykos*, 18(1 and 2), 97-103.
- Ganapathi, S. V. (1956). Studies on the source of the Madras city water supply and on other waters of Madras State [PhD Thesis], University of Madras.
- Ganapathi, S. V., & Alikunhi, K. H. (1950). Factory effluents from Mettur chemical and industrial Corporation Ltd., Mettur Dam and their pollutional effects on the fisheries of Cauvery. *Proceedings of the National Institute of Sciences in India*, 16, 189-200.
- Gandhi, H. P. (1955). A contribution to our knowledge of the freshwater diatoms of Partabgarh Rajasthan. *Journal of the Indian Botanical Society*, 34, 307-338.
- Gandhi, H. P. (1956). A preliminary account of the soil diatom flora of Kolhapur. *Journal of the Indian Botanical Society*, 35(4), 402-408.
- Gandhi, H. P. (1957). A contribution to our knowledge of the diatom genus *Pinnularia*. *Journal of the Bombay Natural History Society*, 54(4), 845-852.
- Gandhi, H. P. (1958a). The freshwater diatom flora of the Hirebhasgar dam area, Mysore State. *Journal of the Indian Botanical Society*, 37(2), 249-265.
- Gandhi, H. P. (1958b). Freshwater diatoms from Kolhapur and its immediate environs. *Journal of the Bombay Natural History Society*, 55(3), 493-511.
- Gandhi, H. P. (1959). Freshwater diatom flora in the Sagar of Mysore state. *Journal of the Indian Botanical Society*, 38(3), 305-331.
- Gandhi, H. P. (1959a). Freshwater diatoms from Sagar in the Mysore State. *Journal of the Indian Botanical Society*, 38(3), 305-331.
- Gandhi, H. P. (1959b). Freshwater diatom flora of the Panhalgarh Hillfort in the Kolhapur district. *Hydrobiologia*, 14(2), 93-129.
- Gandhi, H. P. (1960). On the diatom flora of some ponds around Vasna village near Ahmedabad. *Journal of the Indian Botanical Society*, 39(4), 558-567.
- Gandhi, H. P. (1961). Notes on the Diatomaceae of Ahmedabad and its environs. *Hydrobiologia*, 17(3), 218-236.
- Geeta, K., & Kerkar, V. (2009). Freshwater green algal flora from Parsem (Pernem) Goa, India. *Indian Hydrobiology*, 12(1), 114-119.
- Gharib, S. M., El-Sherif, Z. M., Abdel-Halim, A. M., & Radwan, A. A. (2011). Phytoplankton and environmental variables as a water quality indicator for the beaches at Matrouh, south-eastern Mediterranean Sea, Egypt: An assessment. *Oceanologia*, 53(3), 819-836.
- Ghosh, A. K. (1989). Wetland ecosystem in India: An overview. In Agrawal, V. P., B. N. Desai & S. A. H. Abidi (Eds.), Management of aquatic ecosystems. *Narendra Publishing House*, 141-153pp.
- Girish Kumar E., Rekha C., Pradeep Kumar G., Saikala K., & Sivadasan K. K. (2014). Diversity of planktonic algae of selected temple ponds of Mahe U.T. of Puducherry, India. *International Journal of Science*, 48-52pp.
- Gonzalves, E. A. (1981). Oedogoniales- ICAR Monograph on algae. *Indian Council of Agricultural Research*, New Delhi, India. 757 pp.

- Govindasamy, C., Kannan, L., & Jayapaul, A. (2000). Seasonal variation in physico-chemical properties and primary production in the coastal water biotopes of Coromandel coast, India. *Journal of Environment Biology*, 21, 1–7.
- Gupta, R. K. (2002). A check list of algal flora of Shillong, Meghalaya. *Journal of Economic and Taxonomic Botany*, 26(2), 464–468.
- Gupta, R. K., & Srivastava, O. N. (1993). Studies on euglenoids of Ranchi, India – II. Additions of Bihar phycoflora. *Bulletin of the Botanical Survey of India*, 35(1–4), 1–5.
- Gupta, S., Singh, D., Rawat, M. S., & Ahmed, R. (2018). Phytoplankton community in relation to physicochemical characteristics of Renuka Lake and Parshuram Tal (H.P.), India. *International Journal of Scientific Research and Reviews*, 7(3), 769–780.
- Gurudeva, M. R., Arekal, G. D., & Somashekar, R. K. (1983). Desmid flora of Savandurga, Karnataka. *Phykos*, 22, 48–56.
- Gurumayum, S. D., Daimari, P., Goswami, B. S., Sarkar, A., & Choudhury, M. (2001). Ecology of river Subansiri in Arunachal Pradesh. *Journal of Inland Fisheries Society of India*, 33(2), 50–54.
- Guschina, I. A., & Harwood, J. L. (2009). Algal lipids and effect of the environment on their biochemistry. In M. T. Arts, M. T. Brett & M. J. Kainz (Eds.). *Lipids in aquatic ecosystems*, 1–24pp.
- Habib, I. (1995). Desmids of Lakhimpur- Kheri, U.P. *Journal of Economic and Taxonomic Botany*, 19(2), 307–311.
- Habib, I. (1996). A systematic account of Chlorococcales from Najibabad (U. P.) India. *Journal of Economic and Taxonomic Botany*, (3), 681–684.
- Habib, I. (2002). Some Chlorococcales from Kumaun region (U.P.) India. *Journal of Indian botanical Society*, 81, 195–198.
- Habib, I., & Chaturvedi, U. K. (2001). A systematic account of Chlorococcales from Mahoba, India. *Phykos*, 40(1&2), 107–113.
- Habib, I., Ghildiyal, J. C., Negi, K. S., & Chaturvedi, U. K. (1998). A systematic account of Chlorococcales from Kotdwar, Garhwal. *Phykos*, 37(1&2), 125–129.
- Habib, I., & Pandey, U. C. (1990a). On some taxa of *Cosmarium* Corda- New to Indian desmid flora. *Journal of the Indian Botanical Society*, 69, 275–276.
- Habib, I., & Pandey, U. C. (1990b). The Euglenineae from Nakatia River, Bareilly (U.P.) India. *Journal of the Indian Botanical Society*, 69, 387–390.
- Habib, I., Shukla, H. M., & Pandey, U. C. (1992). A preliminary survey of Cyanophyceae of Mala Forest, Pilibhit, (U.P.). *Journal of Economic and Taxonomic Botany*, 16(2), 367–371.
- Hammer, G. L., Hansen, J. W., Phillips, J. G., Mjelde, J. W., Hill, H., Love, A., & Potgieter, A. (2001). Advances in application of climate prediction in agriculture. *Agricultural Systems*, 70(2–3), 515–553.
- Harsha, T. S., & Malammanavar, S. G. (2004). Assessment of phytoplankton density in relation to environmental variables in Gopalaswamy pond at Chitradurga, Karnataka. *Journal of Environmental Biology*, 25(1), 113–116.
- Hegde, G. R. (1986b). New records of desmids from Karnataka State – I. *Phykos*, 25, 117–122.
- Hegde, G. R., & Bharati, S. G. (1983a). Freshwater algae of Bijapur district, Karnataka State, India. *Phykos*, 22, 167–170.
- Hegde, G. R., & Bharati, S. G. (1983b). Zygospor formation in some species of desmids – Part II. *Phykos*, 22, 4–12.
- Hegde, G. R., & Bharati, S. G. (1986). Ecological studies in ponds and lakes of Dharwad – Occurrence of euglenoid blooms. *Phykos*, 25, 62–67.
- Hegde, G. R., & Isaacs, S. W. (1988a). Certain interesting desmid taxa from Uttara Kannada district of Karnataka State. *Phykos*, 27, 8–12.
- Hegde, G. R., & Isaacs, S. W. (1988b). Freshwater algae of Karnataka State –I. *Phykos*, 27, 96–103.
- Hegde, G. R., & Issacs, S. W. (1989). New taxa of desmids from Uttara Kannada district, Karnataka State (India). *Journal of Bombay Natural History Society*, 86(1), 88–90.

- Hegde, G. R., & Malammanavar, S. G. (1988). Some noteworthy rice field algae of Dharwad, Karnataka State. *Phykos*, 27, 4–7.
- Hegde, G. R., & Somanna, K. (1991). Freshwater algae of Karnataka – II, India. *Phykos*, 30(1 & 2), 49–54.
- Hosmani, S. P. (2008). Ecology of Euglenaceae from Daharwar, Karnataka. *Indian Hydrobiology*, 11(2), 303–311.
- Hosmani, S. P., & Bharati, S. G. (1983). Euglenineae of polluted and unpolluted waters. *Phykos*, 22, 130–135.
- Hynes, H. B. N. (1978). The biology of polluted waters (6th ed). *Liverpool, University Press*, Liverpool. 202 pp.
- Irfanullah, H. M. (2006). Algal taxonomy in limnology: An example of the declining trend of taxonomic studies. *Hydrobiologia*, 559(1), 1–9.
- Isabella, G., & Patel, R. J. (1985). Contribution to our knowledge of Chlorococcales of Gujarat. *Journal of the Indian Botanical Society*, 64, 139–143.
- Iyengar, M. O. P., & Desikachary, T. V. (1981). Volvocales- ICAR Monograph on algae. *Indian Council of Agricultural Research*, New Delhi, India, 532 pp.
- Jafari, N., Trivedy, R. K., & Pathak, R. K. (2010). Water quality and ecological assessment as indicators for freshwater ecosystem classification. *Pollution Research*, 29(3), 523–537.
- Jain, R., Jain, P. K., & Srivastava, P. (2011). A list of blue green algae of Alwar (Rajasthan), India. Chroococcales – I. *Indian Hydrobiology*, 13(2), 169–178.
- Jalal, F. N., & Sanal Kumar, M. G. (2013). Water quality assessment of Pamba river of Kerala, India in relation to pilgrimage season. *International Journal for Research in the Chemical Environment*, 3(1), 341–347.
- Jawale, A. K., Kumawat, D. A., & Chaudhari, N. A. (2009). Freshwater Chlorophyceae from Jalgaon district, north Maharashtra I—Unicellular Volvocales. *Indian Hydrobiology*, 12(1), 1–9.
- Jawale, A. K., Kumawat, D. A., & Chaudhari, N. A. (2010). Additions to the Volvocales of Maharashtra. *Indian Hydrobiology*, 13(1), 13–18.
- Jaya, D. S., & Deepthi, G. P. (2015). Assessment of groundwater quality in Karakulam Grama Panchayath in Thiruvananthapuram, Kerala State, South India. *International Journal of Geological and Environmental Engineering*, 9(10), 1209–1213.
- Jayabhaye, U. M., Madlapure, V. R., & Salve, B. S. (2007). Phytoplankton diversity of Parola dam, Hingoli, Maharashtra. *Journal of Aquatic Biology*, 22(2), 27–32.
- Jena, M., & Adhikary, S. P. (2007). Chlorococcales (Chlorophyceae) of eastern and north-eastern States of India. *Algae*, 22(3), 167–183.
- Jena, M., Ratha, S. K., & Adhikary, S. P. (2006b). Diatoms (Bacillariophyceae) from Orissa State and neighbouring regions, India. *Algae*, 21(4), 377–392.
- Jha, B. C., Kaushal, D. K., & Rao, Y. R. (1985). Chlorococcales of Gobindsagar reservoir-Himachal Pradesh, India. *Phykos*, 24, 27–32.
- Jha, M. N., Jha, U. N., Ahmad, N., & Malik, M. K. (1986). Cyanobacterial flora of rice field soils of Pusa and its adjoining areas. *Phykos*, 25, 97–101.
- Jindal, R., & Sharma, C. (2011a). Studies on water quality of Sutlej River around Ludhiana with reference to physico-chemical parameters. *Environmental Monitoring and Assessment*, 174, 417–425.
- Jindal, R., & Sharma, C. (2011b). Biomonitoring of pollution in river Sutlej. *International Journal of Environmental Sciences*, 2(2), 863–872.
- Jithesh, K. R. (2010). First report on the phytoplankton of Mullaperiyar – A tropical high altitude lake in the Western Ghats of Kerala. *Proceedings of 22nd Kerala Science Congress*. Kerala State Council for Science, Technology and Environment, Trivandrum, 624 – 626pp.
- Jose, J., & Francis, M. S. (2007). Investigation on the algal flora of Thodupuzha thaluk, Kerala. *Indian Hydrobiology*, 10(1), 79–86.
- Jose, J., & Francis, M. S. (2008). An overview on the freshwater algal resources of Idukki district, Kerala. In P. Natarajan, K. V. Jayachandran & A. Arun (Eds.). *Proceedings of the International Conference Biodiversity Conservation and Management (BIOCAM)*,

- 2008). Rajiv Gandhi Chair in Contemporary Studies, Cochin University of Science and Technology, Cochin, 28–30pp.
- Jose, J., & Francis, M. S. (2010). Wetland algal resources of Western Ghats (Idukki district region), Kerala, India. *Journal of Basic and Applied Biology*, 4(3), 34–41.
- Jose, J., & Francis, M.S. (2013). New Additions to the Freshwater Algae I - Chlorophyceae. *International Journal of Pure and Applied Bioscience*, 1(6), 77-83.
- Jose, L., & Patel, R. J. (1989). Contribution to the freshwater diatom flora of Kerala. *Journal of Phytological Research*, 2(1), 45–51.
- Jose, L., & Patel, R. J. (1990). *Caloglossa ogasawaraensis* (Rhodophyta, elesseriaceae), a freshwater Rhodophyceae new to India. *Cryptogamie Algologie*, 11(3), 225–228.
- Jose, L., & Patel, R. J. (1992). A systematic account of Chlorococcales new to Kerala. *Phykos*, 31(1 and 2), 95–101.
- Joseph, V., & Joseph, A. (2002). Ecology and seasonal variation of microalgal community in an oil refinery effluent holding pond: Monitoring and assessment. *Environmental monitoring and Assessment*, 80, 175-185.
- Joseph, M. L., & Prakasam, V. R. (2002). Seasonal abundance of plankton and fish in Sasthamcotta Lake, Kerala. *Proceedings of the National Seminar on Ecology and Conservation of Wetlands, Limnological Association of Kerala*, 59–64pp.
- Joseph, R., & Tessy, P. P. (2010). Water quality and pollution status of Chalakudy River at Kathikudam, Thrissur district, Kerala, India. *Nature Environment and Pollution Technology*, 9(1), 113- 118.
- Joshi, K.K. (2010). Studies on the periphytic algae in pokkali and prawn fields of N. Paravoor and Vypeen Island. PhD Thesis, M.G University.
- Kahar, A. (1988). Impact of sewage on the water quality of the Karamana river and the Poonthura backwater, Kerala, India. [MPhil Dissertation], University of Kerala.
- Kamaleswari, J., & Sivasubramanian, V. (2011). Role of freshwater algae in remediation of effluents and wastewater. *Indian Hydrobiology*, 13(2), 94–97.
- Kamat, N. D. (1968). Algae of Simla. *Journal of Bombay Natural History Society*, 65(1), 271–277.
- Kamat, N. D. (1968a). Algae of Alibag, Maharashtra. *Journal of Bombay Natural History Society*, 65(1), 88–104.
- Kamat, N. D. (1968b). Algae of Simla. *Journal of Bombay Natural History Society*, 65(1), 271–277.
- Kamat, N. D. (1975a). Algae of Vidarbha, Maharashtra. *Journal of Bombay Natural History Society*, 72(2), 450–476.
- Kamat, N. D., & Aggarwal, R. (1975). Diatoms of Nainital. *Journal of Bombay Natural History Society*, 72(1), 240–241.
- Kamat, N. D., & Freitas, J. F. (1976). A check list of Euglenophyceae and Chlorophyceae of Nagpur, Maharashtra. *Phykos*, 15(1 and 2), 121–125.
- Kannan, N., & Sabu, J. (2010). Quality of groundwater in the shallow aquifers of a paddy dominated agricultural river basin, Kerala, India. *International Journal of Civil and Environmental Engineering*, 2(3), 160-178.
- Kant, S., & Anand, V. K. (1978). New records of *Scenedesmus* spp. from Jammu (J. & K.). *Phykos*, 17(1 and 2), 81–85.
- Kant, S., & Gupta, P. (1998). Algal flora of Ladakh. *Journal of Economic and Taxonomic Botany Additional Series*, 15, 1–341.
- Kargupta, A. N., & Ahmad, M. R. (1991). Freshwater green algal flora of North Bihar – II. *Journal of Economic and Taxonomic Botany*, 15(1), 203–209.
- Kargupta, A. N. and Keshri, J. P. (2006). New records of the macrandrous *Oedogonium* (Oedogoniales, Chlorophyceae) taxa from West Bengal, India. *Algological Studies*, 122, 57–71.
- Kaushik, S., & Saksena, D. N. (1994). The trophic status and habitat ecology of entomofauna of the water bodies at Gwalior, Madhya Pradesh. In O. P. Agarwal (Ed.), *Perspective in entomological research*, Scientific Publishing, 241–261pp.

- Kavitha, A., & Balasingh, G. S. R. (2007). Seasonal abundance and phytoplankton diversity of a sacred grove freshwater ecosystem of Kanyakumari district, South Tamil Nadu. *Indian Hydrobiology*, 10(2), 231–236.
- Kerker, V., & Madkaiker, S. (2003). Freshwater blue green algae from Goa. *Indian Hydrobiology*, 6(1 & 2), 45–48.
- Keshri, J. P. (2009). Contribution to our knowledge of freshwater green algae (Chaetophorales) of West Bengal, India. *Algological Studies*, 131, 43–61.
- Keshri, J. P. (2010a). Contribution to our knowledge of Ulotrichales (Chlorophyta) of West Bengal, India. *Algological Studies*, 133, 29–41.
- Keshri, J. P. (2010b). Contribution to our knowledge of Coleochaetales (Chlorophyta) of West Bengal, India. *Algological Studies*, 134, 41–54.
- Khan, M. A., Panwar, R. S., Mathur, A., & Jelly, R. (1998). Studies on plankton communities and primary production in middle stretch of river Ganga in context of cultural eutrophication. *Journal of Inland Fisheries Society of India*, 30(1), 47–68.
- Khare, A., & Kumar, M. (2010). Cyanobacterial biodiversity of Ramnagar, Dist. Nainital. *Plant Archives*, 10(2), 523–530.
- Khare, R., & Suseela, M. R. (2004). Freshwater algal diversity of Nainital, Uttaranchal, India. *Phytotaxonomy*, 4, 19–24.
- Kolte, S. O., & Goyal, S. K. (1985). Distributional pattern of blue green algae in rice field soils of Vidarbha region of Maharashtra State. *Phykos*, 24, 156–162.
- Komarek, J. (2013). Cyanoprokaryota. 3. Heterocytous genera. In S. von (Ed.), *Mitteleuropa/freshwater flora of Central Europe. Springer Spektrum*, 1130 pp.
- Krebs, C. J. (1994). *Ecology: The experimental analysis of distribution and abundance. Harper Collins College Publishers*, New York, 801 pp.
- Krishnamurthy, V. (1954). A contribution to the diatom flora of south India. *Journal of the Indian Botanical Society*, 33(4), 354–381.
- Krishnamurthy, V. (2000). *Algae of India and neighbouring countries I. Chlorophycota. Oxford and IBH publishing co. Pvt. Ltd.* New Delhi, 210pp.
- Kumar, S., & Rai, S. K. (2005). contribution to the algal flora (*Chlorophyceae*) of Namchi, Sikkim-Himalayas. *Our Nature*, 3, 50-55.
- Kumavat, D. A. (2006). Biodiversity, occurrence and succession of diatoms in Yawal and Raver tahasils of Jalgaon district, Maharashtra. *Journal of Aquatic Biology*, 21(2), 9–12.
- Kumawat, D. A., & Jawale, A. K. (2001). On *Spirulina* Turpin em Gardner from fish ponds at Anjale, Maharashtra. *Phykos*, 40(1 & 2), 115–119.
- Kumawat, D. A., & Patil, J. (2010). Observations on the blue green alga *Spirulina* from the Tapi River, Jalgaon district, Maharashtra. *Journal of Indian botanical Society*, 89(1 & 2), 127–132.
- Kurano, N., & Miyachi, S. (2004). Micro-algal studies for the 21st century. *Hydrobiologia*, 512(1–3), 27–32.
- Leenamol, T. M., & Tessa, P. P. (2009). Biodiversity changes of phytoplankton in Chalakudy River due to paper mill effluents. In N. S. Bijoy, M. Salim, G. S. Pillai & V. Reeny (Eds.), *A compendium on wetland biodiversity and conservation (Proceedings of the national seminar on Wetland Biodiversity). Limnological Association of Kerala (LAK) Publishers*, Kerala, India, 104–114pp.
- Lakshmi, K. (2002). *Ecological studies on the mangroves of Valapattanam and Thalassery River Basins [PhD Thesis]. University of Calicut.*
- Lui, B. H., Zhang, D. H., & Lee, Y. K. (2000). Effects of nutrient levels on cell growth and secondary carotenoids formation in the freshwater green algae, *Chlorococcum* sp. *Journal of Microbiology and Biotechnology*, 10, 201–207.
- Madhusoodanan, P. V., & Dominic, T. K. (1996b). Epiphytic Cyanobacteria on mosses from Western Ghats of Kerala. *Journal of Economic and Taxonomic Botany*, 20(2), 355–360.
- Madhusoodanan, P. V., & Dominic, T. K. (1999). Cyanobacteria from extreme acidic environment. *Current Science*, 77(8), 1021–1023.

- Magesh, N. S., Jitheshlal, K. V., Chandrasekar, N., & Jini, K. V. (2013). Geographical information system-based morphometric analysis of Bharathapuzha river basin, Kerala, India. *Applied Water Science*, 3(2), 467–477.
- Mahajan, S. K. (1987). Algal flora of Pawagiri Oon, Madhya Pradesh. *Phykos*, 26(1 & 2), 61–62.
- Maity, H., & Santra, S. C. (1985). Blue green algal flora of 24-Paraganas, West Bengal (India). *Phykos*, 24, 46–51.
- Makandar, M. B., & Bhatnagar, A. (2010). Biodiversity of micro-algae and Cyanobacteria from freshwater bodies of Jodhpur, Rajasthan (India). *Journal of Algal Biomass Utilization*, 1(3), 54–69.
- Mam, S. (1995). Additions to the algal flora of Kashmir – V. Bacillariophyceae. *Journal of Economic and Taxonomic Botany*, 19(2), 277–285.
- Manjula, P. (2015). Hydrological and hydrochemical characterization of Thuthapuzha Sub Basin of Bharathapuzha [Thesis] submitted to Kannur University. Kannur.
- Manjula, P., & Unnikrishnan Warriar, C. (2019). Evaluation of water quality of Thuthapuzha Sub-basin of Bharathapuzha, Kerala, India. *Applied Water Science*, 9(4), 70.
- Manohar, K.V., & Patel, R. J. (1985). On three colonial Volvocales – New to India. *Phykos*, 24, 80–83.
- Manohar, K. V., & Patel, R. J. (1988). Study of Volvocales of Gujarat IV – The genus *Chlorogonium* Ehrenberg. *Phykos*, 27, 115–116.
- Mathur, M., & Pathak, N. (1990). Chlorococcales from the rock shelters of Hoshangabad. *Phykos*, 29(1 and 2), 111–113.
- Maya, K. (2005). Studies on the nature and Chemistry of Sediments and water of Periyar and Chalakudy rivers [PhD Thesis]. Kerala. Cochin, India.
- Maya, K., Remya, S. I., Baburaj, B., Baijulal, B., Lekshmi, I., Nisha, U. R., Sangeetha, J., & Padmalal, D. (2013). Natural and anthropogenic determinants of water quality changes in a small tropical river basin, SW India. *International Journal of Agricultural Sciences*, 3(1), 363–372.
- Maya, S. (2007). A study on the algal diversity of Vamanapuram River of south Kerala, in relation to certain water quality parameters. *Indian Hydrobiology*, 10(1), 157–163.
- Maya, S., Prameela, S. K., & Sarojini, M. V. (2000). A preliminary study on the algal flora of temple tanks of southern Kerala. *Phykos*, 39(1 and 2), 77–83.
- Mehta, S. K., & Gaur, J. P. (2005). Use of algae for removing heavy metal ions from wastewater: Progress and prospects. *Critical Reviews in Biotechnology*, 25(3), 113–152.
- Mishra, B. P., & Tripathi, B. S. (2003). Seasonal Variation in physico-chemical characteristics of Ganga water as influenced by sewage discharge. *Indian Journal of Ecology*, 30, 27–32.
- Mishra, S. M., Pania, S., Bajpal, A., & Bajpai, A. K. (2001). Assessment of trophic status by using Nygaard's index with special references to Bhoj wetland. *Pollution Research*, 20(2), 147–153.
- Misra, P. K., Chauhan, R. S., & Shukla, S. K. (2007). Some freshwater diatoms from Almora district, Uttaranchal State. *Journal of the Indian Botanical Society*. 86(3 & 4), 74–79.
- Misra, P. K., Prakash, J., Srivastava, A. K., & Singh, P. K. (2004). Some freshwater planktonic algae from Sant Kabir Nagar, Uttar Pradesh. *Phytotaxonomy*, 4, 87–94.
- Misra, P. K., Seth, M. K., Prakash, J., Shukla, M., & Dwivedi, R. K. (2009). Freshwater algae from Chandra Lake of district Lahaul and Spiti, Himachal Pradesh, India. *Indian Hydrobiology*, 12(1), 105–113.
- Misra, P. K., Shukla, M., & Prakash, J. (2008b). Some freshwater algae from eastern Uttar Pradesh. *Indian Hydrobiology*, 11(1), 121–132.
- Misra, P. K., Srivastava, A. K., Prakash, J., & Rai, S. K. (2005). Some fresh water filamentous chlorophycean algae from district Balrampur, Uttar Pradesh, India. *Ecology Environment and Conservation*, 11(3–4), 429–431.
- Misra, P. K., Tripathi, S. K., Kishore, S., Singh, S. K., & Chauhan. R.S. (2010). Cyanophyceae of western Uttar Pradesh, India. *Indian Hydrobiology*, 13(1), 36–45.
- Mohan, K. S. (1987). Chlorophyceae of two lakes of Hyderabad, India. *Phykos*, 26, 8–16.

- Mohanty, R. C. (1982). Blue green algae of Bhubaneswar and its adjoining regions – II. *Phykos*, 21, 96–98.
- Mohanty, R. C. (1984). Blue green algae of Bhubaneswar and its adjoining regions – III. *Phykos*, 23(1 & 2), 90–95.
- More, Y.S., & Nandan, S. N. (2003). Hydrobiological study of algae of Panzara dam (Maharashtra). *Ecology, Environment and Conservation*, 9(3), 367-369.
- Moss, B. (2000). Biodiversity in fresh waters - An issue of species preservation or system functioning? *Journal of Environmental conservation*, 27(01), 1-4.
- Mukhopadhyay, A., & Chatterjee, P. (1981). A check list of blue green algae from the paddy fields of 24 Parganas and Howrah districts of West Bengal – I. *Phykos*, 20(1 & 2), 81–84.
- Murugesan, S., & Sivasubramanian, V. (2008a). Freshwater green algae from Porur Lake, Chennai. *Indian Hydrobiology*, 11(1), 133–140.
- Murugesan, S., & Sivasubramanian, V. (2008b). Freshwater diatoms from Porur Lake, Chennai. *Indian Hydrobiology*, 11(1), 149–154.
- Murugesan, V. K., Rani Palaniswamy & Manoharan, S. (2003). Productivity of reservoirs in Tamil Nadu with reference to their plankton population. *Journal of Inland Fisheries Society of India*, 35(2), 50–56.
- Muthukumar, M., Raghavan, B. G., Subramanian, V. V. & Sivasubramanian, V., (2005). Bioremediation of industrial effluent using microalgae. *Indian Hydrobiology*, 7, 105–122.
- Nafeesa, B., & Narayana, J. (2006). Phytoplankton diversity of four lentic water bodies in and around Davangarere city, Karnataka. *Journal of Aquatic Biology*, 21(2), 13–18.
- Nagarajan, K., & Sivaraja, R. (2013). Physico-chemical investigation of river cauvery in bhavani region, Erode district, Tamil nadu, India. *Elixir pollution*, 58, 14857-14863.
- Nair, I. V., Singh, K., Arumugam, M., Gangadhar, K., & Clarkson, D. (2010). Trace metal quality of Meenachil river at Kottayam, Kerala (India) by principal component analysis. *World Applied Sciences Journal*, 9(10), 1100–1107.
- Nair, P. V., Joseph, K. J., Balachandran, V. K., & Pillai, V. K. (1975). A study on the primary production in the Vembanad Lake. *Bulletin Department of Marine Science University Cochin*, 7, 161–170.
- Nandan, S. B. (2007). A perspective on the ecology and bioresources of the Rivers of Kerala. In *Proceedings of the DAE-BRNS National Symposium on Limnology (NSL-07)*, 8-14pp.
- Nandan, S. B., & Sajeevan, K. (2018). Distribution and abundance of phytoplankton in Vembanad Estuary, a Ramsar site on Southwest Coast. *International journal of Engineering and management research*, 5(3), 75–87.
- Nandan, S. N., & Patel, R. J. (1983). Study of algal communities in river Vishwamitri, Baroda as indicators of organic pollution. *Indian Journal of Ecology*, 10(1), 11–15.
- Nandan, S. N., & Patel, R. J. (1986). Assessment of river quality of Vishwamitri by algal analysis. *Indian Journal of Environmental Health*, 29, 100–161.
- Narkhede, P. N. (2006a). Genus *Nitzschia* and *Surirella* from Hatnur dam, Jalgaon district, Maharashtra. *Journal of Aquatic Biology*, 21(2), 19–22.
- Narkhede, P. N. (2006b). Some diatoms of Suki dam in Jalgaon district, Maharashtra. *Journal of Aquatic Biology*, 21(2), 23–26.
- Nasar, S. A. K., & Munshi, J. D. (1976). On the algal flora of some ponds of Bhagalpur, India. *Phykos*, 15(1 & 2), 49–52.
- Nasser, M., & Sureshkumar, S. (2012). Altitude wise variation in diversity of freshwater periphytic microalgae in Anamalai area of Western Ghats. *Biodiversity documentation and taxonomy*, Narendra Publishing House, New Delhi, 127- 135pp.
- Nasser, M., & Sureshkumar, S. (2013). Interaction between microalgal species richness and environmental variables in Peringalkuthu Reservoir, Western Ghats, Kerala. *Journal of Environmental Biology*, 34(6), 1001-1005.

- Nautiyal, P., & Lal, M. S. (1984). Food and feeding habits of fingerlings and juveniles of mahseer (*Tor putitora* Ham.) in Nayar River. *Journal of the Bombay Natural History Society*, 81(3), 642–647.
- Nikhil Raj, P. P., & Azeez, P. A. (2009). Spatial and temporal variation in surface water chemistry of a tropical river, the river Bharathapuzha, India. *Current Science*, 96(2), 245–251.
- Nikhil Raj, P. P., & Azeez, P. A. (2012). Trend analysis of rainfall in Bharathapuzha river basin, Kerala, India. *International Journal of Climatology*, 32(4), 533–539.
- Nirmala, V. V., & Sobha, V. (2003). An assessment of the environmental status of Chalakudy river with special reference to water quality and its influencing features. *Proceedings of the Natural River Conservation Management*. Environment and Forests, Govt. of India, 13–18pp.
- Padhi, S. B., Das, P. K., Swain, P. K., & Behera, G. (2010). Algal flora of the freshwater aquatic systems of Mohuda, Orissa. *Indian Hydrobiology*, 12(2), 143–148.
- Padhy, J., Tripathy, S., Devi, S., & Padhi, S. B. (1992). Studies on blue green algae of rice field soils of Ganjam district of Orissa. *Phykos*, 31(1&2), 7–12.
- Pandey, A.K. (1995). Conservation of biodiversity: Present status and future strategy. In: Pandey, A.K. (ed.). *Taxonomy and Biodiversity*. CBS Publishers and distributors, New Delhi, 44–51pp.
- Pandey, U.C. (1982a). Freshwater diatoms of Shahjahanpur. *Phykos*, 21, 135–136.
- Pandey, U.C. (1982b). Additions to the algal flora of Rohilkhand division VI. Cyanophyceae. *Phykos*, 21, 137–140.
- Pandey, U. C. (1985). Euglenineae of sewage waters – I. *Phykos*, 24, 125–127.
- Pandey, U.C., Habib, I., Gangwar, F.C. and Shukla, H.M. (1987). A contribution to our knowledge of desmids from Bareilly. *Phykos*, 26, 86–94.
- Pandey, U. C., & Pandey, D. C. (1982). Additions to the algal flora of Allahabad – VIII. Cyanophyceae. *Phykos*, 21, 76–79.
- Pandey, U.C., Tiwari, G.L. and Pandey, D.C. (1983a). Diatom flora of Allahabad, India – II. *Bibliotheca Phycologia*, 66, 127–139.
- Pandey, U.C., Tiwari, R.K. and Pandey, D.C. (1983b). An enumeration of Chlorococcales from Allahabad, U.P. India. *Bibliotheca Phycologia*, 66, 115–126.
- Pal, S. (1975). A check list of algae from Ghaziabad. *Phykos*, 14(1 and 2), 67–76.
- Pal, T. K., & Santra, S. C. (1982). Contributions to the Cyanophyceae of Murshidabad. *Phykos*, 21, 150–152.
- Pal, T. K., & Santra, S. C. (1984). New additions to the algal flora of Murshidabad, West Bengal. *Phykos*, 23(1 & 2), 139–141.
- Pal, U. C., & Santra, S. C. (1985). Algal flora of Midnapore, West Bengal (India): I Cyanophyceae. *Phykos*, 24, 12–17.
- Pal, U. C., & Santra, S.C. (1990). Algae of Midnapore, West Bengal: II Bacillariophyceae. *Phykos*, 29(1 & 2), 73–81.
- Palmer, C. M. (1969). A composite rating of algae tolerating organic pollution. *Journal of Phycology*, 5(1), 78–82.
- Pandhol, R. K., & Grover, I. S. (1976). Algal flora of Ludhiana and its adjacent areas. *Phykos*, 15(1 & 2), 81–87.
- Panikkar, M. V. N., & Ampili, P. (1988). *Temnogametum keralense*- A new species from South India. *Journal of Economic and Taxonomic Botany*, 12, 397–400.
- Panikkar, M. V. N., & Ampili, P. (1992). Three new species of *Oedogonium* Link from the flowing waters of Kerala. *Journal of Economic and Taxonomic Botany*, 16(1), 223–225.
- Panikkar, M. V. N., Ampili, P., & Chauhan, V. D. (1989). Observation on *Cephaleuros virescens* Kunze from India. *Journal of Economic and Taxonomic Botany*, 15, 473–475.
- Panikkar, M. V. N., & Sreeja, K. (2005). Zygosporangium formation of desmids from Kollam district, Kerala (India) I. *Closterium*. *Feddes Repertorium*, 116, (3–4), 218–221.
- Panikkar, M. V. N., & Sreeja, K. (2006). Zygosporangium formation of four rare desmids from Kerala, India. *Feddes Repertorium*, 117(3–4), 277–279.

- Panikkar, M. V. N., Ushadevi, K., & Ampili, P. (1997a). New species of the genus *Zygnemopsis* (Skuja) Trans. (Zygnematales, Chlorophyceae) from Kerala, India. *Journal of Economic and Taxonomic Botany*, 21(1), 143–148.
- Panikkar, M. V. N., Ushadevi, K., & Ampili, P. (1997b). A new species of *Mougeotia* (Zygnematales, Chlorophyceae) from Kerala. *Journal of Economic and Taxonomic Botany*, 21(3), 691–693.
- Patel, R. J., & Asokakumar, C. K. (1979). Desmids of Gujarat, India – 1. Genus *Closterium Nitzscia*. *Phykos*, 18(1 and 2), 111–124.
- Patel, R. J., & Daniel, J. K. (1990). Some Chlorococcales new to India. *Phykos*, 29(1 & 2), 129–135.
- Patel, R. J., & Isabella, G. (1980). Chlorococcales new to Western India. *Journal of the Indian Botanical Society*, 59(1), 42–47.
- Patel, R. J., & Waghodekar, V. H. (1981). The Euglenophyceae of Gujarat- India- 1 genus *Phacus* Dujardin. *Phykos*, 20(1 and 2), 24–33.
- Patil, N., & Deore, L. T. (2010a). On the genus *Dichothrix* Zanardini (Family Rivulariaceae) from Dhule, north Maharashtra. *Indian Hydrobiology*, 13(1), 26–28.
- Patil, N., & Deore, L. T. (2010b). Scytonemataceae Rabenhorst (Order Nostocales) from Khandesh region, Maharashtra. *Indian Hydrobiology*, 13(1), 29–35.
- Patil, P. L., & Satav, S. D. (1986). A study on nitrogen fixing blue green algae from rice fields of Western Maharashtra. *Phykos*, 25, 113–116.
- Patil, S. R., & Chaugule, B. B. (2009). Diversity of blue green algae in paddy fields of the western Maharashtra. *Indian Hydrobiology*, 12(1), 89–94.
- Patralekh, L. N. (1991a). Systematic enumeration of chlorophycean algal forms of a perennial pond of Bhagalpur, Bihar. *Journal of Economic and Taxonomic Botany*, 15(1), 11–15.
- Patralekh, L. N. (1991b). Euglenineae and Bacillariophyceae algae recorded from the Ganges at Bhagalpur, Bihar. *Journal of Economic and Taxonomic Botany*, 15(1), 17–19.
- Patralekh, L. N. (1993a). Systematic account of green algae collected from River Ganga at Bhagalpur, Bihar. *Journal of Economic and Taxonomic Botany*, 17(1), 71–73.
- Patralekh, L. N. (1993b). Cyanophycean flora of Rani-Talab, Bhagalpur. *Journal of Economic and Taxonomic Botany*, 17(1), 113–114.
- Patralekh, L. N. (1994). Algal forms of Xanthophyceae, Bacillariophyceae, Dinophyceae and Euglenophyceae of Rani Talab, Bhagalpur, Bihar. *Journal of Economic and Taxonomic Botany*, 18(3), 581–584.
- Patrick, R. (1949). A proposed biological measure of stream conditions, based on a survey of the Conestoga Basin, Lancaster County, Pennsylvania. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 101, 277–341.
- Pawar, S. K., Pulle, J. S., & Shendge, K. M. (2006). The study on phytoplankton of Pethwadaj Dam, Taluka Kandhar - Nanded, Maharashtra. *Journal of Aquatic Biology*, 21, 1-6.
- Perumal, G. M., & Anand, N. (2008a). Manuel of freshwater algae of Tamil Nadu. *Bishen Singh Mahendrapal Singh Publishers*, Dehradun. 133 pp.
- Philipose, M. T. (1967). Chlorococcales- ICAR Monograph on algae. *Indian Council of Agricultural Research*, 365pp.
- Philipose M. T. (1984) Contributions to our knowledge of Indian algae-III. Euglenineae - Part 2. *Proceedings of Indian Academy of Sciences (Plant Science)*, 93, 503-552.
- Philipose M. T. (1988). Contributions to our knowledge of Indian algae-III. Euglenineae - Part 3. *Proceedings of Indian Academy of Sciences (Plant Science)*, 98, 317-354.
- Pingale, S. D., & Deshmukh, B. S. (2005). Some freshwater algae from Amphitheatre of Wilson Dam. *Indian Hydrobiology*, 7, 97–100.
- Pingle, S. D. (2006). Chrysophycean and Pyrrophycean algae from Pune and its neighborhood area. *Indian Hydrobiology*, 8(1), 31–33.
- Prakash, J., Kishore, S., Asthana, D. K., Misra, P. K., & Singh, S. K. (2005). Morphotaxonomy of freshwater chlorophycean algae (desmids) from Siddharth Nagar, U.P., India. *Ecoprint*, 12, 21–25.

- Prasad, B. N. (1952). Some Nostocaceae from Uttar Pradesh. *Journal of Indian Botanical Society*, 31, 358–361.
- Prasad, B. N., & Jaitly, Y. C. (1985). Diatom flora of a high-altitude spring in Ladakh. *Phykos*, 24, 132–139.
- Prasad, B.N., & Khanna, P. (1987). The Cyanophyceae flora of Sikkim- I. Oscillatoriaceae. *Journal of the Indian botanical Society*, 66, 253-260.
- Prasad, B. N., & Mehrotra, R. K. (1977a). Some desmids new to Indian flora. *Journal of Indian botanical Society*, 56, 343–350.
- Prasad, B. N., & Mehrotra, R. K. (1977b). Desmid flora of north Indian paddy fields. *New Botanist*, 4(1–4), 47–74.
- Prasad, B. N., & Mehrotra, R. K. (1978). Some new additions to Cyanophyceae flora of India. *Journal of the Indian Botanical Society*, 57, 98–101.
- Prasad, B. N., & Mehrotra, R. K. (1980). Blue green algae of paddy fields of Uttar Pradesh. *Phykos*, 19(1), 121–128.
- Prasad, B. N., & Misra, P. K. (1984a). On some filamentous green algae- New to Indian flora. *Journal of the Indian Botanical Society*, 63, 456–459.
- Prasad, B. N., & Misra, P. K. (1984b). Some taxa of *Pleurotaenium* Nageli and *Staurastrum* Meyen new to Indian flora. *Current Science*, 53(19), 1048–1050.
- Prasad, B. N., & Misra, P. K. (1984c). Some taxa of Genus *Closterium* Nitzs., new to Indian flora. *Journal of the Indian Botanical Society*, 63, 451–452.
- Prasad, B. N., & Misra, P. K. (1985). Some taxa of *Cosmarium* Link- New to Indian desmid flora. *Journal of the Indian Botanical Society*, 64, 343–347.
- Prasad, B. N., & Misra, P. K. (1992). Freshwater algal flora of Andaman and Nicobar Islands, II. *Bishen Singh Mahendrapal Singh Publishers*, Dehradun. 284 pp.
- Prasad, B. N., & Saxena, M. (1980). Ecological study of blue-green algae in river Gomati. *Indian Journal of Environmental Health*, 22(2), 151-168.
- Prasad, B. N., Singh, Y., & Jaitly, Y. C. (1981). Some diatoms new to Indian flora. *Journal of the Indian Botanical Society*, 60, 282–289.
- Prasad, B. N., & Singh, Y. (1982). On diatoms as indicators of water pollution. *Journal of Indian Botanical Society*, 61, 326–336.
- Prasad, B. N., & Srivastava, M. N. (1981). On four new additions to taxa of genus *Eunotia* Ehr. in India. *Journal of the Indian Botanical Society*, 60, 355–356.
- Prasad, B. N., & Srivastava, M. N. (1983). On two taxa of *Synedra* Ehr-New to algal flora of India. *Phykos*, 22, 46–47.
- Prasad, B. N., & Srivastava, M. N. (1984a). Genus *Scytonema* Ag. in Andaman and Nicobar Islands. *Phykos*, 23(1 and 2), 102–115.
- Prasad, B. N., & Srivastava, M. N. (1984b). Some diatoms from Andaman and Nicobar Islands – II. *Journal of the Indian Botanical Society*, 63, 453–455.
- Prasad, B. N., & Srivastava, M. N. (1985). Some diatoms from Andaman and Nicobar Islands – I. *Journal of the Indian Botanical Society*, 64, 348–356.
- Prasad, B. N., & Srivastava, M. N. (1986). Some Cyanophyceae from Andaman and Nicobar Islands. *Phykos*, 25, 88–96.
- Prasad, B. N., & Srivastava, M. N. (1992). Freshwater algal flora of Andaman and Nicobar Islands. Vol. I. *Bishen Singh Mahendrapal Singh Publishers*, Dehradun. 369 pp.
- Prasad, R. K., Mondal, N. C., & Singh, V. S. (2008). Evaluation of groundwater resource potential using GIS in Kurmapalli water of Andhra Pradesh. *Journal of the Geological Society*, 71, 661–669.
- Prasad, R. N., & Chaudhary, B. R. (1986). *Trachelomonas godwardii* and *Lepocinclis sarmii* two new euglenoid taxa from India. *Phykos*, 25, 75–78.
- Prescott, G. W. (1951). Algae of the Western Great Lakes area exclusive of desmids and diatoms. *Bulletin of the Cranbrook Institute of Science*, 31, 1–946.
- Prescott, G. W. (1982). Algae of the western great Lakes area, with an illustrated key to the genera of desmids and freshwater diatoms. *Koenigstein Otto Koeltz*, 977 pp.

- Priya, H., Prasanna, R., Ramakrishnan, B., Bidyarani, N., Babu, S., & Thapa, S. (2015). Influence of cyanobacterial inoculation on the culturable microbiome and growth of rice. *Microbiological Research*, 171, 78–89.
- Radhika, C. G. & Gangadevi, T. (2005). Limnological studies of a tropical freshwater lake Vellayani Lake with special reference to associated flora. [PhD Thesis]. University of Kerala, Trivandrum.
- Radhika, C. G., Mini, I., & Gangadevi, T. (2004). Studies on abiotic parameters of a tropical freshwater lake- Vellayani Lake, Thiruvananthapuram district, Kerala. *Pollution Research*, 23(1), 49–63.
- Rai, L. C., Kumar, H. D., Mohn, F. H., & Soeder, C. J. (2000). Services of algae to the environment. *Journal of Microbiology and Biotechnology*, 10, 119–136.
- Raj, N., & Azeez. (2010). Land use and land cover changes in a tropical river basin: A case from Bharathapuzha River Basin, Southern India. *Journal of Geographic Information System*, 2, 185–193
- Rajakumar, N. (2005). Biodiversity of diatoms of a few lentic and lotic habitats of Coimbatore district. *Indian Hydrobiology*, 7, 101–104.
- Ralfs, J. (1962). The British Desmidiaceae. *Wheldon and Wesley Ltd. and Hafner publishing Cooperative*, New York. 226 pp.
- Ramachandra, T. V., Kiran, R., & Ahalya, N. (2002). Status, conservation and management of wetlands. *Allied publishers (P) Ltd.* New Delhi. 228 pp.
- Ramadosu, A., & Sivakumar, K. (2010). Seasonal variation of phytoplankton in relation to physico-chemical characteristics at Perumal Lake, Tamil Nadu. *Indian Hydrobiology*, 12(2), 149–158.
- Ramakrishnan, N., & Kannan, L. (1992). Blue green algal flora of Muthupet, Tamil Nadu. *Phykos*, 31(1 and 2), 169–171.
- Ramanathan, K. R. (1964). Ulotricales. ICAR Monograph on algae. *Indian Council of Agricultural Research*. New Delhi, India. 188 pp.
- Ramesh, R., Subramanian, V., & Van Grieken, R. (1990). Heavy metal distribution in sediments of Krishna River basin, India. *Environmental Geology and Water Sciences*, 15, 303–324
- Randhawa, M. S. (1959). Zygnemataceae. ICAR Monograph on algae. *Indian Council of Agricultural Research*, New Delhi, India. 478 pp.
- Rao, B. D., Srinivas, D., Padmaja, O., & Rani, K. (2008). Blue green algae of rice fields of south Telangana region, Andhra Pradesh. *Indian Hydrobiology*, 11(1), 79–83.
- Rao, C. B. (1953). On the distribution of algae in a group of six small ponds. *Journal of Ecology*, 41(1), 62–71.
- Rao, P. S. N., & Gupta, S. L. (1997). Fresh water algae. In V. Mudgal & P. K. Ajra (Eds.), Botanical Survey of Floristic diversity and conservation strategies in India. Vol. I. Cryptogams and Gymnosperms, Botanical Survey of India, Calcutta. *Ministry of Environment and Forests, Government of India*, 47–61pp.
- Ratha, S. K., Jena, M., & Adhikary, S. P. (2006). Euglenophytes from Orissa State, east coast of India. *Algae*, 21(1), 61–73.
- Ray, J.G., Santhakumaran, P., & Kookal, S. (2020) Phytoplankton communities of eutrophic freshwater bodies (Kerala, India) in relation to the physicochemical water quality parameters. *Environment, Development and Sustainability*, 22, 3-10.
- Reddy, M. V., & Kumar, A. V. (2001). Effects of Ganesh-idol immersion on some water quality parameters of Hussainsagar Lake. *Current Science*, 81(11), 1412–1413.
- Reddy, P. M., Yumnam, D. D., & Imchen, T. Y. (1986). Investigations on the blue green algae of Northeast India: Distribution and habitat preferences. *Phykos*, 25, 148–158.
- Rekha, V. B. R., George, A. V., & Rita, M. (2013). A comparative study of water quality index (WQI) of Peruvanthanam and Valiyathodu sub-watersheds of Manimala river basin, Kerala, South India. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 3(4), 1–6.
- Renjith, M. K., & Sreekumar, S. (2005). Seasonal variations of water quality in the Karuvannur river Kerala. *Research review*, 31–33.

- Revathy, D., & Krishnakumar, A. (2018). Evaluation of phytoplankton diversity and environmental implications of two lacustrine wetlands, located in midland and lowland critical zones of Kerala, India. *Journal of Environmental and Social Sciences*, 5(1), 1-3.
- Reynolds, C. S. (1984). The ecology of freshwater phytoplankton. *Cambridge University Press*, New York. 384 pp.
- Rincy, J., & Tessy, P. P. (2009). Phytoplankton biodiversity changes in Chalakudy River due to ossein plant effluents. In N. S. Bijoy, Salim, M., G. S. Pillai & V. Reeny (Eds.), A compendium on wetland biodiversity and conservation. *Proceedings of the national seminar on Wetland Biodiversity. Limnological Association of Kerala (LAK) Publishers*, Kerala, India, 93–103pp.
- Roy, M., & Sen, N. (1985). Freshwater algae of Chattisgarh. *Phykos*, 24, 76–79.
- Roy, Z., & Joy, C. M. (2007). Algal biodiversity and succession in Periyar River at Aluva, Kerala. *Indian Hydrobiology*, 10(1), 129–133.
- Royle, J. F. (1970). Illustration of the Botany and other Branches of Natural History of the Himalayan Mountains and of the Flora of Cashmere. London, 2 vols [Reprint]. *Today and Tomorrow Printers*, 1- 472pp.
- Saha, L. C. (1984). Blue green algae of Bhagalpur, Bihar. *Journal of Economic and Taxonomic Botany*, 5(4), 881–885.
- Saha, L. C. (1986). Algae of Bhagalpur ponds- Bacillariophyceae. *Phykos*, 25, 136–143.
- Saha, L. C., & Choudhary, S. K. (1984). Desmids of Bhagalpur, Bihar. *Journal of Economic and Taxonomic Botany*, 5(4), 987–988.
- Sahib, S. S. (2004b). Hydrology and phytoplankton in the Kallada river, Kerala. *Journal of Economic and Taxonomic Botany*, 16(3), 185–189.
- Sahu, J. K. (2000). Distribution and monthly succession of blue green algae in the rice fields of Puri district of Orissa. *Journal of Economic and Taxonomic Botany*, 24(1), 191–196.
- Sanilkumar, M. G., & Thomas, K. J. (2006). Diversity and seasonal variation of algae in Muriyad wetland (part of Vembanad- Kol wetlands- A Ramsar site). *Journal of Economic and Taxonomic Botany*, 30(3), 656–666.
- Sankaranarayanan, V. N., Udaya, V. P., Balachandran, K. K., Pylee, A. J., & Joseph, T. (1986). Estuarine characteristics of a lower reaches of the river Periyar (Cochin backwaters). *Indian Journal of Marine Sciences*, 15, 166–170.
- Santra, S. C. (1984). Algal flora of Sikkim Himalaya – 1: A contribution to our knowledge of the blue green algae of north-east Sikkim (India). *Journal of Economic and Taxonomic Botany*, 5(5), 1209–19.
- Santra, S. C., & Adhya, T. K. (1973). Zygnemataceae of Eastern Himalaya. I- Spirogyra Link. *Bulletin of the Botanical Survey of India*, 15(3–4), 281.
- Santra, S. C., & Adhya, T. K. (1976). Zygnemataceae of Eastern Himalaya. II- Spirogyra Link. *Bulletin of the Botanical Survey of India*, 30, 47-49.
- Saravanakumar, A., Rajkumar, M., Thivakaran, G. A., & Sesh Serebiah, J. (2008). Abundance and seasonal variations of phytoplankton in the creek waters of western mangrove of Kachchh-Gujarat. *Journal of Environment Biology*, 29(2), 271–274.
- Saravanan, M., Elango, K., Chandrashekar, S., Anand, N., & Nagaraja, V. (2003). A New type II restriction endonuclease, O fo I from nonheterocystous Cyanobacterium *Oscillatoria foreau*. *Current Science*, 85(2), 188–191.
- Sardeshpande, J. S., & Goyal, S. K. (1981). Distribution pattern of blue green algae in rice fields of Konkan region of Maharashtra State. *Phykos*, 20(1 & 2), 102–106.
- Sarma, T. A., & Kanta, S. (1978). Algal flora of Pathiala and its environs I. *Phykos*, 1(2), 105–111.
- Sarma, T. A., Kanta, S., & Sunita. (1979). Algal flora of Pathiala and its environs – Cyanophyceae II. *Phykos*, 18(1 & 2), 13–19.
- Sarma, Y. S. R. K., & Khan, M. (1980). Algal Taxonomy in India: Botanical records and monographs – 2. *Today and tomorrow's printers and publishers*, New Delhi. 153 pp.
- Sarode, P. T., & Kamat, N. D. (1978). Diatoms of Marathwada, Maharashtra – I. *Phykos*, 18(1 and 2), 25–32.
- Sarode, P. T., & Kamat, N. D. (1983a). Diatoms of Marathwada, III. *Phykos*, 22, (26–32).

- Sarode, P. T., & Kamat, N. D. (1983b). The diatom flora of Vidarbha, India – I. *Bibliotheca Phycologica*, 66, 259–319.
- Sarode, P. T., & Kamat, N. D. (1984). Freshwater diatoms of Maharashtra. *Saikripa prakashan*, Aurangabad. 338 pp.
- Scott, A. M., & Prescott, G. W. (1961). Indonesian desmids. *Hydrobiologia*, 17, 1–132.
- Seena, K. K., Antony, I., & Anto, P. V. (2019). Seasonal influences on phytoplankton diversity in tributaries of river Bharathapuzha, Palakkad District, Kerala. *Indian Hydrobiology*, 18(1 and 2), 252–264.
- Semwal, N., & Akolkar, P. (2006). Water quality assessment of sacred Himalayan rivers of Uttaranchal. *Current Science*, 9(4), 486–496.
- Shaji, C. (2004). A new variety of *Pleurotaenium* from Kerala. *Journal of Economic and Taxonomic Botany*, 28(3), 602–603.
- Shaji, C., & Panikkar, M. V. N. (1994). Cyanophyceae of Kerala, India. *Phykos*, 33, (1&2), 105–112.
- Shaji, C., & Panikkar, M. V. N. (1995). On some little-known epiphytic algae from Kerala. *Geobios*, 14, 51–52.
- Shaji, C., & Panikkar, M. V. N. (1996). Cyanophyceae of Kerala, India – II. *Journal of Economic and Taxonomic Botany*, 20(2), 429–433.
- Shaji, C., & Patel, R. J. (1990). Desmids new to Kerala. *Feddes Repertorium*, 101, 5–6, 277–284.
- Shaji, C., & Patel, R. J. (1991b). Contributions to euglenoids of Kerala, India. *Phykos*, 30(1 & 2), 109–114.
- Shaji, C., Sindhu, P., & Panikkar, M. V. N. (1995). Contributions to Euglenoids of Kerala, India – II. *Journal of Economic and Taxonomic Botany*, 19(2), 269–272.
- Shamsudeen, R. S. M., & Mathew, G. (2010). Diversity of butterflies in Shendurny wildlife sanctuary, Kerala (India). *World Journal of Zoology*, 5(4), 324–329.
- Sharma, A. (2010). Cyanobacterial flora from freshwater habitat of Bokaro thermal power station District Bokaro, Jharkhand, India. *International Journal of Plant Sciences*, 5(2), 679–681.
- Sharma, L. L., & Sarang, N. (2004). Physico-chemical limnology and productivity of Jaisamand Lake, Udaipur (Rajasthan). *Pollution Research*, 23(1), 87–92.
- Sheeba, S., & Ramanujan, N. (2005). Phytoplankton composition and distribution in Ithikkara River, Kerala. *Indian Hydrobiology*, 8(1), 11–17.
- Sheela, A. M., Letha, J., & Joseph, S. (2011). Environmental status of a tropical lake system. *Environmental Monitoring and Assessment*, 180, (1–4), 427–449.
- Shetiya, C., & Kerkar, V. (2004). Algal flora of rice fields from Tiswadi Taluqua, Goa. *Indian Hydrobiology*, 7(1 & 2), 73–76.
- Shinde, S. E., Pathan, T. S., & Sonawane, D. L. (2011). Study of phytoplankton biodiversity and correlation coefficient in Harsool-savangi dam, District Aurangabad, India. *Middle east Journal of Scientific research*, 8(3), 544–554.
- Shukla, S. K., Misra, P. K., & Shukla, C. P. (2007). Chlorococcalean algae from the foothills of Western Himalaya. *Journal of the Indian Botanical Society*, 86(3 and 4), 80–85.
- Shukla, S. K., Shukla, C. P., & Misra, P. K. (2008). Desmids (Chlorophyceae, Conjugales, Desmidiaceae) from foothills of Western Himalaya, India. *Algae*, 23(1), 1–14.
- Simon, T. N., & Travis, J. (2011). The contribution of man-made ditches to the regional stream biodiversity of the new river watershed in the Florida panhandle. *Hydrobiologia*, 661(1), 163–177.
- Sindhu, P., & Panikkar, M. V. N. (1993). Oedogoniales of Kerala – I. *Journal of Economic and Taxonomic Botany*, 17(1), 89–94.
- Sindhu, P., & Panikkar, M. V. N. (1994a). Observations on the two interesting members of Chaetophorales from Kerala. *Journal of Economic and Taxonomic Botany*, 18(3), 629–630.
- Sindhu, P., & Panikkar, M. V. N. (1994b). Observations on the two species of *Coleochaete* Brebisson from Kerala. *Journal of Economic and Taxonomic Botany*, 18(3), 738–740.

- Sindhu, P., & Panikkar, M. V. N. (1994c). Occurrence of desmid flora from the paddy fields of Quilon, Kerala, 1. *Pleurotaenium* Nageli. *Journal of Economic and Taxonomic Botany*, 18(3), 601–603.
- Sindhu, P., & Panikkar, M. V. N. (1995a). Desmids new to Kerala, India – 1. *Feddes Repertorium*, 106(3–4), 317–323
- Sindhu, P., & Panikkar, M. V. N. (1995b). Desmid flora of Quilon, Kerala, *Staurastrum* Meyen. *Journal of Economic and Taxonomic Botany*, 19(2), 331–333.
- Singh, N. K., & Saha, L. C. (1982a). Chlorococcales of Bhagalpur – 1, Bihar. *Journal of Economic and Taxonomic Botany*, 3, 197–200.
- Singh, N. K., & Saha, L. C. (1982b). Diatoms of Bhagalpur ponds – I. Bihar, India. *Phykos*, 21, 128.
- Singh, R., & Sharma, V. K. (1999). Geoenvironmental appraisal of Mansar and Surinsar lakes, Udhampur and Jammu Districts. *Records of the Geological Survey of India*, 131, 19–24.
- Sinha, J. P., & Mukherjee, D. (1975a). Blue green algae from the paddy fields of Bankura district of West Bengal I. *Phykos*, 14(1 and 2), 117–118.
- Sinha, J. P., & Mukherjee, D. (1975b). Blue green algae from the paddy fields of Bankura district of West Bengal II. *Phykos*, 14(1 and 2), 119–120.
- Sinha, J. P., & Mukherjee, D. (1984). Blue green algae from the paddy fields of Bankura district of West Bengal III. *Phykos*, 23(1 and 2), 142–143.
- Sinha, S., & Naik, M. L. (1997). Phytoplankton and macrophytes in the ponds of Raipur city area. Pt. *Ravishankar Shukla University*, M. P. 164 pp.
- Smith, G. M. (1920). Phytoplankton of the Inland lakes of Wisconsin. Part I. *Wisconsin Geological Natural History Survey Bulletin*, Madison, 57, (12), 243pp.
- Smith, G. M. (1924). Phytoplankton of the Inland lakes of Wisconsin. Part II. Desmidiaceae. *Wisconsin Geological Natural History Survey Bulletin*, Madison, 57(1270), 227 pp.
- Smith, G. M. (1950). Fresh water algae of United States (2nd ed). *McGraw - Hill Book Company, Internet Archive*, New York. 719 pp.
- Smitha, K. S. (2017). A study on filamentous algae in Kuttanadu rice agroecosystem. *International Journal of Scientific Research*, 6, 41–43.
- Somashekar, R. K. (1983a). Algal flora of river Cauvery, Karnataka, I. Cyanophyceae and Chlorophyceae. *Phykos*, 22, 73–80.
- Somashekar, R. K. (1983b). Algal flora of river Cauvery, Karnataka, II. Diatoms. *Phykos*, 22, 81–85.
- Somashekar, R. K. (1984a). Contribution to the algal flora of river Kapila, Karnataka, I. Cyanophyceae and Chlorophyceae. *Phykos*, 23(1 and 2), 116–124.
- Somashekar, R. K. (1984b). Contribution to the algal flora of river Kapila, Karnataka, II. Diatoms. *Phykos*, 23(1 and 2), 125–129.
- Sreedevi, P. D., Subrahmanyam, K., & Ahmed, S. (2005). The significance of morphometric analysis for obtaining groundwater potential zones in a structurally controlled terrain. *Environmental Geology*, 47(3), 412–420.
- Sreekesh, S., Sreerama Naik, S. R., & Rani, S. (2018). Effect of sea level changes on the groundwater quality along the coast of Ernakulam District, Kerala. *Journal of Climate Change*, 4(2), 51–65.
- Srinivasan, K. S. (1967). Conspectus of *Sargassum* species from Indian territorial waters. *Phykos*, 5, 127–159.
- Srivastava, A. K. (2010). Some freshwater Bacillariophycean algae (diatoms) from Faizabad and Balrampur districts, U.P., India. *Journal of the Indian Botanical Society*. 89(1 & 2), 63–67.
- Srivastava, N. P., Das, A. K., Pandey, B. L., & Nath, D. (2003). Phytoplankton primary production and fish potential of Tawa reservoir. *Journal of Inland Fisheries Society of India*, 34(2), 23–29.
- Srivastava, P. N., & Odhwani, B. R. (1990a). Trachelomonas Ehrenberg (*Euglenophyta*) from semi-arid region of western Rajasthan. *Phykos*, 29(1 and 2), 121–126.

- Staub, R., Appling, J. W., Hofstetter, A. M., & Haas, I. J. (1970). The effects of industrial wastes of Memphis and Shelby County on primary planktonic producers. *BioScience*, 20(16), 905–912.
- Subramoni, M. (2007). A study on the diversity of Vamanapuram river of South Kerala, in relationship with certain water quality parameters. *Indian Hydrobiology*, 10, 157–163.
- Sudeep, B. M., & Hosmani, S. P. (2007). Algal biodiversity and application of indices in assessing two lakes of Mysore district. *Indian Hydrobiology*, 10(2), 269–275.
- Sullivan, M. J. (1975). Diatom communities from a Delaware salt marsh. *Journal of Phycology*, 11, 384–390.
- Suphan, S., Peerapornpisal, Y., & Underwood, G. J. C. (2012). Benthic diatoms of Mekong River and its tributaries in northern and north-eastern Thailand and their application to water quality monitoring. *International Journal of Science and Technology*, 6(1), 28–46.
- Suryavanshi, S. S., Pingle, S. D., & Gaikwad, V. B. (2009). Some freshwater diatoms from Ahmednagar region, (M.S.) India. *Indian Hydrobiology*, 12(1), 53–57.
- Suryavanshi, S. S., Pingle, S. D., & Gaikwad, V. B. (2010). Diversity of Cyanophyceae members in and round Ahmednagar region (M.S.). *Journal of the Indian Botanical Society*, 89(1 and 2), 189–196.
- Suseela, M. R. (2005). A preliminary survey on freshwater algal flora of Garuda Tal, near Nainital, Uttaranchal, India. *Journal of the Indian Botanical Society*, 102(2), 176–180.
- Suseela, M. R., & Dwivedi, S. (2001). A contribution to fresh water algal flora of Bundelkhand region of U.P. (Chlorophyceae and Xanthophyceae). *Phytotaxonomy*, 1, 76–81.
- Suseela, M. R., & Dwivedi, S. (2002). A contribution to freshwater algal flora (Bacillariophyceae) of Bundelkhand region of Uttar Pradesh. *Phytotaxonomy*, 2, 33–39.
- Suseela, M. R., & Toppo, K. (2004). Freshwater algal flora of Changu Lake of Sikkim Himalayas, India. *Phytotaxonomy*, 4, 100–103.
- Sushama, S. (2003). Ecology and biodiversity of Nila River [PhD Thesis], University of Kerala.
- Sushama, S., Tresa, R., & Bijukumar, A. (2004) Distribution of fishes in the Nila River. *Indian Journal of Fisheries*, 51(3), 385–387
- Suxena, M. R. (1983). Algae from Kodaikanal Hill, South India. *Bibliotheca Phycologica*, 66, 43–99.
- Suxena, M. R., & Venkateswarlu, V. (1966). Desmids of Andhra Pradesh, I. from Pakhal Lake, Warangal. *Hydrobiologia*, 28, 49–65.
- Suxena, M. R., & Venkareswarlu, V. (1968). Desmids from Kashmir. *Phykos*, 7, 165–185.
- Suxena, M.R., & Venkareswarlu, V. (1970). Desmids of Andhra Pradesh –V. Mostly from Warangal and its environs. *Phykos*, 91, 7–28.
- Tessy, P.P., & Saritha, M. K. (2010). Biodiversity of micro-algae in Poyya mangrove ecosystem, Thrissur district, Proceedings of 22nd Kerala Science Congress. *Kerala State Council for Science, Technology and Environment*, Trivandrum, 29–30pp.
- Tessy, P. P., & Shubha, S. (2011). Algal diversity of coconut husk retting area in Thalikulam backwaters, Kerala. *Indian Hydrobiology*, 13(2), 125–129.
- Tessy, P.P., & Sreekumar, R. (2008). A report on the pollution algae from the Thrissur Kol wetlands (part of Vembanad-Kol, Ramsar site), Kerala. *Nature Environment and Pollution Technology*, 7(2), 311–314.
- Tessy, P. P., & Sreekumar, R. (2009). Assessment of the biodiversity and seasonal variation of freshwater algae in the Thrissur Kol wetlands (part of Vembanad-Kol, Ramsar site), Kerala. *Journal of Economic and Taxonomic Botany*, 33(3), 721–732.
- Tessy, P. P., & Sreekumar, R. (2011a). Desmid *Pleurotaenium Nageli* from the Kole lands of Thrissur (part of Vembanad-Kol, Ramsar site), Kerala, India. *International Journal of Current Research*, 3(12), 59–63.
- Tessy, P. P., & Sreekumar, R. (2012). Studies on the algal flora of Kole lands in Thrissur district, Kerala. [PhD Thesis], Mahatma Gandhi University, Kottayam

- Thilagavathi, R., Chidambaram, S., Prasanna, M. V., Thivya, C., Singaraja, C., & Jainab, I. (2012). A study on groundwater geochemistry and water quality in layered aquifers system of Pondicherry region, Southeast India. *Applied water science*, 2, 253-269.
- Thirugnanamoorthy, K., & Selvaraju, M. (2009). Phytoplankton diversity in relation to physico-chemical parameters of Gnanaprekasam temple pond of Chidambaram in Tamil nadu, India. *Recent Research in Science and Technology*, 1(5), 235–238.
- Tiwari, A., & Chauhan, S. V. S. (2004). An enumeration of Chlorococcales from crop fields of Bichpuri, Agra. *Indian Hydrobiology*, 7(1 and 2), 89–93.
- Tiwari, A., & Chauhan, S. V. S. (2007b). Species diversity and seasonal variation of desmids in Agra city. *Indian Hydrobiology*, 10(2), 307–317.
- Toppo, K., & Suseela, M. R. (2009). *Cosmarium* diversity of Mani Pokhar Pond of Jashpur district in Chhattisgarh State, India. *Annals of Forestry*, 17(1), 117–124.
- Tripathi, A. K., & Pandey, S. N. (1991). Studies on algae of polluted ponds of Kanpur (India) – XIII. Systematic enumeration of Cyanophyceae. *Journal of Economic and Taxonomic Botany*, 15(2), 409–421.
- Trivedi, R. K., & Goel, P. K. (1984). Chemical and biological methods for water pollution studies. *Enviro media Publications*, Karad, (India). 248 pp.
- Trivedi, R. K., Goel, P. K., & Trisal, C. L. (1998). Practical methods in Ecology and Environmental Science. *Enviro Media Publications*, Karad, (India). 340 pp.
- Trivedy, R. K. (1982). Some observations on algal flora of Jaipur, Rajasthan. *Phykos*, 21, 160–163.
- Turner, W. B. (1892). The freshwater algae (principally Desmidiaceae) of East India. *Kongliga Svenska Vetenskaps- Akademiens Handlingar*, 25(5), 1–187.
- Umamaheswararao, M. U., & Sreeramulu, T. (1964). An ecological study of some intertidal algae of the Visakhapatnam coast. *Journal of Ecology*, 52(3), 595–616.
- Unni, K. S., & Naik, L. (1997). Distribution and ecology of zooplankton in the headwaters of the river Narmada. *International Journal of Ecology and Environmental Sciences*, 23, 1–16.
- Unnikrishnan Warriar, C., & Manjula, P. (2014). River: Groundwater interaction of a tropical Sub Basin of Bharathapuzha, Kerala, India. *International Journal of Advanced Engineering Science and Technology*, 2(7), 382–393.
- Ushadevi, K., & Panikkar, M. V. N. (1991). A new species of *Spirogyra* Link from Kerala, south India. *Journal of Economic and Taxonomic Botany*, 15(3), 743–745.
- Ushadevi, K., & Panikkar, M. V. N. (1993a). Oedogoniales of Kerala – II. *Journal of Economic and Taxonomic Botany*, 17(1), 61–68.
- Ushadevi, K., & Panikkar, M. V. N. (1993b). Oedogoniales of Kerala—III, *Bulbochaete* Agardh. *Journal of Economic and Taxonomic Botany*, 17(1), 147–149.
- Ushadevi, K., & Panikkar, M.V.N. 1994a. Species of the genus *Spirogyra* from Kerala, India (Chlorophyceae: Zygnemataceae). *Bibliotheca Phycologica*, 97, 1–124.
- Vaheeda, K. K. (2008). Ecological studies on the brakish waters of Kodungallur area, Kerala, India. Ph.D thesis, Mahatma Gandhi University, Kottayam.
- Varunprasath, K., & Daniel, N. A. (2010). Physico-chemical parameters of River Bhavani in three stations, Tamil nadu, India. *Journal of Energy and Environment*, 1(4), 321–325.
- Varshney, C. K. (1991). Water pollution and management. *Wiley eastern Limited, New Delhi*. 242 pp.
- Venkataraman, G. S. (1939). A systematic account of some south Indian diatoms. *Proceedings of Indian Academy of Sciences*, 10(6), 293–368.
- Venkataraman, G. S. (1961). Vaucheriaceae. *Indian Council of Agricultural Research*, New Delhi, India. 112 pp.
- Venkateswarlu, V. (1983). Taxonomy and ecology of algae in the river Moosi, Hyderabad, India – II. Bacillariophyceae. *Bibliotheca Phycologica*, 66, 1–41.
- Verma, B. N., Sinha, R., Prasad, P. K., & Das, H. N. (1990). Blue green algae from the paddy fields of north Bihar. *Phykos*, 29(1 and 2), 55–56.
- Vijayakumar, K. (1999). Freshwater ecosystem of India. *Daya Publishing House. house*, Delhi. 336 pp.

- Vishnoi, S. R., & Srivastava, P. N. (2004). Algal flora of polluted water bodies around Jodhpur, Rajasthan. *Indian Hydrobiology*, 7(1 and 2), 147–150.
- Vishnu M. S., John S. E., Rajimol T. R., Maya K., Sajan K., & Padmalal D. (2016). Human interventions and consequent environmental degradation of a protected freshwater lake in Kerala, SW India. *Geosciences Journal*, 20(3), 391-402.
- West, W., & West, G. S. (1897). Welwistch's African freshwater algae. *Journal of Botany*, 35, 172-183.
- West, W., & West, G. S. (1902). A contribution to the freshwater algae of Ceylon. *Trans Linnaeus Society of Botany London*, 6, 123-212.
- West, W., & West, G. S. (1904). A monograph of the British Desmidiaceae. Vol. 1, *The Ray Society, London*, 224pp.
- West, W., & West, G. S. (1905). A monograph of the British Desmidiaceae. Vol. 2, *The Ray Society, London*, 206pp.
- West, W., & West, G. S. (1907). Freshwater algae from Burma, including a few from Bengal and Madras. *Annals of the Royal Botanical Garden, II*. Bengal secretariat press, Calcutta, 175–260pp.
- West, W., & West, G. S. (1908). A monograph of the British Desmidiaceae. Vol. 3, *The Ray Society, London*, 274pp.
- West, W., & West, G. S. (1912). A monograph of the British Desmidiaceae. Vol. 4, *The Ray Society, London*, 194pp.
- Wołowski, K. (1998). Taxonomic and environmental studies on euglenophytes of the Krakow–Częstochowa Upland (Southern Poland). *Fragmenta Floristica et Geobotanica, Series, Polonica*, 6, 1–192.
- Yazdandoost, M. Y., & Kaldare, M. S. (2000). Study of the population density of plankton with respect to physicochemical characteristics of water, Pune rivers. India. *Ecology Environment and Conservation*, 6(1), 127–135.
- Zacharias, R., & Joy, C. M. (2007). Algal biodiversity and succession in Periyar River at Aluva. *Indian Hydrobiology*, 10(1), 129–133.
- Zaware, B. N., & Pingle, S. D. (2003). Freshwater algae from Pashan Lake. *Indian Hydrobiology*, 6(1 & 2), 9–11.
- Zeenath, M. (2011). Studies on the ecology of biodiversity of Thutha river, north Kerala, PhD thesis, University of Kannur, Kerala.
- Zhang, W., Jin, X., Liu, D., Lang, C., & Shan, B. (2017). Temporal and spatial variation of nitrogen and phosphorus and eutrophication assessment for a typical arid river-Fuyang River in northern China. *Journal of Environmental Sciences*, 55, 41–48.