

REFERENCES

- Alberdi, J. L; M. E. Sanz; W. D. Marzio & M. C. Tortorelli, 1996. Comparative acute toxicity of two herbicides, paraquat and glyphosate, to *Daphnia magna* and *D. spinulata*. *Bull. of env. Cont. and toxicology.*, **57**: (2) 229-235.
- Alekseev, V. & W. Lampert, 2001. Maternal control of resting egg production in *Daphnia*. *Nature.*, **41**: 899-901.
- Alekseev, V. & W. Lampert, 2004. Maternal effects of photoperiod and food level on life history characteristics of the cladoceran *Daphnia pulicaria* Forbes. *Hydrobiologia.*, **526**: 225-230.
- Alikunhi, K. H. 1952. On the food of young carp. *J. of Zool. Soc. of India.*, **4**: 77-84.
- Alikunhi, K. H; H. Chaudhuri & V. Ramachandran, 1955. On the mortality of carp fry in nursery ponds and the role of plankton in their survival and growth. *Ind. J. Fish.*, **2**: 257-313.
- Altaff, K. & K. Sivakumar, 2002. High density production of *Moina micrura* using chicken manure and mixed algae. *J. of Aquatic Biol.*, **17**(1): 75-78.
- Amoros, C. 1996. Branchiopodes II. Orders des Ctenopodes, Anomopodes, Onychopodes et Haplopodes. *Traite' de Zoologie, Tome VII Fasc. 2, Crustaces.*, (Ed. P.P. Grasse'). Masson, Paris, 353-383.
- Anderson. B. G. 1944. The toxicity thresholds of various substances found in industrial wastes as determined by the use of *Daphnia magna*. *Sewage works Journal.*, **16**: 1158-1165.

- Anderson, B.G; H. Lumer & L. J. Lupanic, 1937. Growth and variability in *Daphnia pulex*. *Biol. Bull.*, **73**: 444-463.
- Anderson, B.G., J. C. Jenkins, 1942. A time study of events in the life span of *Daphnia magna*. *Biol. Bull.*, **83**: 260-272.
- APHA. 1995. Standard methods for the examination of water and waste water. (American Public Health Association) 19th Edition. Washington DC.
- Arbaciauskas, K. 2004. Life history characteristics and fitness in descendents of parthenogenetic and ex-ephippio females of *Daphnia magna*. *Hydrobiologia.*, **526**: 211-218.
- Arnold. D. E. 1971. Ingestion, assimilation survival and reproduction by *Daphnia pulex* fed seven species of blue green algae. *Limnol. Oceanogr.*, **16**: 906-921.
- Arora, G. L. 1931. Fauna of Lahore. 2. Entomostraca (water fleas) of Lahore. *Bull. Dept. Zool. Punjab Univ.*, Lahore. **1**: 62-100.
- Babu, S. & C. K. G. Nayar, 1993. Observations on the life cycle of *Ceriodaphnia cornuta* Sars., *J. of Zool. Soc. Kerala.*, **3**(2): 13-17.
- Babu, S. & C. K. G. Nayar, 1997. Laboratory studies on the life cycle of *Simocephalus serrulatus* (Koch) 1881 (Cladocera: Crustacea). *J. Bombay Nat. Hist. Soc.*, **94** (2): 317-321.
- Babu, S. & C. K. G. Nayar, 2004. Cladocera of Periyar Lake and adjacent sites, Thekkady, Kerala. *J. Bombay Nat. Hist. Soc.*, **101** (3): 403-414.

- Babu, S & T. John, 2007. Freshwater Cladocera (Crustacea: Branchiopoda) from Muriyad wetlands, Thrissur, Kerala. *Perspectives in Animal Ecology and Reproduction.*, Edited by V. K. Gupta & Anil. K. Verma., **4**: 34-51.
- Baird, W. 1860. Description of two new species of Entomostracous Crustaceans from India. *Proc. Zool. Soc. London.*, 213-234.
- Balcer, M.D; N. L. Korda & S. I. Dodson, 1984. Zooplankton of the great lakes: a guide to the identification and ecology of the common crustacean species. University of Wisconsin Press, USA.
- Banta, A. M. 1937. Culture of Cladocera. In: F. E. Lutz, P. S. Welch, P. S. Galtshoff, & J. G. Needham (Eds). *Culture methods for invertebrate animals.*, Dover Publ. 207-210.
- Banta, A. M. & L. A. Brown, 1929. Control of sex in Cladocera I. Crowding the mothers as a means of controlling male production. *Physiol. Zool.*, **2**: 80-92.
- Banta, A. M. & L. A. Brown, 1939. Control of male and sexual-egg production, *Carnegie Inst.*, Washington. **513**: 106-130.
- Banta, A. M & T. R. Wood, 1939. General studies in sexual reproduction, *Carnegie Inst.*, Washington. **513**: 131-181.
- Barry. M. J. 1996. Effects of an organochlorine pesticide on different levels of biological organization in *Daphnia*. *Ecotoxicology and Environmental Safety.*, **34**: (3) 239-251.
- Battish, S. K. 1992. Freshwater zooplankton of India. *Oxford & I B H Publishing Co.*, New Delhi. 233pp.

- Berg, K. 1931. Studies on the Genus *Daphnia* O. F. Müller with special reference to the mode of reproduction. *Videnskabelige meddelelser fra Dansk naturhistorisk forening.*, **92**: 1-222.
- Berner, D. B., L. Nguyen, S. Nguy & S. Burton, 1991. Photoperiod and temperature as inducers of gamogenesis in a dicyclic population of *Scapholeberis armata* Herrick (Crustacea: Cladocera: Daphniidae). *Hydrobiologia.*, **225**: 269-280.
- Bhattacharya, B., N. Murugan & R. G. Michael, 1997. The number of instars, growth, relative growth, longevity and fecundity of *Daphnia lumholtzi* Sars (Cladocera: Daphniidae) from Shillong, India. *J. Aqua. Biol.*, **12**(1&2): 1-7.
- Birge, E. A. 1879. Notes on Cladocera. *Trans. Wis. Acad. Sci. Arts Lett.*, **IV**: 77-109.
- Birge, E. A. 1895. Plankton studies on Lake Mendota. I. The vertical distribution of the pelagic Crustacea during July, 1894. *Trans. Wis. Acad. Sci. Arts Lett.*, **10**: 421-484. 726.
- Birge, E. A. 1918. The water fleas (Cladocera). In: H. B. Ward and G. C. Whipple, Eds. *Freshwater Biology.*, John Wiley & Sons, New York. **22**: 676-740.
- Biswas, S. 1964. A new species of the cladoceran genus *Latona* Straus 1820 (Crustacea: Cladocera: Sididae) from Rajasthan, India. *Proc. Zool. Soc. Culcutta.*, **17**: 149-152.
- Biswas, S. 1966. A new species of the genus *Chydorus* Leach, 1843 (Crustacea: Cladocera: Chydoridae) from Rajasthan, India. *Crustaceana.*, **11**: 113-114.

- Biswas, S. 1971. Fauna of Rajasthan, India. Part II (Crustacea: Cladocera). *Rec. Zool. Surv. India.*, **63**: 95-141.
- Boersma, M. & J. Vijverberg, 1994. Seasonal variations in the condition of two *Daphnia* species and their hybrid in a eutrophic lake: evidence for food limitation. *J. Plankton Res.* **16**: 1793-1809.
- Bottrel, H. H. 1975. Generation time, length of life, instar duration and frequency of moulting and their relation to temperature in eight sps. of Cladocera from the river Thames. *Oecologia.*, **19**: 129-140.
- Brady, G. S. 1886. Notes on Entomostraca collected by Mr. A. Haly in Ceylon. *J. Linn. Soc. Lond.*, **19**: 293-317.
- Brancelj, A. 1990. *Alona hercegovinae*. n. sp. (Cladocera: Chydoridae) a blind cave-inhabiting cladocerans from Hercegovina. *Hydrobiologia.*, **199**: 7-16.
- Brehm, V. 1936. Yale North India Expedition. Report on Cladocera. *Article XVI. Mem. Conn. Acad. Arts. Sci.*, **10**: 283-297.
- Brehm, V. 1950. Contributions to the freshwater fauna of India, Parts I & II. *Rec. Ind. Mus.*, **48**: 1-3, 9-28.
- Brehm, V. 1953. Indische Diaptomiden, Psedodiptomiden und Cladoceren. *Öst. Zool. Zeit.*, **4**: 241-345.
- Brooks, J. L. 1946. Cyclomorphosis in *Daphnia* I. An analysis of *D. retrocurva* and *D. galatea*. *Ecol. Monogr.*, **16**: 409-447.
- Byars, J. A. 1960. A freshwater pond in New Zealand. *Aust. J. Mar. Fresh. Res.*, **11**: 222-240.

- Calman, W. T. 1909. Crustacea. Third Fascicle. Part VII. *In*: Lankester, Treatise of Zoology. Adam & C. Black, London, 346 pp.
- Cannon, H. G. 1933. On the feeding mechanism of the Branchiopoda. *Phil. Trans. Roy. Soc. London.*, **B. 222**: 267-352.
- Chadwick, W & T. J. Little, 2005. A parasite mediated life history shift in *Daphnia magna*. *Proce. Roy. Soc. London.*, Biological Sciences. **B. 272** (1562): 505-509.
- Chandini, T. 1991. Reproductive value and the cost of reproduction in *Daphnia carinata* and *Echinisca triserialis* (Crustacea: Cladocera) exposed to food and Cadmium stress. *Bull. Environ. Contam. Toxicol.*, **47** (1): 76-83.
- Chandrasekhar, S. V. A. & M. S. Kodarkar, 1994. Biodiversity of zooplankton from Saroornagar lake, Hyderabad. India. *J. Aqua. Biol.*, **9** (1 & 2): 30-33.
- Chandrasekhar, S. V. A. 2004. Cladoceran composition of Adra lake, West Bengal. *J. Bombay Nat. Hist. Soc.*, **101** (3): 472-475.
- Chengalath, R. 1982. A faunistic and ecological survey of the littoral Cladocera of Canada. *Canadian J. Zool.*, **60**: 2668-2682.
- Claus, C. 1876. Zur Kenntnis der Organisation und des feineren Baues der Daphniden und verwandter Cladoceren. *Z. wiss. Zool.*, **27**: 362-402. *
- Crease, T. J. & D. J. Taylor. 1998. The origin and evolution of variable-region helices in V4 and V7 of the small-subunit ribosomal RNA of branchiopod crustaceans. *Molecular Biology and Evolution.*, **15**:1430-1446.

- Crispim, M. C. & Watanabe, 2001. What can dry reservoir sediments in a semi-arid region in Brazil tell us about Cladocera? *Hydrobiologia.*, **442**: 101-105.
- D'Abramo, R. L. 1980. Ingestion rate decrease as the stimulus for sexuality in the population of *Moina macrocopa*. *Limnol. Oceanogr.*, **25** (3): 422-429.
- Daday, E. 1898. Mikroskopische Süßwassertiere aus Ceylon. *Természetráji Füzetek.*, **21**: 1-123.
- Daday, E. 1911. Egy új Cladocero-faj Keletindiából. *Allatani Közlemények.*, **10**: 63-68.
- Decaestecker, E; S. Declerck; L. De-Meester & D. Ebert. 2005. Ecological implications of parasites in natural *Daphnia* populations. *Oecologia.*, **144** (3): 382-390.
- Della Croce, N. & M. Angelino, 1987. Marine Cladocera in the Gulf of Mexico and the Caribbean Sea. *Cahiers de Biologie Marine.*, **28**: 263-268.
- DeMott, W. R. 1985. Relations between filter mesh-size, feeding mode, and capture efficiency for cladocerans feeding on ultrafine particles. *Archiv für Hydrobiologie.*, **21**: 125-134.
- DeMott, W. R. 1986. The role of taste in food selection by freshwater zooplankton. *Oecologia.*, **69**: 334-340.
- Dodson, S. I. 1982. Chemical and biological limnology of six west-central Colorado mountain ponds and their susceptibility to acid rain. *American Midland Naturalist.*, **107**: 173-179.

- Dodson, S. I & D. G. Frey, 1991. Cladocera and other Branchiopoda. In: Thorp, J. H and A. P. Covich, Eds. Ecology and Classification of North American Freshwater Invertebrates., Academic Press, Inc. San Diego. 723-786.
- Dole-Olivier, M. J., D. M. P. Galassi., P. Marmonier & M. Chatelliers, 2000. The biology and ecology of lotic microcrustaceans. *Freshwat. Biol.*, **44**: 63-91.
- Dumont, H. J. 1983. Discovery of groundwater-inhabiting Chydoridae (Crustacea: Cladocera), with the description of two new species. *Hydrobiologia.*, **106**: 97-106.
- Dumont, H. J. 1987. Groundwater Cladocera: A synopsis. *Hydrobiologia.*, **145**: 169-173.
- Dumont, H. J. & A. Brancelj, 1994. *Alona alsafadii* n.sp. from Yemen, A primitive groundwater-dwelling member of the *A. karuwa*-group. *Hydrobiologia.*, **145**: 5-7.
- Dumont, H. J & S. Negrea, 1996. A conspectus of the Cladocera of the subterranean waters of the world. *Hydrobiologia.*, **325**: 1-30.
- Dumont, H. J & S. Negrea, 2002. Introduction to the class Branchiopoda. Guides to the identification of the Microinvertebrates of the Continental Waters of the World. Backhuys Publishers., The Netherlands.
- Dumont, H. J & J. Pensaert, 1983. A revision of the Scapholeberinae (Crustacea: Cladocera). *Hydrobiologia.*, **100**: 3-45.
- Dumont, H.J. & M. Silva-Briano, 1998. A re-classification of the Anomopod families Macrothricidae and Chydoridae, with the

creation of a new suborder, the Radopoda (Crustacea: Branchiopoda). *Hydrobiologia.*, **384**: 119-149.

Dumont, H. J; M. Silva-Briano & S. Babu, 2002. A re-evaluation of the *Macrothrix rosea-triserialis* group, with the description of two new species (Crustacea: Anomopoda: Macrothricidae). *Hydrobiologia.*, **467**: 1-44.

Durga Prasad, M. K. & P. Padmavathy, 2003a. A study on the cladoceran fauna of Lake Kolleru. *In: Lake Kolleru, Environmental status (past and present)*. BS Publishers., Hyderabad. 76-86.

Durga Prasad, M. K. & P. Padmavathy, 2003b. Temporal distribution of Cladocera of Lake Kolleru. *In: Lake Kolleru, Environmental status (past and present)*. BS Publishers., Hyderabad. 87-97.

Dybowski, B. & M. Grochowski. 1894. O Lynceidach czyli Tonewkach fauny krajowej. *Kosmos.*, 19: 376-383. *

Edmondson, W.T .1955. The seasonal history of *Daphnia* in an arctic lake. *Ecology*, 36: 439-455.

Edmondson, W. T. 1971. A manual on Methods for the Assessment of Secondary Productivity in Freshwaters. I B P Hand book No. 17. Blackwell Scientific Publications, Oxford.

Fernando, C. H. 2002. A Guide to tropical freshwater zooplankton Identification, Ecology and Impact on Fisheries. Backhuys Publishers, Leiden, 291pp.

Ferrari, D. C. & P. D. N. Hebert. 1982. The induction of sexual reproduction in *Daphnia magna*: genetic differences between arctic and temperate populations. *Can. J. Zool.*, 60: 2143-2148.

- Fischer, S. 1850. Ergänzungen, Berichtigungen und Fortsetzung zu der Abhandlung über die in der Umgebung von St. Petersburg vorkommenden Crustaceen. *Mémoires Présentés à l'Academie Imperiale des Sciences de St. Petersburg par Divers Savants.*, 7: 1-14. *
- Forbes, S. A. 1888. On the food relations of freshwater fishes. *Bull. III, States Lab. Nat. Hist.*, 2: 475-538.
- Frey, D. G. 1959. The taxonomic and phylogenetic significance of the head pores of Chydoridae (Cladocera). *Int. Rev. Hydrobiol.*, 44: 27-50.
- Frey, D. G. 1980. The non-swimming chydorid Cladocera of wet forests, with descriptions of a new genus and two new species. *Internationale Revue der gesamten Hydrobiologie.*, 65: 613-641.
- Frey, D. G. 1982. The reticulated species of *Chydorus* (Cladocera, Chydoridae): two new species with suggestions of convergence. *Hydrobiologia.*, 93: 255-279.
- Frey, D. G. 1987. The taxonomy and biogeography of the Cladocera. *Hydrobiologia.*, 145: 5-17.
- Frey, D. G. 1988. Cladocera. In : R. I. Higgins and H. Thiel, editors. Introduction to the study of meiofauna. Smithsonian Institution Press, Washington, D. C. 365-369.
- Fryer, G. 1968. Evolution and adaptive radiation in the Chydoridae (Crustacea: Cladocera): A study in comparative functional morphology and ecology. *Phil. Trans. Roy. Soc. London.*, B 254: 221-385.

- Fryer, G. 1972. Observations on the ehippia of certain Macrothricid cladocerans. *Zoological J. of the Linnean Society.*, **51**: 79-96.
- Fryer, G. 1974. Evolution and adaptive radiation in the Macrothricidae (Crustacea-Cladocera): A study in comparative functional morphology and ecology. *Phil. Trans. Roy. Soc. London.*, B **269**: 137-274.
- Fryer, G. 1987. A new classification of the Branchiopod Crustacea. *Zool. J. Linn. Soc.*, **91**: 357-383.
- Gannon, J. E. & R. S. Stemberger, 1978. Zooplankton as indicator of water quality. *Trans. Amer. Micros. Soc.*, **97**: 16-75.
- Gliwicz, Z. M. 1990. Food thresholds and body size in cladocerans. *Nature.*, **343**:638-640.
- Gliwicz, Z. M. & E. Siedlar, 1980. Food size limitation and algae interfering with food collection in *Daphnia*. *Archiv für Hydrobiologie.*, **88**: 155-177.
- Goulden, C. E. 1968. The systematics and evolution of Moinidae. *Trans. Amer. Phil. Soc.*, **58**: 1-101.
- Green, J. 1956. Growth, size and reproduction in *Daphnia* (Crustacea: Cladocera). *Proc. Zool. Soc. Lond.*, **126**: 173-204.
- Gurney, R. 1906. On some freshwater Entomostraca in the collection of the Indian museum, Calcutta. *J. Asiatic Soc. Bengal.*, (N.S) **2**: 273-281.
- Gurney, R. 1907. Further notes on Indian freshwater Entomostraca. *Rec. Indian. Mus.*, **1**: 21-33.

- Haney, J. F. & D. J. Hall, 1973. Sugar-coated *Daphnia*: a preservation technique for Cladocera. *Limnol. Oceanogr.*, **18**: 331-333.
- Harding, J. P. 1957. Some South African Cladocera collected by Dr. A. D. Harrison. *Ann. of South African Museum.*, XLVI (3): 35-46.
- Harding, J. P & T. Petkovski, 1963. *Latonopsis australis* Sars (Cladocera) in Yugoslavia with notes on its synonymy and distribution. *Crustaceana.*, **6**: 1-4.
- Hasler, A. D. 1935. The physiology of digestion in plankton crustacean. I. Digestion enzymes of *Daphnia*. *Biol. Bull.*, **68**: 207-214.
- Henry, M. 1922. A monograph of the freshwater Entomostraca of New South Wales. *Proc. Linn. Soc.*, **47**: 26-52.
- Hebert, P.D.N. 1987. Genetics of *Daphnia*. In R. H. Peters and R.de Bernardi, Editors, *Daphnia*. 'Memorie Dell' Istituto Italiano Di Idrobiologia., **45**: 439-469.
- Hebert, P. D. N & D. J. Taylor, 1997. The future of cladoceran genetics: methodologies and targets. *Hydrobiologia* ., **360**: 295-299.
- Herrick, C. L. 1879. Microscopic Entomostraca of Minnesota. 7th *Annual Rep. Min. Geol. Nat. Hist. Survey.*, 81-123. *
- Herrick, C. L. 1882. Notes on some Minnesota Cladocera. 10th *Annual Rep. Min. Geol. Nat. Hist. Survey Minn.*, 235-252.
- Herrick, C. L. 1884. A final report on the Crustacea of Minnesota included in the orders Cladocera and Copepoda. 12th *Annual. Rep. Min. Geol. Nat. Hist. Survey.*, 1-191.

- Herrick, C. L. 1887. Contributions to the fauna of the Gulf of Mexico and the South. List of freshwater and marine crustacean of Alabama. *Mem. Denison Sci. Ass.*, **1**: 1-56.
- Hudec, I. 1987. *Moina oryzae* n. sp (Cladocera: Moinidae) from Tamil Nadu (S. India). *Hydrobiologia.*, **145**: 147-150.
- Hutchinson, G. E. 1967. A treatise on Limnology, Vol.2. Introduction to the Lake Biology and the Limnoplankton. John Wiley & Sons. New York. 1115 pp.
- Idris, B. A. G. 1983. Freshwater zooplankton of Malaysia (Crustacea: Cladocera). Perenbit University, Pertanian, Malaysia., 1-153.
- Indulkar, S. T & Belsare, S. G. 2003. Live and inert foods for post-larvae of the giant freshwater prawn *Macrobrachium*. *Israeli J. of Aquaculture Bamidgeh.*, **55** (4): 45-50.
- Ingle, L; T. R. Wood & A. M. Banta. 1937. A study of longevity, growth, reproduction, and heart rate in *Daphnia longispina* as influenced by limitations in quantity of food. *J. of Experimental Zoology.* **76**: 325-352.
- James, C; Al-Khars & P. Chorbani. 1988. pH dependent growth of *Chlorella* in a continuous culture system. *J. of World Aquaculture Society.*, **19**: 27- 35.
- Jana, B. B & G. P. Pal. 1985a. The life history parameters of *M. micrura* grown in different culture media. *Water Res.*, **19**: 863-867.
- Jana, B.B & G. P. Pal. 1985b. Relative growth and egg production in *Daphnia carinata* King under different culture media. *Limnologica.*, **16**: 325-339.

- Jurine, L. 1820. *Historie des monocles, qui se trouvent aux environs de Genève., Genève and Paris.* 260 pp. *
- Kanaujia, D. R. 1982. Instar duration, instar number, egg production and longevity in *Ceriodaphnia cornuta* Sars at two temperature ranges. *J. Bombay Nat. Hist. Soc.*, **79** (2): 441-445.
- Kanaujia, D.R. 1984. Life history, ephippia development, cyclomorphosis and temperature effect on life cycle in *Daphnia lumholtzi* Sars (Cladocera: Daphniidae). *J. Bombay Nat. Hist. Soc.*, **80** (2): 442-448.
- Kanaujia, D.R. 1987. Biology and ephippia development in *Simocephalus vetulus* (O.F. Müller, 1776) (Cladocera: Daphniidae). *Ind. J. Animal Sci.*, **57** (1): 1153-1160.
- Kanaujia, D. R. 1988a. Preliminary observations on the life history and culture of *Ceriodaphnia cornuta* (Cladocera: Daphniidae). *Ind. J. Anim. Sci.*, **58** (1): 150-154.
- Kanaujia, D.R. 1988b. Life cycle of *Simocephalus vetulus* O. F. Müller (1976) (Cladocera: Daphniidae) under laboratory conditions and the effect of food on the life history. *Indian J. Anim. Sci.*, **58** (12): 1457-62.
- Kawasaki, T., H. Yoshimura., T. Shibue., Y. Ikeuchi., M. Sakata., K. Igarashi., H. Takada., K. Hoshino.,K. Kohn & H. Namiki. 2004a. Crystalline calcium phosphate and magnetic mineral content of *Daphnia* resting eggs. *Zool. Sci.*, **21** (1): 63-69.
- Kawasaki, T., M. Sakata & H. Namiki, 2004b. Elemental characterization of *Daphnia* resting eggs by X-ray analytical microscopy. *Zool. Sci.*, **21** (10): 1019-1023.

- Khan, R. A. 1983. The effects of food on growth, life span, and reproduction of cladoceran zooplankton, *Ceriodaphnia cornuta* (Sars). *Bull. Zool. Sur. India.*, **5**: 99-106.
- King, R.L. 1853. On some of the species of Daphniidae found in New south Wales. *Pap. Proc. R. Soc. Van Diemas Land.*, **2**: 243-263.
- Koivisto, S. 1995. Is *Daphnia magna* an ecologically representative zooplankton species in toxicity tests? *Environmental pollution.*, **90**: 263-267.
- Kořínek. V. 1984. Cladocera In: J.J. Symoens (ed). Hydrobiological survey of the Lake Bangweulu Lauapula River Basin. *Cercle hydrobiol.*, Bruxelles. **13**: 1-117.
- Korovchinsky, N.M. 1992. Sididae and Holopediidae. Guides to the identification of the Microinvertebrates of the Continental waters of the world. 3. SPB Academic publishing bv: 82pp.
- Korovchinsky, N.M. 1993. Description of male, analysis of morphological variability and geographical distribution of *Diaphanosoma Senegal* Gauthier. *Hydrobiologia.*, **259**: 9-16.
- Korovchinsky, N.M. 1995. Redescription of *Diaphanosoma volzi* Stingelin, 1905 (Crustacea: Daphniiformes: Sididae) with remarks on comparative morphology, biology and geographical distribution. *Hydrobiologia.*, **315**: 189-201.
- Korovchinsky, N.M. 1996. How many species of Cladocera are there? *Hydrobiologia.*, **321**: 191-204.
- Kotov, A.A. 1999. Morphology and variability of *Ilyocryptus agilis* Kurz, 1878 and *Ilyocryptus cuneatus* Štifter, 1988 from lake

- Glubokoe, Moscow Area, Central Russia (Branchiopoda, Anomopoda). *Arthropoda selecta.*, **8**: 3-32.
- Krueger, D.A. & S. I. Dodson, 1981. Embryological induction and predation ecology in *Daphnia pulex*. *Limnol. Oceanogr.*, **26**: 219-223.
- Kryutchkova. N. M. & V. Sladeck, 1969. Quantitative relations of the feeding and growth of *Daphnia pulex obtusa* (Kurz) Scourfield. *Hydrobiologia*, **33**: 47-64.
- Kurz, W. 1875. Dodekas neuer Cladoceren nebst einer kurzen Übersicht der Cladocerenfauna Böhmens. *Sitzunsber. Math. Naturw. Akad. Wiss.*, **70**: 7-88.
- Lampert, W. 1987. Feeding and nutrition in *Daphnia*, In : R. H. Peters and R. de Bernardi (Eds.) "*Daphnia*". *Memorie dell'istituto italiano di Idrobiologia.*, **45**: 143-192.
- Lampert, W. & U. Sommer, 1997. Limnoecology. The ecology of lakes and streams. Oxford University Press, New York, 1-382.
- Larsson, P. & S. Dodson, 1993. Chemical communication in planktonic animals. *Arch. Hydrobiol.*, **129**: 129-155.
- Lei, C. H. & Clifford, F. 1974. Field and laboratory studies of *Daphnia schodleri* Sars from Winterkill Lake of Alberta. *National museum of Natural Sciences publications in Zoology.*, **9**: 1-53.
- Leydig, F. 1860. *Naturgeschichte der Daphniden* (Crustacea, Cladocera). Tübingen. H. Laupp' schen. 1-252.
- Lievin, F. 1848. Die Branchiopoden der Danziger Gegend. *Schr. Naturf. Ges. Danzig.*, **4**: 1-52.

- Lilljeborg, W. 1853. Om de inom skane förekommande Crustaceer af Ordningarne. Cladocera, Ostracoda och Copepoda. (Lund). 222pp.
- Lubbock, J. 1857. An account of the two methods of reproduction in *Daphnia*, and of the structure of the ephippium. *Phil. Trans. Roy. Soc. London.*, **57**: 79-100.
- Lumer, H. 1937. Growth and maturation in the parthenogenetic eggs of *Daphnia magna* Straus. *Cytologia.*, **8**: 1-14.
- Lutz, F. E; P. S. Welch, P. S. Galtshoff, & J. G. Needdham (Eds). 1937. *Culture methods for invertebrate animals*'. Dover Publ., N. Y. 590 pp..
- Lynch, M. 1980. The evolution of cladoceran life histories. *Quart. Rev. Biol.*; **55**: 23-42.
- Machacek, J.1993. Comparison of the response of *Daphnia galeata* and *Daphnia obtusa* to fish produced chemical substance. *Limnol. Oceanogr.*, **38**: 1544-1550.
- Makrushim, A. V. 1976. Cladoceran crustaceans as indicators of water pollution. *Hydrobiol. J.*, **12**: 58-60.
- Malhotra, Y. R & S. Langer, 1990. Biological aspects of *Moina macrocopa* in relation to temperature variations. *J. Freshwater Biol.*, **2** (2): 111-115.
- Manimegalai, S; K. Venkataraman, & S. Krishnaswamy. 1986. Helmet development in *Daphnia cephalata* King under laboratory conditions. *Curr. Sci.*, **55**: 930-931.

- Martin, J. W. & C. Cash-Clark, 1995. The external morphology of the Onychopod 'Cladoceran' Genus *Bythotrephes* (Crustacea, Branchiopoda, Onychopoda, Cercopagididae), with notes on the morphology and phylogeny of the Order Onychopoda. *Zoologica Scripta.*, **24** (1): 61-90.
- Michael, R. G. 1962. Seasonal events in a natural population of the cladoceran *Ceriodaphnia cornuta* Sars and observations on its life cycle. *J. Zool. Soc. India.*, **14**: 211-218.
- Michael, R. G. 1973. Cladocera. In: A guide to the study of freshwater organisms. *J. Madurai. Univ., Suppl.* 1: 71-85.
- Michael, R. G. & B. J. Hann, 1979. On the resurrection of the cladoceran species *Chydorus reticulatus* Daday, 1898 (Chydoridae: Cladocera) and its relationship *Chydorus ventricosus* Daday, 1898. *Hydrobiologia.*, **65**: 225-232.
- Michael, R. G & B. K. Sharma, 1988. Fauna of India, Indian Cladocera (Crustacea: Branchiopoda: Cladocera). Ed. The Director, *Zool. Surv. India, Calcutta*. 1- 262.
- Mikulski, A; D. Lipowska & Pijanowska, 2004. Ontogenetic changes in *Daphnia* responsiveness to fish kairomone. *Hydrobiologia.*, **526**: 219-224.
- Milne-Edwards, M. 1840. Historie naturelle des Crustacés tome 3. suites a Buffon. (Histoire Naturelle).
- Mooij, W. M; S. Hulsmann; J. Vijverberg; A. Veen & E. H. R. R. Lammens, 2003. Modeling *Daphnia* population dynamics and demography under natural conditions. *Hydrobiologia.*, **491**: 19-34.

- Mori, Y. 1933. Kastrationsversuche bei Cladoceren. I. Die Entwicklung der sekundären Sexualcharaktere bei radiumbestrahlten Männchen von *Daphnia magna*. *Z. wiss. Zool.*, **144**: 289-316.
- Mortimer, C. H. 1936. Experimentelle und cytologische Untersuchungen über den Generationswechsel der Cladoceren. *Zool. Jahrb. Abt. Zool. u. Physiol.*, **56**: 323-388.
- Müller, O. F. 1776. Zoologiae Danicae Prodrumus, Animalicum Daniae et Norvegiae Indigenarum Characteres, nominact Synonyma imprimis popularium. Havniae. 1-273. *
- Müller, O. F. 1785. Entomostraca seu insecta testacea, quae in aquis daniae et norvegiae reperit, descripsit et Iconibus illustravit. Lipsiae et Havniae., 1-135. *
- Murugan, N. 1975a. Egg production, development and growth in *Moina micrura* Kurz (1874) (Cladocera: Moinidae). *Freshwat. Biol.*, **5**: 245-250.
- Murugan, N. 1975b. The biology of *Ceriodaphnia cornuta* Sars. *J. Inland. Fish. Soc. India*. **7**: 80-87.
- Murugan, N. 1977. The biology of *Simocephalus acutirostratus* King (Cladocera : Daphniidae) hatchability of the Parthenogenetic egg cultured in artificial media. *Hydrobiologia.*, **54** (3): 273-277.
- Murugan, N. 1989. The mass culture of cladoceran *Daphnia carinata* (King) for use as food in aquaculture. *Aqua. Res. Asia.*, Manang. *Techi. Nat. Pro. Asian Seminar Aqua*. Organized by IFS, Malang, Indonesia, Nov 14-18: 190-202.

- Murugan, N. & S. V. Job, 1982. Laboratory studies on the life cycle of *Leydigia acanthocercoides* Fischer (1854) (Cladocera: Chydoridae). *Hydrobiologia.*, **89**: 9-16.
- Murugan, N. & K. G. Sivaramakrishnan, 1973. The biology of *Simocephalus acutirostratus* King (Cladocera: Daphniidae). Laboratory studies of life span, instar duration, egg production, growth and stages in embryonic development. *Freshwat. Biol.*, **3**: 77-83.
- Murugan, N. & K. G. Sivaramakrishnan, 1976. Laboratory studies on the longevity, instar duration, growth, reproduction and embryonic development in *Scapholeberis kingi* Sars (1903) (Cladocera: Daphniidae). *Hydrobiologia.*, **50**: 75-80.
- Murugan, N. & R. K. Moorthy, 1988. Laboratory studies on the life span, growth, fecundity and embryonic development of *Daphnia cephalata* King (Crustacea: Daphniidae). *Proc. Indian Acad. Sci. (Anim. Sci.)*, **97** (4): 367-377.
- Murugan, N., P. Murugavel, & M. S. Kodarkar, 1998. Cladocera (The biology, classification, identification and ecology). Indian Association of Aquatic Biologist (IAAB) Publication., Hyderabad. **5**: 1-55.
- Murugan, N. & K. Venkataraman, 1977. Study of the *in vitro* development of the parthenogenetic egg of *Daphnia carinata* King (Cladocera : Daphniidae). *Hydrobiologia.*, **52** (2-3): 129-134.
- Nadin-Hurley, C. M. & A. Duncan, 1976. A comparison of *Daphnia* gut particles with the sestonic particles present in two Thames Valley reservoirs throughout 1970 and 1971. *Freshwat. Biol.*, **6**: 109-123.

- Nandini, S; S. M. Mayeli & S. S. S. Sarma, 2004. Effect of stress on the life-table demography of *Moina macrocopa*. *Hydrobiologia.*, **526**: 245-254.
- Nandini, S. & S. S. S. Sarma, 2000. Life-table demography of four cladoceran species in relation to algal food (*Chlorella vulgaris*) density. *Hydrobiologia.*, **435**: 117-126.
- Nasar, S. A. K. 1977. The Zooplankton fauna of Bhagalpur (Bihar) TWO. Cladocera. Carcinological Society of Japan. *Research on Crustacea.*, **8**: 32-36.
- Naumann, E. 1921. Spezielle Untersuchungen über die *Universitets Årsskrift.*, N. F. Avd. **17** (2):1-27. *
- Navaneethakrishnan, A. & R. G. Michael, 1971. Egg production and growth of *Daphnia carinata* King. *Proce. Indian Acad. Sci.*, **73**: 117-123.
- Nayar, C. K. G. 1971. Cladocera of Rajasthan. *Hydrobiologia.*, **37**: 509-519.
- Nayar, C. K. G & S. Babu. 2002. Mass culture of the cladoceran *Simocephalus serrulatus* (Koch) for use as live feed in aquaculture. *J. Zool. Soc. Kerala.*, **10** (1& 2): 13-16.
- Negrea, S. 1983. Crustacea Cladocera. Fauna republici socialiste Romania. Editura Acad. Rep. Soc. Romania., **4**: 1-399.
- Negrea, S; N. Botnariuc & H. J. Dumont. 1999. Phylogeny, evolution and classification of the Branchiopoda (Crustacea). *Hydrobiologia.*, **412**: 191-212.
- O' Brien, W. J. & G. L. Vinyard. 1978. Polymorphism and predation: The effect of invertebrate predation on the distribution of two

- varieties of *Daphnia carinata* in South Indian ponds. *Limnol. Oceanogr.*, **23**: 452-460.
- Ojima, Y. 1958. A cytological study on the development and maturation of the parthenogenetic and sexual eggs of *Daphnia pulex* (Crustacea–Cladocera). *Kwansei Gakuin Univ. Ann. Studies.*, **6**:123-176.
- Olesen, J. 1998. A phylogenetic analysis of the Conchostraca and Cladocera (Crustacea, Branchiopoda, Diplostraca). *Zoological J. of the Linnean Soci.*, **122**: 491-536.
- Ovie, S. I. & A. B. M. Egbore. 2002. The effect of different algal densities of *Scenedesmus acuminatus* on the population growth of *Moina micrura* Kurz (Crustacea: Anomopoda, Moinidae). *Hydrobiologia.*, **477**: 41-45.
- Pandey, B. D & S. G. Yeragi, 2000. The importance of live feeds in aquatic seed production. *Infofish International.*, **4**: 31-36.
- Pandian, T. J. & M. P. Marian 1991. Manual on culture of live food organisms for prawns. Madurai Kamaraj University. 34-46.
- Parabrhmam, M; A. N. Khan & J. S. S. Lakshminarayana, 1967. Occurrence, growth and feeding habits of *Moina dubia* Guerne and Richard, and its role in the stabilization of sewage. *Symposium on Crustacea Part II. Marine Biological Association of India.*, Cochin. 586-594.
- Patil, C. S. & B.Y. Gouder, 1988. Cladocera of Dharward (Karnataka state). *J. Bombay Nat. Hist. Soc.*, **85** (1): 112-117.

- Patil, C. S. & B.Y. Gouder, 1989. Freshwater invertebrates of Dharwad, (Ed.) Karnataka Univ., 1-144.
- Patil, S. G. 1976. Freshwater Cladocera (Arthropoda: Crustacea) from North-East India. *Curr. Sci.*, **45** (8): 312-313.
- Pennak, R.W. 1978. Freshwater invertebrates of United States: Protozoa to Mollusca. 2nd ed., John- Wiley & Sons, New york., 1-803.
- Persson. G. 1985. Clearance rates of crustacean macrofiltrators: The nature of *in situ* rate depressions in a fertilized oligotrophic lake in the Kuokkel area, Northern Sweden. *Internationale Revue der Gesamten Hydrobiologie und Hydrographie.*, **70**: 335-358.
- Petkovski, T. K. 1966. Eine neue Cladoceran-Gattung aus dem Western Indiens *Indialona ganapati*. n. gen. et n. sp. *Fragmenta Balcania musei Macedonici Scientiarum naturalium.*, **2**: 157-165.
- Porter, K. G. 1975. Viable gut passage of gelatinous green algae ingested by *Daphnia*. *Verh. Int. Ver. Limnol.*, **19**: 2840-2850.
- Porter, K. G. 1977. The plant-animal interface in freshwater ecosystems. *American Scientist.* **65**: 159-170.
- Potts, W. T. W. & C. T. Durning, 1980. Physiology and evolution in the Branchiopods. *Comp. Biochem. Physio.*, **67B**: 475-484.
- Prasad, D. Y. 1980. The effect of kraft pulp mill waste components on some aquatic organisms. *Indian J. Environ. Health.*, **22**: 340-345.
- Quadri, M. Y. & A. R. Yusof. 1978. Some new records of Crustacea from Kashmir. *Curr. Sci.*, **46**: 859-860.

- Raghunathan, M. B. 1986. Studies on freshwater cladocerans of Tamil Nadu, high altitude waters. *Bull. Bot. Soc.*, **32**: 60-63.
- Raghunathan, M. B. 1989a. Cladocera (Crustacea) from Wynad district, Kerala, *Geobios new reports.*, **8** (2): 195-196.
- Raghunathan, M. B. 1989b. Indian Cladocera (Crustacea). *Indian Rev. Life Sci.*, **9**: 137-152.
- Raghunathan, M. B. 1990. Seasonal studies on freshwater Cladocera of Chingleput Tank, Tamil Nadu. *Rec. Zool. Surv. India.*, **86** (2): 253-259.
- Raghunathan, M. B. 2006. Species diversity of certain freshwater fauna from Tamil Nadu. *Proceedings of the National Conference on Wetland Biodiversity.*, Thrissur. Kerala. 20-21.
- Raghunathan, M. B & R. Sureshkumar, 2002. Cladocera (Crustacea) of Tamil Nadu-checklist and bibliography. *Zoo's Print Journal.*, **17** (12): 959- 961.
- Rajapaska, R. & C. H. Fernando, 1982. The Cladocera of Sri-Lanka (Ceylon) with remarks on some species. *Hydrobiologia.*, **94**: 49-69.
- Rane, P.D. 1985a. A new species of the genus *Camptocercus* Baird, 1843 (Cladocera) from Madhya Pradesh, Central India. *Crustaceana.*, **48** (2): 113-116.
- Rane, P. D. 1985b. A new species of genus *Simocephalus* Schoedler 1858 (Cladocera: Daphniidae) from Madhya Pradesh, India. *J. Bombay Nat. Hist. Soc.*, **82** (1): 159-162.

- Rane, P.D. 1992. New distributional record for *Indialona ganapati* Petkovski (Crustacea : Cladocera) from Ujani Wetland, Maharashtra with first description of male and reproductive female. *J. Bombay Nat. Hist. Soc.* **89** (1): 263-265.
- Richard, 1894. cladocere's recueillis par le Dr. Theod Barrois in Palestine, in Syrie et en Egypte. *Revue. Biol. Nord. France.*, **6**: 360-378.
- Ringleberg, J. 1993. Phototaxis as a behavioural component of diel vertical migration in a pelagic *Daphnia*. *Arch. Hydrobiol. Beih. Ergeb. Limnol.* **39**: 45-55.
- Rojas, N. E. T., M. A. Marins, & O. Rocha, 2001. The effect of abiotic factors on the hatching of *Moina micrura* Kurz, 1874. (Crustacea: Cladocera) ephippial eggs. *Brazilian. J. Biol.*, **61** (3): 371-376.
- Rzoska, J. 1956. On the variability and status of the Cladocera *Ceriodaphnia cornuta* and *Ceriodaphnia rigaudi*. *Ann. Mag. Nat. Hist.*, **9** (103): 505-510.
- Sarma, S. S. S., S. Nandini & R. D. Gulati, 2004. Life history strategies of cladocerans: comparisons of tropical and temperate taxa. *Hydrobiologia.*, **542**: 315-333.
- Sars, G.O. 1862. Meddeelte en af talrige Afbildniger ledsaget Oversight af de af ham i Omegmen af Christiania iagtagne Crustacea Cladocera. *Forhandl. vidensk. selask. Christiania.*, (1861): 144-167.
- Sars, G.O. 1865. Norgas Ferskvandskrebssdyr Forste Afsnit, Branchiopoda. L. Cladocera, Ctenopoda. *Universitetesprogr. for Iste Halvaar Christiania.*, (1863): 1-71.

- Sars, G. O. 1867. Historire naturelle des Crustaces deau douce de Norve'ge. Les Malacostrac'es. *Christania: Johnsen.*, 1-145.
- Sars, G.O. 1885. On some Australian Cladocera raised from dried mud. *Norske. vidensk. selask. Forhandl. Christiania.*, 8: 1-46.
- Sars, G. O. 1888. Additional notes on Australian Cladocera, raised from dried mud. *Forhandl. Vidensk. Selsk. Christiania.*, 7: 1-74.
- Schaeffer, J. C. 1775. Die grünen Armpolypen, die geschwänzten und ungeschwänzten, zackigen Wasserflöhe; und eine besondere Art kleiner Wakseraale. Zweyte Auflage, Regensburg. 16-67.
- Schoedler, J. E., 1858. Der Branchiopoden in der umgegend Von Berlin, *Jahresber. Louisentst, Realschule. Berlin*, 1-28.
- Schoedler, J. E. 1877. Über die Cladoceren Australiens. *Sitz. Gesell. Naturf., Berlin*, Jahr. 11-14.
- Schultz, T. W. 1977. Fine structure of the ehippium of *Daphnia pulex* (Crustacea : Cladocera). *Trans. Am. Microsc. Soc.*, 96: 313-321.
- Schwartz, S. S. & P. D. N. Hebert, 1987. Methods for the activation of the resting eggs of *Daphnia*. *Freshwat. Biol.*, 17: 373-379.
- Scourfield, D. J. & J. P. Harding. 1941. A key to the British species of freshwater Cladocera with notes on their ecology. *Freshwater Biol. Assoc. Brit. Scientific. Publ.*, 5: 1-50.
- Sewell, R. B. S. 1935. Studies on the bionomics of freshwater in India II. On the fauna of the tank in the Indian museum compound and the seasonal changes observed. *Int. Rev. Hydrobio.*, 31: 203-238.

- Shan, R.K. 1969. Life cycle of a chydorid cladoceran *Pleuroxus denticulatus* Birge. *Hydrobiologia.*, **34**: 513-523.
- Sharma, B. K. 1978. A note on freshwater cladocerans from West Bengal. *Bangladesh J. Zool.*, **6**: 149-151.
- Sharma, B. K. 1991. Cladocera. *Animal resources of India*. Edited by Zool. Surv. India., 205-223.
- Sharma, S; B. K. Sharma & R.G. Michael, 1981. Laboratory studies on the longevity, instar duration and growth of male of *Daphnia lumholtzi* Sars (Cladocera: Daphniidae). *Curr. Sci.*, **50**: 200.
- Sharma, S; B. K. Sharma & R.G. Michael, 1984. The biology of *Daphnia lumholtzi* Sars (Cladocera: Daphniidae). *In vitro* development of parthenogenetic eggs. *Bull. Zool. Surv. India.*, **6**:341-342.
- Sharma, M. P. & A. K. Dattagupta. 1984. Cyclomorphosis in *Daphnia lumholtzi* Sars (Crustacea: Cladocera). An intermittent species from a sub-tropical water body. *Proce. Indian Nat. Acad.*, **B 50**: 170-173.
- Sharma, P. C. & M. C. Pant. 1985. Oxygen consumption in *Simocephalus vetulus* (Cladocera) in relation to size, density and temperature. *Ind. J. Phy. Nat. Sci.*, **A 5**: 29-35.
- Sharma, D. S & B. K. Sharma, 1989. Observations on the longevity, instar duration, fecundity, growth and embryonic development in *Simocephalus exspinosus* (Koch) (Cladocera: Daphniidae). *Ind. J. Anim. Sci.*, **59** (9): 1206-1210.

- Shiny, K. J; K. N. Remani; E. Nirmala; T. K. Jalaja & V. K. Sasidharan. 2005. Biotreatment of waste water using aquatic invertebrates, *Daphnia magna* and *Paramecium caudatum*. *Bioresource Technology*, **96** (1): 55-58.
- Silva-Briano, M., N. Q. Dieu & H. J. Dumont, 1999. Redescription of *Macrothrix laticornis* (Jurine, 1820) and description of two new species of the *M. laticornis*-group. *Hydrobiologia*, **403**: 39-61.
- Singh, D.K. & J. S. Datta-Munshi, 1991. Some aspects of biology of cladocerans of River Ganga. *Freshwater Biol.*, **3** (2): 187-191.
- Slusarczyk, M. & E. Rygielska, 2004. Fish faeces as the primary source of chemical cues inducing fish avoidance diapause in *Daphnia magna*. *Hydrobiologia*, **526**: 231-234.
- Smirnov, N. N. 1974. Fauna of the U.S.S.R. Crustacea: Chydoridae (Translated from Russian) *Israel Programme for scientific translations*, Jerusalem., **1** (2): 1-644.
- Smirnov, N. N. 1976. Macrothricidae, Moinidae fauny mira. (Macrothricidae and Moinidae of the world fauna). Fauna USSR, novaya seriya, N112. Rakoobraznye T.I, 3 Leningrad: Nauska. 237pp.
- Smirnov, N.N & B. V. Timms, 1975. A revision of Australian Cladocera (Crustacea). *Rec. Austr. Museum. Suppl.*, 1-132.
- Spaak, P. & J. R. Hoekstra, 1995. Life history variation and the coexistence of a *Daphnia* hybrid with its parental species. *Ecology*, **76**: 553-564.

- Stearns, S. 1992. The evolution of life histories. Oxford University Press., New York, USA. 1-249.
- Strickler, J. R. 1984. Concluding remarks. In: D.G. Meyers and J. R. Strickler (Eds) "Trophic interactions within aquatic ecosystems", *AAAS Selected Symp.*, 85, Westview Press, Boulder: 449-460.
- Sumitha, A. T. & R. Ramanibai, 2004. Growth and neonate production of *Moina micrura* at different photoperiods. *Proceedings of the 3rd National Seminar on Inland Water Resources and Environment.*, Thiruvananthapuram. 72-74.
- Sureshkumar, R. & K. Altaff, 2002. Life span and egg production of *Macrothrix spinosa* King (Cladocera: Macrothricidae) under laboratory conditions. *J. Aqua. Biol.*, 17 (2): 7-9.
- Sureshkumar, R; K. Altaff & M. B. Raghunathan, 1999. New record of a chydorid cladoceran, *Pleuroxus aduncus* Jurine (1820) from Chennai, South India, with the description of the developmental stages. *J. Aqua. Biol.*, 14 (1&2): 7-10.
- Swammerdam, J. 1669. *Historia insectorum generalis, of te algemeene verhandeling van de bloedeloose dierkens.* †Utrecht. *
- Tappa, D.W. 1965. The dynamics of the association of six limnetic species of *Daphnia* in Aziscoos Lake. Maine, *Ecolo. Monographs.*, 35: 395-423.
- Tatarazako, N; S. Oda; H. Watanabe; M. Morita & T. Iguchi. 2003. Juvenile hormone agonists affect the occurrence of male *Daphnia*. *Chemosphere.*, 53 (8): 827-833.

- Taylor, M. 1914. Note on the number of chromosomes in the male *Daphnia pulex*. *Zool. Anz.*, **45**: 21-24.
- Thomas. I. F. 1961. Review of the genera *Pseudosida* Herrick (1884) and *Latonopsis* Sars, 1888 (Cladocera). *Crustaceana.*, **2**: 110-125.
- Thresiamma, J., T. V. A. Mercy & D. M. Thamby, 1991. Production and population density of *Moina micrura* Kurz culture in different media. *J. Zoo. Soc. Kerala.*, **1** (1): 21-31.
- Vandekerkhove, J; B. Niessen; S. Declerck; E. Jeppesen; J. M. Conde-Porcuna; L. Brendonck & L. De Meester, 2004. Hatching rate and hatching success with and without isolation of zooplankton resting stages. *Hydrobiologia.*, **526**: 235-241.
- Vandekerkhove, J; S. Declerck; L. Brendonck; J. M. Conde-Porcuna; E. Jeppesen & L. De Meester, 2005a. Hatching of cladoceran resting eggs: temperature and photoperiod. *Freshwat. Biol.*, **50**: 96-104.
- Vandekerkhove, J; G. Louette; L. Brendonck & L. De Meester, 2005b. Development of cladoceran egg banks in new and isolated pools. *Arch. Hydrobiol.* **162** (3): 339-347.
- Venkataraman, K. 1981. Field and laboratory studies on *Daphnia carinata* King (Cladocera: Daphniidae) from a seasonal tropical pond. *Hydrobiologia.*, **78**: 221-225.
- Venkataraman, K. 1992. Cladocera of Keoladeo National Park, Bharatpur and its environs. *J. Bombay Nat. Hist. Soc.*, **89** (1): 17-26.
- Venkataraman, K. 1993. Sididae of Tamil Nadu (Crustacea: Cladocera). *J. Bombay Nat. Hist. Soc.*, **90** (1): 50-57.

- Venkataraman, K. 1994. Cladocera In: *State Fauna series 3: Fauna of West Bengal*. Part 10: 1-36.
- Venkataraman, K. 1995. Cladoceran males from the Indian region. *J. Bombay Nat. Hist. Soc.*, **92**:378- 385.
- Venkataraman, K. 1999. Freshwater Cladocera (Crustacea) of Southern Tamil Nadu. *J. Bombay Nat. Hist. Soc.*, **96** (2): 268- 280.
- Venkataraman, K & S. V. Job. 1980. Effect of temperature on the development, growth and egg production in *Daphnia carinata* King (Cladocera : Daphniidae). *Hydrobiologia.*, **68**: 217-224.
- Venkataraman, K. & S. Krishnaswamy, 1984a. A new record of *Diaphanosoma senegal* Gauthier, 1951 from Madurai, South India. *Curr. Sci.*, **53** (19): 1041-1042.
- Venkataraman, K. & S. Krishnaswamy, 1984b. On the occurrence of *Leydigia ciliata* Gauthier 1939 (Cladocera: Chydoridae) from Madurai, South India. *Curr. Sci.*, **53** (20): 1097-1098.
- Venkataraman, K & S. Krishnaswamy, 1985. Laboratory studies of *Diaphanosoma senegal* Gauthier, (Crustacea : Cladocera) from south India. *Indian Acad. Sci. (Anim. Sci.)* **94**: (2) 87-91.
- Venkataraman, K. & S. Krishnaswamy, 1986. *Anisops bouvieri* predation and advantages of cephalic expansion in *Daphnia cephalata* King and the impact of predation on *Daphnia similis* Claus, under laboratory conditions. *Proc. Indian Acad. Sci. (Anim. Sci.)*, **95**: 509-513.

- Vijverberg, J. 1976. The effect of food quantity and quality on the growth, birth rate and longevity of *Daphnia hyalina* Leydig. *Hydrobiologia.*, **51**: 99-108.
- Vijverberg, J. 1989. Culture techniques for studies on the growth, development and reproduction of copepods and cladocerans under laboratory and *in situ* conditions: a review. *Freshwat. Biol.*, **21**: 317-373.
- Vijverberg, J & A. F. Richter. 1982. Population dynamics and production of *Daphnia hyalina* Leydig and *Daphnia cucullata* in Tjeukemeer. *Hydrobiologia.*, **95**: 235-259.
- Von Siebold, 1856. 'Wahre Parthenogenesis bei Schmetterlingen und Bienen'. Leipsiz., p.138. *
- Warren, E. 1901. A Preliminary account of the development of the free swimming nauplius of *Leptodora hyalina* (Lillj.). *Proc. Roy. Soc. of London.*, **68**: 210-218.
- Watanabe, T & V. Kiron, 1994. Prospects in larval fish dietetics. *Aquaculture.*, **124**: 223-251.
- Weglenska, T. 1971. The influence of various concentrations of natural food on the development, fecundity and production of planktonic crustacean filtrators. *Ekol. Pol.*, **9**: 427-473.
- Weider, L. J. & J. Pijanowska, 1993. Plasticity of *Daphnia* life histories in response to chemical cues from predators. *Oikos.*, **67**: 385-392.
- Weismann, A. 1886. Richtungskörper bei parthenogenetischen Eiern. *Zool. Anz.*, **9**: 570-573. *

- Wesenberg-Lund, 1926. Contributions to the biology and morphology of the genus *Daphnia* with some remarks on heredity. *Mem. Acad. Roy. Sci. Lett., Danemark.* **11**: 89-251.
- Wetzel, G. 1975. Limnology, W. B. Saunders, Philadelphia, 743, pp.
- Wood, T.R. & A. M. Banta, 1936. Interpretations of data on growth and reproduction (*Daphnia longispina*). *Anat. Rec.*, **67**: 55.
- Yogendra. V; S. G. Ruparelia; M. C. Hargan & P. K. Kulkarni. 2005. Acute toxicity of the waste water (influent and effluent) of textile mills to water flea. *J. Ecobiology.*, **17** (1): 67-73.
- Zaffagnini, F. 1987. Reproduction in *Daphnia*. In: R. H. Peters and R. de Bernardi (Eds.) "*Daphnia*". *Memorie dell'istituto italiano di Idrobiologia.*, **45**: 143-192.
- Zhang, L & Baer, K. N. 2000. The influence of different feeding rates, photoperiods and selected solvents on the reproductive strategies of the water flea, *Daphnia magna*. *Environmental Pollution.*, **110**: (3) 425-430.

* Original article not seen